

[illegible]

CH_AMR_2017_MRSA_92	92
CH_AMR_2017_MRSA_93	93
CH_AMR_2017_MRSA_94	94
CH_AMR_2017_MRSA_95	95
CH_AMR_2017_MRSA_115	115
CH_AMR_2017_MRSA_116	116
CH_AMR_2017_MRSA_117	117
CH_AMR_2017_MRSA_118	118
CH_AMR_2017_MRSA_119	119
CH_AMR_2017_MRSA_121	121
CH_AMR_2017_MRSA_122	122
CH_AMR_2017_MRSA_123	123
CH_AMR_2017_MRSA_124	124
CH_AMR_2017_MRSA_125	125
CH_AMR_2017_MRSA_126	126
CH_AMR_2017_MRSA_127	127
CH_AMR_2017_MRSA_128	128
CH_AMR_2017_MRSA_129	129
CH_AMR_2017_MRSA_130	130
CH_AMR_2017_MRSA_131	131
CH_AMR_2017_MRSA_132	132
CH_AMR_2017_MRSA_133	133
CH_AMR_2017_MRSA_153	153
CH_AMR_2017_MRSA_154	154
CH_AMR_2017_MRSA_155	155
CH_AMR_2017_MRSA_156	156
CH_AMR_2017_MRSA_157	157
CH_AMR_2017_MRSA_158	158
CH_AMR_2017_MRSA_159	159
CH_AMR_2017_MRSA_160	160
CH_AMR_2017_MRSA_161	161
CH_AMR_2017_MRSA_162	162
CH_AMR_2017_MRSA_163	163
CH_AMR_2017_MRSA_164	164
CH_AMR_2017_MRSA_165	165
CH_AMR_2017_MRSA_166	166
CH_AMR_2017_MRSA_167	167
CH_AMR_2017_MRSA_168	168
CH_AMR_2017_MRSA_169	169
CH_AMR_2017_MRSA_170	170
CH_AMR_2017_MRSA_171	171
CH_AMR_2017_MRSA_172	172
CH_AMR_2017_MRSA_173	173
CH_AMR_2017_MRSA_174	174
CH_AMR_2017_MRSA_175	175
CH_AMR_2017_MRSA_176	176
CH_AMR_2017_MRSA_177	177
CH_AMR_2017_MRSA_178	178
CH_AMR_2017_MRSA_179	179
CH_AMR_2017_MRSA_180	180
CH_AMR_2017_MRSA_181	181
CH_AMR_2017_MRSA_182	182
CH_AMR_2017_MRSA_183	183

[illegible]

CH_AMR_2017_MRSA_184
CH_AMR_2017_MRSA_185
CH_AMR_2017_MRSA_186
CH_AMR_2017_MRSA_187
CH_AMR_2017_MRSA_188
CH_AMR_2017_MRSA_189
CH_AMR_2017_MRSA_190
CH_AMR_2017_MRSA_229
CH_AMR_2017_MRSA_230
CH_AMR_2017_MRSA_23
CH_AMR_2017_MRSA_232
CH_AMR_2017_MRSA_233
CH_AMR_2017_MRSA_234
CH_AMR_2017_MRSA_235
CH_AMR_2017_MRSA_236
CH_AMR_2017_MRSA_237
CH_AMR_2017_MRSA_238
CH_AMR_2017_MRSA_239
CH_AMR_2017_MRSA_240
CH_AMR_2017_MRSA_241
CH_AMR_2017_MRSA_242
CH_AMR_2017_MRSA_243
CH_AMR_2017_MRSA_244
CH_AMR_2017_MRSA_245
CH_AMR_2017_MRSA_246
CH_AMR_2017_MRSA_247
CH_AMR_2017_MRSA_305
CH_AMR_2017_MRSA_306
CH_AMR_2017_MRSA_307
CH_AMR_2017_MRSA_308
CH_AMR_2017_MRSA_309
CH_AMR_2017_MRSA_310
CH_AMR_2017_MRSA_311
CH_AMR_2017_MRSA_312
CH_AMR_2017_MRSA_313
CH_AMR_2017_MRSA_314
CH_AMR_2017_MRSA_315
CH_AMR_2017_MRSA_316
CH_AMR_2017_MRSA_317
CH_AMR_2017_MRSA_318
CH_AMR_2017_MRSA_319
CH_AMR_2017_MRSA_320
CH_AMR_2017_MRSA_321
CH_AMR_2017_MRSA_322
CH_AMR_2017_MRSA_323
CH_AMR_2017_MRSA_324
CH_AMR_2017_MRSA_325
CH_AMR_2017_MRSA_326
CH_AMR_2017_MRSA_327
CH_AMR_2017_MRSA_328
CH_AMR_2017_MRSA_329
CH_AMR_2017_MRSA_330
CH_AMR_2017_MRSA_331
CH_AMR_2017_MRSA_332

[illegible]

CH_AMR_2017_MRSA_739
CH_AMR_2017_MRSA_740
CH_AMR_2017_MRSA_741
CH_AMR_2017_MRSA_742
CH_AMR_2017_MRSA_743
CH_AMR_2017_MRSA_744
CH_AMR_2017_MRSA_745
CH_AMR_2017_MRSA_746
CH_AMR_2017_MRSA_747
CH_AMR_2017_MRSA_748
CH_AMR_2017_MRSA_749
CH_AMR_2017_MRSA_750
CH_AMR_2017_MRSA_751
CH_AMR_2017_MRSA_752
CH_AMR_2017_MRSA_753
CH_AMR_2017_MRSA_754
CH_AMR_2017_MRSA_755
CH_AMR_2017_MRSA_756
CH_AMR_2017_MRSA_757
CH_AMR_2017_MRSA_758
CH_AMR_2017_MRSA_759
CH_AMR_2017_MRSA_760
CH_AMR_2017_MRSA_761
CH_AMR_2017_MRSA_762
CH_AMR_2017_MRSA_763
CH_AMR_2017_MRSA_764
CH_AMR_2017_MRSA_765
CH_AMR_2017_MRSA_766
CH_AMR_2017_MRSA_767
CH_AMR_2017_MRSA_768
CH_AMR_2017_MRSA_769
CH_AMR_2017_MRSA_770
CH_AMR_2017_MRSA_771
CH_AMR_2017_MRSA_772
CH_AMR_2017_MRSA_773
CH_AMR_2017_MRSA_774
CH_AMR_2017_MRSA_775
CH_AMR_2017_MRSA_776
CH_AMR_2017_MRSA_777
CH_AMR_2017_MRSA_778
CH_AMR_2017_MRSA_779
CH_AMR_2017_MRSA_780
CH_AMR_2017_MRSA_781
CH_AMR_2017_MRSA_782
CH_AMR_2017_MRSA_783
CH_AMR_2017_MRSA_784
CH_AMR_2017_MRSA_785
CH_AMR_2017_MRSA_786
CH_AMR_2017_MRSA_787
CH_AMR_2017_MRSA_788
CH_AMR_2017_MRSA_789
CH_AMR_2017_MRSA_790
CH_AMR_2017_MRSA_791
CH_AMR_2017_MRSA_792

[illegible]

CH_AMR_2017_MRSA_793
CH_AMR_2017_MRSA_794
CH_AMR_2017_MRSA_795
CH_AMR_2017_MRSA_796
CH_AMR_2017_MRSA_797
CH_AMR_2017_MRSA_798
CH_AMR_2017_MRSA_799
CH_AMR_2017_MRSA_800
CH_AMR_2017_MRSA_801
CH_AMR_2017_MRSA_802
CH_AMR_2017_MRSA_803
CH_AMR_2017_MRSA_804
CH_AMR_2017_MRSA_805
CH_AMR_2017_MRSA_806
CH_AMR_2017_MRSA_807
CH_AMR_2017_MRSA_808
CH_AMR_2017_MRSA_809
CH_AMR_2017_MRSA_810
CH_AMR_2017_MRSA_811
CH_AMR_2017_MRSA_812
CH_AMR_2017_MRSA_813
CH_AMR_2017_MRSA_814
CH_AMR_2017_MRSA_815
CH_AMR_2017_MRSA_816
CH_AMR_2017_MRSA_817
CH_AMR_2017_MRSA_837
CH_AMR_2017_MRSA_838
CH_AMR_2017_MRSA_839
CH_AMR_2017_MRSA_840
CH_AMR_2017_MRSA_841
CH_AMR_2017_MRSA_842
CH_AMR_2017_MRSA_843
CH_AMR_2017_MRSA_844
CH_AMR_2017_MRSA_845
CH_AMR_2017_MRSA_846
CH_AMR_2017_MRSA_847
CH_AMR_2017_MRSA_848
CH_AMR_2017_MRSA_849
CH_AMR_2017_MRSA_850
CH_AMR_2017_MRSA_851
CH_AMR_2017_MRSA_852
CH_AMR_2017_MRSA_853
CH_AMR_2017_MRSA_854
CH_AMR_2017_MRSA_855
CH_AMR_2017_MRSA_1103
CH_AMR_2017_MRSA_1104
CH_AMR_2017_MRSA_1105
CH_AMR_2017_MRSA_1106
CH_AMR_2017_MRSA_1107
CH_AMR_2017_MRSA_1108
CH_AMR_2017_MRSA_1109
CH_AMR_2017_MRSA_1110
CH_AMR_2017_MRSA_1111
CH_AMR_2017_MRSA_1112

[illegible]

CH_AMR_2017_MRSA_1113	1113
CH_AMR_2017_MRSA_1114	1114
CH_AMR_2017_MRSA_1115	1115
CH_AMR_2017_MRSA_1116	1116
CH_AMR_2017_MRSA_1117	1117
CH_AMR_2017_MRSA_1118	1118
CH_AMR_2017_MRSA_1119	1119
CH_AMR_2017_MRSA_1120	1120
CH_AMR_2017_MRSA_1121	1121
CH_AMR_2017_MRSA_1355	1355
CH_AMR_2017_MRSA_1351	1351
CH_AMR_2017_MRSA_1352	1352
CH_AMR_2017_MRSA_1353	1353
CH_AMR_2017_MRSA_1354	1354
CH_AMR_2017_MRSA_1355	1355
CH_AMR_2017_MRSA_1356	1356
CH_AMR_2017_MRSA_1357	1357
CH_AMR_2017_MRSA_1358	1358
CH_AMR_2017_MRSA_1359	1359
CH_AMR_2017_MRSA_1360	1360
CH_AMR_2017_MRSA_1361	1361
CH_AMR_2017_MRSA_1362	1362
CH_AMR_2017_MRSA_1363	1363
CH_AMR_2017_MRSA_1364	1364
CH_AMR_2017_MRSA_1365	1365
CH_AMR_2017_MRSA_1366	1366
CH_AMR_2017_MRSA_1367	1367
CH_AMR_2017_MRSA_1368	1368
CH_AMR_2017_MRSA_1407	1407
CH_AMR_2017_MRSA_1408	1408
CH_AMR_2017_MRSA_1409	1409
CH_AMR_2017_MRSA_1410	1410
CH_AMR_2017_MRSA_1411	1411
CH_AMR_2017_MRSA_1412	1412
CH_AMR_2017_MRSA_1413	1413
CH_AMR_2017_MRSA_1414	1414
CH_AMR_2017_MRSA_1415	1415
CH_AMR_2017_MRSA_1416	1416
CH_AMR_2017_MRSA_1417	1417
CH_AMR_2017_MRSA_1418	1418
CH_AMR_2017_MRSA_1419	1419
CH_AMR_2017_MRSA_1420	1420
CH_AMR_2017_MRSA_1421	1421
CH_AMR_2017_MRSA_1422	1422
CH_AMR_2017_MRSA_1423	1423
CH_AMR_2017_MRSA_1424	1424
CH_AMR_2017_MRSA_1425	1425
CH_AMR_2017_MRSA_1426	1426
CH_AMR_2017_MRSA_1427	1427
CH_AMR_2017_MRSA_1428	1428
CH_AMR_2017_MRSA_1429	1429
CH_AMR_2017_MRSA_1430	1430
CH_AMR_2017_MRSA_1431	1431
CH_AMR_2017_MRSA_1433	1433

[illegible]

CH_AMR_2017_MRSA_1433
CH_AMR_2017_MRSA_1434
CH_AMR_2017_MRSA_1435
CH_AMR_2017_MRSA_1436
CH_AMR_2017_MRSA_1437
CH_AMR_2017_MRSA_1438
CH_AMR_2017_MRSA_1439
CH_AMR_2017_MRSA_1440
CH_AMR_2017_MRSA_1441
CH_AMR_2017_MRSA_1442
CH_AMR_2017_MRSA_1443
CH_AMR_2017_MRSA_1444
CH_AMR_2017_MRSA_1483
CH_AMR_2017_MRSA_1484
CH_AMR_2017_MRSA_1485
CH_AMR_2017_MRSA_1486
CH_AMR_2017_MRSA_1487
CH_AMR_2017_MRSA_1488
CH_AMR_2017_MRSA_1489
CH_AMR_2017_MRSA_1490
CH_AMR_2017_MRSA_1491
CH_AMR_2017_MRSA_1492
CH_AMR_2017_MRSA_1493
CH_AMR_2017_MRSA_1494
CH_AMR_2017_MRSA_1495
CH_AMR_2017_MRSA_1496
CH_AMR_2017_MRSA_1497
CH_AMR_2017_MRSA_1498
CH_AMR_2017_MRSA_1499
CH_AMR_2017_MRSA_1500
CH_AMR_2017_MRSA_1501
CH_AMR_2017_MRSA_1654
CH_AMR_2017_MRSA_1655
CH_AMR_2017_MRSA_1656
CH_AMR_2017_MRSA_1657
CH_AMR_2017_MRSA_1658
CH_AMR_2017_MRSA_1659
CH_AMR_2017_MRSA_1660
CH_AMR_2017_MRSA_1661
CH_AMR_2017_MRSA_1662
CH_AMR_2017_MRSA_1663
CH_AMR_2017_MRSA_1664
CH_AMR_2017_MRSA_1665
CH_AMR_2017_MRSA_1666
CH_AMR_2017_MRSA_1667
CH_AMR_2017_MRSA_1668
CH_AMR_2017_MRSA_1669
CH_AMR_2017_MRSA_1670
CH_AMR_2017_MRSA_1671
CH_AMR_2017_MRSA_1672
CH_AMR_2017_MRSA_1730
CH_AMR_2017_MRSA_1731
CH_AMR_2017_MRSA_1732
CH_AMR_2017_MRSA_1733

[illegible]

CH_AMR_2017_MRSA_1734
CH_AMR_2017_MRSA_1735
CH_AMR_2017_MRSA_1736
CH_AMR_2017_MRSA_1737
CH_AMR_2017_MRSA_1738
CH_AMR_2017_MRSA_1739
CH_AMR_2017_MRSA_1740
CH_AMR_2017_MRSA_1741
CH_AMR_2017_MRSA_1742
CH_AMR_2017_MRSA_1743
CH_AMR_2017_MRSA_1744
CH_AMR_2017_MRSA_1745
CH_AMR_2017_MRSA_1746
CH_AMR_2017_MRSA_1747
CH_AMR_2017_MRSA_1748
CH_AMR_2017_MRSA_1749
CH_AMR_2017_MRSA_1750
CH_AMR_2017_MRSA_1751
CH_AMR_2017_MRSA_1752
CH_AMR_2017_MRSA_1753
CH_AMR_2017_MRSA_1754
CH_AMR_2017_MRSA_1755
CH_AMR_2017_MRSA_1756
CH_AMR_2017_MRSA_1757
CH_AMR_2017_MRSA_1758
CH_AMR_2017_MRSA_1759
CH_AMR_2017_MRSA_1760
CH_AMR_2017_MRSA_1761
CH_AMR_2017_MRSA_1762
CH_AMR_2017_MRSA_1763
CH_AMR_2017_MRSA_1764
CH_AMR_2017_MRSA_1765
CH_AMR_2017_MRSA_1766
CH_AMR_2017_MRSA_1767
CH_AMR_2017_MRSA_1768
CH_AMR_2017_MRSA_1769
CH_AMR_2017_MRSA_1770
CH_AMR_2017_MRSA_1771
CH_AMR_2017_MRSA_1772
CH_AMR_2017_MRSA_1773
CH_AMR_2017_MRSA_1774
CH_AMR_2017_MRSA_1775
CH_AMR_2017_MRSA_1776
CH_AMR_2017_MRSA_1777
CH_AMR_2017_MRSA_1778
CH_AMR_2017_MRSA_1779
CH_AMR_2017_MRSA_1780
CH_AMR_2017_MRSA_1781
CH_AMR_2017_MRSA_1782
CH_AMR_2017_MRSA_1783
CH_AMR_2017_MRSA_1784
CH_AMR_2017_MRSA_1785
CH_AMR_2017_MRSA_1786
CH_AMR_2017_MRSA_1806

[illegible]

CH_AMR_2017_MRSA_1807
CH_AMR_2017_MRSA_1808
CH_AMR_2017_MRSA_1809
CH_AMR_2017_MRSA_1810
CH_AMR_2017_MRSA_1811
CH_AMR_2017_MRSA_1812
CH_AMR_2017_MRSA_1813
CH_AMR_2017_MRSA_1814
CH_AMR_2017_MRSA_1815
CH_AMR_2017_MRSA_1816
CH_AMR_2017_MRSA_1817
CH_AMR_2017_MRSA_1818
CH_AMR_2017_MRSA_1819
CH_AMR_2017_MRSA_1820
CH_AMR_2017_MRSA_1821
CH_AMR_2017_MRSA_1822
CH_AMR_2017_MRSA_1823
CH_AMR_2017_MRSA_1824
CH_AMR_2017_MRSA_1825
CH_AMR_2017_MRSA_1826
CH_AMR_2017_MRSA_1827
CH_AMR_2017_MRSA_1828
CH_AMR_2017_MRSA_1829
CH_AMR_2017_MRSA_1830
CH_AMR_2017_MRSA_1831
CH_AMR_2017_MRSA_1832
CH_AMR_2017_MRSA_1833
CH_AMR_2017_MRSA_1834
CH_AMR_2017_MRSA_1835
CH_AMR_2017_MRSA_1836
CH_AMR_2017_MRSA_1837
CH_AMR_2017_MRSA_1838
CH_AMR_2017_MRSA_1839
CH_AMR_2017_MRSA_1840
CH_AMR_2017_MRSA_1841
CH_AMR_2017_MRSA_1842
CH_AMR_2017_MRSA_1843
CH_AMR_2017_MRSA_1863
CH_AMR_2017_MRSA_1864
CH_AMR_2017_MRSA_1865
CH_AMR_2017_MRSA_1866
CH_AMR_2017_MRSA_1867
CH_AMR_2017_MRSA_1868
CH_AMR_2017_MRSA_1869
CH_AMR_2017_MRSA_1870
CH_AMR_2017_MRSA_1871
CH_AMR_2017_MRSA_1872
CH_AMR_2017_MRSA_1873
CH_AMR_2017_MRSA_1874
CH_AMR_2017_MRSA_1875
CH_AMR_2017_MRSA_1876
CH_AMR_2017_MRSA_1877
CH_AMR_2017_MRSA_1878
CH_AMR_2017_MRSA_1879

[illegible]

CH_AMR_2017_MRSA_1880
CH_AMR_2017_MRSA_1881
CH_AMR_2017_MRSA_1901
CH_AMR_2017_MRSA_1902
CH_AMR_2017_MRSA_1903
CH_AMR_2017_MRSA_1904
CH_AMR_2017_MRSA_1905
CH_AMR_2017_MRSA_1906
CH_AMR_2017_MRSA_1907
CH_AMR_2017_MRSA_1908
CH_AMR_2017_MRSA_1909
CH_AMR_2017_MRSA_1910
CH_AMR_2017_MRSA_1911
CH_AMR_2017_MRSA_1912
CH_AMR_2017_MRSA_1913
CH_AMR_2017_MRSA_1914
CH_AMR_2017_MRSA_1915
CH_AMR_2017_MRSA_1916
CH_AMR_2017_MRSA_1917
CH_AMR_2017_MRSA_1918
CH_AMR_2017_MRSA_1919
CH_AMR_2017_MRSA_1920
CH_AMR_2017_MRSA_1921
CH_AMR_2017_MRSA_1922
CH_AMR_2017_MRSA_1923
CH_AMR_2017_MRSA_1924
CH_AMR_2017_MRSA_1925
CH_AMR_2017_MRSA_1926
CH_AMR_2017_MRSA_1927
CH_AMR_2017_MRSA_1928
CH_AMR_2017_MRSA_1929
CH_AMR_2017_MRSA_1930
CH_AMR_2017_MRSA_1931
CH_AMR_2017_MRSA_1932
CH_AMR_2017_MRSA_1933
CH_AMR_2017_MRSA_1934
CH_AMR_2017_MRSA_1935
CH_AMR_2017_MRSA_1936
CH_AMR_2017_MRSA_1937
CH_AMR_2017_MRSA_1938
CH_AMR_2017_MRSA_1977
CH_AMR_2017_MRSA_1978
CH_AMR_2017_MRSA_1979
CH_AMR_2017_MRSA_1980
CH_AMR_2017_MRSA_1981
CH_AMR_2017_MRSA_1982
CH_AMR_2017_MRSA_1983
CH_AMR_2017_MRSA_1984
CH_AMR_2017_MRSA_1985
CH_AMR_2017_MRSA_1986
CH_AMR_2017_MRSA_1987
CH_AMR_2017_MRSA_1988
CH_AMR_2017_MRSA_1989
CH_AMR_2017_MRSA_1990

[illegible]

CH_AMR_2017_MRSA_2045
CH_AMR_2017_MRSA_2046
CH_AMR_2017_MRSA_2047
CH_AMR_2017_MRSA_2048
CH_AMR_2017_MRSA_2049
CH_AMR_2017_MRSA_2050
CH_AMR_2017_MRSA_2051
CH_AMR_2017_MRSA_2052
CH_AMR_2017_MRSA_2053
CH_AMR_2017_MRSA_2054
CH_AMR_2017_MRSA_2055
CH_AMR_2017_MRSA_2056
CH_AMR_2017_MRSA_2057
CH_AMR_2017_MRSA_2058
CH_AMR_2017_MRSA_2059
CH_AMR_2017_MRSA_2060
CH_AMR_2017_MRSA_2061
CH_AMR_2017_MRSA_2062
CH_AMR_2017_MRSA_2063
CH_AMR_2017_MRSA_2064
CH_AMR_2017_MRSA_2065
CH_AMR_2017_MRSA_2066
CH_AMR_2017_MRSA_2067
CH_AMR_2017_MRSA_2068
CH_AMR_2017_MRSA_2069
CH_AMR_2017_MRSA_2070
CH_AMR_2017_MRSA_2071
CH_AMR_2017_MRSA_2091
CH_AMR_2017_MRSA_2092
CH_AMR_2017_MRSA_2093
CH_AMR_2017_MRSA_2094
CH_AMR_2017_MRSA_2095
CH_AMR_2017_MRSA_2096
CH_AMR_2017_MRSA_2097
CH_AMR_2017_MRSA_2098
CH_AMR_2017_MRSA_2099
CH_AMR_2017_MRSA_2100
CH_AMR_2017_MRSA_2101
CH_AMR_2017_MRSA_2102
CH_AMR_2017_MRSA_2103
CH_AMR_2017_MRSA_2104
CH_AMR_2017_MRSA_2105
CH_AMR_2017_MRSA_2106
CH_AMR_2017_MRSA_2107
CH_AMR_2017_MRSA_2108
CH_AMR_2017_MRSA_2109
CH_AMR_2017_MRSA_2110
CH_AMR_2017_MRSA_2111
CH_AMR_2017_MRSA_2112
CH_AMR_2017_MRSA_2113
CH_AMR_2017_MRSA_2114
CH_AMR_2017_MRSA_2115
CH_AMR_2017_MRSA_2116
CH_AMR_2017_MRSA_2117

[illegible]

CH_AMR_2017_MRSA_2118
CH_AMR_2017_MRSA_2119
CH_AMR_2017_MRSA_2120
CH_AMR_2017_MRSA_2121
CH_AMR_2017_MRSA_2122
CH_AMR_2017_MRSA_2123
CH_AMR_2017_MRSA_2124
CH_AMR_2017_MRSA_2125
CH_AMR_2017_MRSA_2126
CH_AMR_2017_MRSA_2127
CH_AMR_2017_MRSA_2128
CH_AMR_2017_MRSA_2148
CH_AMR_2017_MRSA_2149
CH_AMR_2017_MRSA_2150
CH_AMR_2017_MRSA_2151
CH_AMR_2017_MRSA_2152
CH_AMR_2017_MRSA_2153
CH_AMR_2017_MRSA_2154
CH_AMR_2017_MRSA_2155
CH_AMR_2017_MRSA_2156
CH_AMR_2017_MRSA_2157
CH_AMR_2017_MRSA_2158
CH_AMR_2017_MRSA_2159
CH_AMR_2017_MRSA_2160
CH_AMR_2017_MRSA_2161
CH_AMR_2017_MRSA_2162
CH_AMR_2017_MRSA_2163
CH_AMR_2017_MRSA_2164
CH_AMR_2017_MRSA_2165
CH_AMR_2017_MRSA_2166
CH_AMR_2017_MRSA_2167
CH_AMR_2017_MRSA_2168
CH_AMR_2017_MRSA_2169
CH_AMR_2017_MRSA_2170
CH_AMR_2017_MRSA_2171
CH_AMR_2017_MRSA_2172
CH_AMR_2017_MRSA_2173
CH_AMR_2017_MRSA_2174
CH_AMR_2017_MRSA_2175
CH_AMR_2017_MRSA_2176
CH_AMR_2017_MRSA_2177
CH_AMR_2017_MRSA_2178
CH_AMR_2017_MRSA_2179
CH_AMR_2017_MRSA_2180
CH_AMR_2017_MRSA_2181
CH_AMR_2017_MRSA_2182
CH_AMR_2017_MRSA_2183
CH_AMR_2017_MRSA_2184
CH_AMR_2017_MRSA_2185
CH_AMR_2017_MRSA_2186
CH_AMR_2017_MRSA_2187
CH_AMR_2017_MRSA_2188
CH_AMR_2017_MRSA_2189
CH_AMR_2017_MRSA_2190

[illegible]

CH_AMR_2017_MRSA_2191
CH_AMR_2017_MRSA_2192
CH_AMR_2017_MRSA_2193
CH_AMR_2017_MRSA_2194
CH_AMR_2017_MRSA_2195
CH_AMR_2017_MRSA_2196
CH_AMR_2017_MRSA_2197
CH_AMR_2017_MRSA_2198
CH_AMR_2017_MRSA_2199
CH_AMR_2017_MRSA_2200
CH_AMR_2017_MRSA_2201
CH_AMR_2017_MRSA_2202
CH_AMR_2017_MRSA_2203
CH_AMR_2017_MRSA_2204
CH_AMR_2017_MRSA_2205
CH_AMR_2017_MRSA_2206
CH_AMR_2017_MRSA_2207
CH_AMR_2017_MRSA_2208
CH_AMR_2017_MRSA_2209
CH_AMR_2017_MRSA_2210
CH_AMR_2017_MRSA_2211
CH_AMR_2017_MRSA_2212
CH_AMR_2017_MRSA_2213
CH_AMR_2017_MRSA_2214
CH_AMR_2017_MRSA_2215
CH_AMR_2017_MRSA_2216
CH_AMR_2017_MRSA_2217
CH_AMR_2017_MRSA_2218
CH_AMR_2017_MRSA_2219
CH_AMR_2017_MRSA_2220
CH_AMR_2017_MRSA_2221
CH_AMR_2017_MRSA_2222
CH_AMR_2017_MRSA_2223
CH_AMR_2017_MRSA_2300
CH_AMR_2017_MRSA_2301
CH_AMR_2017_MRSA_2302
CH_AMR_2017_MRSA_2303
CH_AMR_2017_MRSA_2304
CH_AMR_2017_MRSA_2305
CH_AMR_2017_MRSA_2306
CH_AMR_2017_MRSA_2307
CH_AMR_2017_MRSA_2308
CH_AMR_2017_MRSA_2309
CH_AMR_2017_MRSA_2310
CH_AMR_2017_MRSA_2311
CH_AMR_2017_MRSA_2312
CH_AMR_2017_MRSA_2313
CH_AMR_2017_MRSA_2314
CH_AMR_2017_MRSA_2315
CH_AMR_2017_MRSA_2316
CH_AMR_2017_MRSA_2317
CH_AMR_2017_MRSA_2318
CH_AMR_2017_MRSA_2319
CH_AMR_2017_MRSA_2320

[illegible]

CH_AMR_2017_MRSA_2321
CH_AMR_2017_MRSA_2322
CH_AMR_2017_MRSA_2323
CH_AMR_2017_MRSA_2324
CH_AMR_2017_MRSA_2325
CH_AMR_2017_MRSA_2326
CH_AMR_2017_MRSA_2327
CH_AMR_2017_MRSA_2328
CH_AMR_2017_MRSA_2329
CH_AMR_2017_MRSA_2330
CH_AMR_2017_MRSA_2331
CH_AMR_2017_MRSA_2332
CH_AMR_2017_MRSA_2333
CH_AMR_2017_MRSA_2334
CH_AMR_2017_MRSA_2335
CH_AMR_2017_MRSA_2336
CH_AMR_2017_MRSA_2337
CH_AMR_2017_MRSA_2338
CH_AMR_2017_MRSA_2339
CH_AMR_2017_MRSA_2340
CH_AMR_2017_MRSA_2341
CH_AMR_2017_MRSA_2342
CH_AMR_2017_MRSA_2343
CH_AMR_2017_MRSA_2344
CH_AMR_2017_MRSA_2345
CH_AMR_2017_MRSA_2346
CH_AMR_2017_MRSA_2347
CH_AMR_2017_MRSA_2348
CH_AMR_2017_MRSA_2349
CH_AMR_2017_MRSA_2350
CH_AMR_2017_MRSA_2351
CH_AMR_2017_MRSA_2352
CH_AMR_2017_MRSA_2353
CH_AMR_2017_MRSA_2354
CH_AMR_2017_MRSA_2355
CH_AMR_2017_MRSA_2356
CH_AMR_2017_MRSA_2357
CH_AMR_2017_MRSA_2358
CH_AMR_2017_MRSA_2359
CH_AMR_2017_MRSA_2360
CH_AMR_2017_MRSA_2361
CH_AMR_2017_MRSA_2362
CH_AMR_2017_MRSA_2363
CH_AMR_2017_MRSA_2364
CH_AMR_2017_MRSA_2365
CH_AMR_2017_MRSA_2366
CH_AMR_2017_MRSA_2367
CH_AMR_2017_MRSA_2368
CH_AMR_2017_MRSA_2369
CH_AMR_2017_MRSA_2370
CH_AMR_2017_MRSA_2371
CH_AMR_2017_MRSA_2372
CH_AMR_2017_MRSA_2373
CH_AMR_2017_MRSA_2374

[illegible]

CH_AMR_2017_MRSA_2375
CH_AMR_2017_MRSA_2376
CH_AMR_2017_MRSA_2377
CH_AMR_2017_MRSA_2378
CH_AMR_2017_MRSA_2379
CH_AMR_2017_MRSA_2380
CH_AMR_2017_MRSA_2381
CH_AMR_2017_MRSA_2382
CH_AMR_2017_MRSA_2383
CH_AMR_2017_MRSA_2384
CH_AMR_2017_MRSA_2385
CH_AMR_2017_MRSA_2386
CH_AMR_2017_MRSA_2387
CH_AMR_2017_MRSA_2388
CH_AMR_2017_MRSA_2389
CH_AMR_2017_MRSA_2390
CH_AMR_2017_MRSA_2391
CH_AMR_2017_MRSA_2392
CH_AMR_2017_MRSA_2393
CH_AMR_2017_MRSA_2394
CH_AMR_2017_MRSA_2395
CH_AMR_2017_MRSA_2396
CH_AMR_2017_MRSA_2397
CH_AMR_2017_MRSA_2398
CH_AMR_2017_MRSA_2399
CH_AMR_2017_MRSA_2400
CH_AMR_2017_MRSA_2401
CH_AMR_2017_MRSA_2402
CH_AMR_2017_MRSA_2403
CH_AMR_2017_MRSA_2404
CH_AMR_2017_MRSA_2405
CH_AMR_2017_MRSA_2406
CH_AMR_2017_MRSA_2407
CH_AMR_2017_MRSA_2408
CH_AMR_2017_MRSA_2409
CH_AMR_2017_MRSA_2410
CH_AMR_2017_MRSA_2411
CH_AMR_2017_MRSA_2412
CH_AMR_2017_MRSA_2413
CH_AMR_2017_MRSA_2433
CH_AMR_2017_MRSA_2434
CH_AMR_2017_MRSA_2435
CH_AMR_2017_MRSA_2436
CH_AMR_2017_MRSA_2437
CH_AMR_2017_MRSA_2438
CH_AMR_2017_MRSA_2439
CH_AMR_2017_MRSA_2440
CH_AMR_2017_MRSA_2441
CH_AMR_2017_MRSA_2442
CH_AMR_2017_MRSA_2443
CH_AMR_2017_MRSA_2444
CH_AMR_2017_MRSA_2445
CH_AMR_2017_MRSA_2446
CH_AMR_2017_MRSA_2447

[illegible]

CH_AMR_2017_MRSA_2502
CH_AMR_2017_MRSA_2503
CH_AMR_2017_MRSA_2504
CH_AMR_2017_MRSA_2505
CH_AMR_2017_MRSA_2506
CH_AMR_2017_MRSA_2507
CH_AMR_2017_MRSA_2508
CH_AMR_2017_MRSA_2509
CH_AMR_2017_MRSA_2510
CH_AMR_2017_MRSA_2511
CH_AMR_2017_MRSA_2512
CH_AMR_2017_MRSA_2513
CH_AMR_2017_MRSA_2514
CH_AMR_2017_MRSA_2515
CH_AMR_2017_MRSA_2516
CH_AMR_2017_MRSA_2517
CH_AMR_2017_MRSA_2518
CH_AMR_2017_MRSA_2519
CH_AMR_2017_MRSA_2520
CH_AMR_2017_MRSA_2521
CH_AMR_2017_MRSA_2522
CH_AMR_2017_MRSA_2523
CH_AMR_2017_MRSA_2524
CH_AMR_2017_MRSA_2525
CH_AMR_2017_MRSA_2526
CH_AMR_2017_MRSA_2527
CH_AMR_2017_MRSA_2566
CH_AMR_2017_MRSA_2567
CH_AMR_2017_MRSA_2568
CH_AMR_2017_MRSA_2569
CH_AMR_2017_MRSA_2570
CH_AMR_2017_MRSA_2571
CH_AMR_2017_MRSA_2572
CH_AMR_2017_MRSA_2573
CH_AMR_2017_MRSA_2574
CH_AMR_2017_MRSA_2575
CH_AMR_2017_MRSA_2576
CH_AMR_2017_MRSA_2577
CH_AMR_2017_MRSA_2578
CH_AMR_2017_MRSA_2579
CH_AMR_2017_MRSA_2580
CH_AMR_2017_MRSA_2581
CH_AMR_2017_MRSA_2582
CH_AMR_2017_MRSA_2583
CH_AMR_2017_MRSA_2584
CH_AMR_2017_MRSA_2585
CH_AMR_2017_MRSA_2586
CH_AMR_2017_MRSA_2587
CH_AMR_2017_MRSA_2588
CH_AMR_2017_MRSA_2589
CH_AMR_2017_MRSA_2590
CH_AMR_2017_MRSA_2591
CH_AMR_2017_MRSA_2592
CH_AMR_2017_MRSA_2593

[illegible]

CH_AMR_2017_MRSA_2686
CH_AMR_2017_MRSA_2687
CH_AMR_2017_MRSA_2688
CH_AMR_2017_MRSA_2689
CH_AMR_2017_MRSA_2690
CH_AMR_2017_MRSA_2691
CH_AMR_2017_MRSA_2692
CH_AMR_2017_MRSA_2693
CH_AMR_2017_MRSA_2694
CH_AMR_2017_MRSA_2695
CH_AMR_2017_MRSA_2696
CH_AMR_2017_MRSA_2697
CH_AMR_2017_MRSA_2698
CH_AMR_2017_MRSA_2699
CH_AMR_2017_MRSA_2700
CH_AMR_2017_MRSA_2701
CH_AMR_2017_MRSA_2702
CH_AMR_2017_MRSA_2703
CH_AMR_2017_MRSA_2704
CH_AMR_2017_MRSA_2705
CH_AMR_2017_MRSA_2706
CH_AMR_2017_MRSA_2707
CH_AMR_2017_MRSA_2708
CH_AMR_2017_MRSA_2709
CH_AMR_2017_MRSA_2710
CH_AMR_2017_MRSA_2711
CH_AMR_2017_MRSA_2712
CH_AMR_2017_MRSA_2713
CH_AMR_2017_MRSA_2714
CH_AMR_2017_MRSA_2715
CH_AMR_2017_MRSA_2716
CH_AMR_2017_MRSA_2717
CH_AMR_2017_MRSA_2718
CH_AMR_2017_MRSA_2719
CH_AMR_2017_MRSA_2720
CH_AMR_2017_MRSA_2721
CH_AMR_2017_MRSA_2722
CH_AMR_2017_MRSA_2723
CH_AMR_2017_MRSA_2724
CH_AMR_2017_MRSA_2725
CH_AMR_2017_MRSA_2726
CH_AMR_2017_MRSA_2727
CH_AMR_2017_MRSA_2728
CH_AMR_2017_MRSA_2729
CH_AMR_2017_MRSA_2730
CH_AMR_2017_MRSA_2731
CH_AMR_2017_MRSA_2732
CH_AMR_2017_MRSA_2733
CH_AMR_2017_MRSA_2734
CH_AMR_2017_MRSA_2735
CH_AMR_2017_MRSA_2736
CH_AMR_2017_MRSA_2813
CH_AMR_2017_MRSA_2814
CH_AMR_2017_MRSA_2815

[illegible]

CH_AMR_2017_MRSA_2816
CH_AMR_2017_MRSA_2817
CH_AMR_2017_MRSA_2818
CH_AMR_2017_MRSA_2819
CH_AMR_2017_MRSA_2820
CH_AMR_2017_MRSA_2821
CH_AMR_2017_MRSA_2822
CH_AMR_2017_MRSA_2823
CH_AMR_2017_MRSA_2824
CH_AMR_2017_MRSA_2825
CH_AMR_2017_MRSA_2826
CH_AMR_2017_MRSA_2827
CH_AMR_2017_MRSA_2828
CH_AMR_2017_MRSA_2829
CH_AMR_2017_MRSA_2830
CH_AMR_2017_MRSA_2831
CH_AMR_2017_MRSA_2832
CH_AMR_2017_MRSA_2833
CH_AMR_2017_MRSA_2834
CH_AMR_2017_MRSA_2835
CH_AMR_2017_MRSA_2836
CH_AMR_2017_MRSA_2837
CH_AMR_2017_MRSA_2838
CH_AMR_2017_MRSA_2839
CH_AMR_2017_MRSA_2840
CH_AMR_2017_MRSA_2841
CH_AMR_2017_MRSA_2842
CH_AMR_2017_MRSA_2843
CH_AMR_2017_MRSA_2844
CH_AMR_2017_MRSA_2845
CH_AMR_2017_MRSA_2846
CH_AMR_2017_MRSA_2847
CH_AMR_2017_MRSA_2848
CH_AMR_2017_MRSA_2849
CH_AMR_2017_MRSA_2850
CH_AMR_2017_MRSA_2851
CH_AMR_2017_MRSA_2852
CH_AMR_2017_MRSA_2853
CH_AMR_2017_MRSA_2854
CH_AMR_2017_MRSA_2855
CH_AMR_2017_MRSA_2856
CH_AMR_2017_MRSA_2857
CH_AMR_2017_MRSA_2858
CH_AMR_2017_MRSA_2859
CH_AMR_2017_MRSA_2860
CH_AMR_2017_MRSA_2861
CH_AMR_2017_MRSA_2862
CH_AMR_2017_MRSA_2863
CH_AMR_2017_MRSA_2864
CH_AMR_2017_MRSA_2865
CH_AMR_2017_MRSA_2866
CH_AMR_2017_MRSA_2867
CH_AMR_2017_MRSA_2868
CH_AMR_2017_MRSA_2869

[illegible]

CH_AMR_2017_MRSA_71
CH_AMR_2017_MRSA_72
CH_AMR_2017_MRSA_73
CH_AMR_2017_MRSA_74
CH_AMR_2017_MRSA_75
CH_AMR_2017_MRSA_76
CH_AMR_2017_MRSA_96
CH_AMR_2017_MRSA_97
CH_AMR_2017_MRSA_98
CH_AMR_2017_MRSA_99
CH_AMR_2017_MRSA_100
CH_AMR_2017_MRSA_101
CH_AMR_2017_MRSA_102
CH_AMR_2017_MRSA_103
CH_AMR_2017_MRSA_104
CH_AMR_2017_MRSA_105
CH_AMR_2017_MRSA_106
CH_AMR_2017_MRSA_107
CH_AMR_2017_MRSA_108
CH_AMR_2017_MRSA_109
CH_AMR_2017_MRSA_110
CH_AMR_2017_MRSA_111
CH_AMR_2017_MRSA_112
CH_AMR_2017_MRSA_113
CH_AMR_2017_MRSA_114
CH_AMR_2017_MRSA_134
CH_AMR_2017_MRSA_135
CH_AMR_2017_MRSA_136
CH_AMR_2017_MRSA_137
CH_AMR_2017_MRSA_138
CH_AMR_2017_MRSA_139
CH_AMR_2017_MRSA_140
CH_AMR_2017_MRSA_141
CH_AMR_2017_MRSA_142
CH_AMR_2017_MRSA_143
CH_AMR_2017_MRSA_144
CH_AMR_2017_MRSA_145
CH_AMR_2017_MRSA_146
CH_AMR_2017_MRSA_147
CH_AMR_2017_MRSA_148
CH_AMR_2017_MRSA_149
CH_AMR_2017_MRSA_150
CH_AMR_2017_MRSA_151
CH_AMR_2017_MRSA_152
CH_AMR_2017_MRSA_191
CH_AMR_2017_MRSA_192
CH_AMR_2017_MRSA_193
CH_AMR_2017_MRSA_194
CH_AMR_2017_MRSA_195
CH_AMR_2017_MRSA_196
CH_AMR_2017_MRSA_197
CH_AMR_2017_MRSA_198
CH_AMR_2017_MRSA_199
CH_AMR_2017_MRSA_200

[illegible]

CH_AMR_2017_MRSA_962
CH_AMR_2017_MRSA_963
CH_AMR_2017_MRSA_964
CH_AMR_2017_MRSA_965
CH_AMR_2017_MRSA_966
CH_AMR_2017_MRSA_967
CH_AMR_2017_MRSA_968
CH_AMR_2017_MRSA_969
CH_AMR_2017_MRSA_970
CH_AMR_2017_MRSA_971
CH_AMR_2017_MRSA_972
CH_AMR_2017_MRSA_973
CH_AMR_2017_MRSA_974
CH_AMR_2017_MRSA_975
CH_AMR_2017_MRSA_976
CH_AMR_2017_MRSA_977
CH_AMR_2017_MRSA_978
CH_AMR_2017_MRSA_979
CH_AMR_2017_MRSA_980
CH_AMR_2017_MRSA_981
CH_AMR_2017_MRSA_982
CH_AMR_2017_MRSA_983
CH_AMR_2017_MRSA_984
CH_AMR_2017_MRSA_985
CH_AMR_2017_MRSA_986
CH_AMR_2017_MRSA_987
CH_AMR_2017_MRSA_988
CH_AMR_2017_MRSA_989
CH_AMR_2017_MRSA_990
CH_AMR_2017_MRSA_991
CH_AMR_2017_MRSA_992
CH_AMR_2017_MRSA_993
CH_AMR_2017_MRSA_994
CH_AMR_2017_MRSA_995
CH_AMR_2017_MRSA_996
CH_AMR_2017_MRSA_997
CH_AMR_2017_MRSA_998
CH_AMR_2017_MRSA_999
CH_AMR_2017_MRSA_1000
CH_AMR_2017_MRSA_1001
CH_AMR_2017_MRSA_1002
CH_AMR_2017_MRSA_1003
CH_AMR_2017_MRSA_1004
CH_AMR_2017_MRSA_1005
CH_AMR_2017_MRSA_1006
CH_AMR_2017_MRSA_1007
CH_AMR_2017_MRSA_1008
CH_AMR_2017_MRSA_1009
CH_AMR_2017_MRSA_1010
CH_AMR_2017_MRSA_1011
CH_AMR_2017_MRSA_1012
CH_AMR_2017_MRSA_1013
CH_AMR_2017_MRSA_1014
CH_AMR_2017_MRSA_1015

[illegible]

CH_AMR_2017_MRSA_1016
CH_AMR_2017_MRSA_1017
CH_AMR_2017_MRSA_1018
CH_AMR_2017_MRSA_1019
CH_AMR_2017_MRSA_1020
CH_AMR_2017_MRSA_1021
CH_AMR_2017_MRSA_1022
CH_AMR_2017_MRSA_1023
CH_AMR_2017_MRSA_1024
CH_AMR_2017_MRSA_1025
CH_AMR_2017_MRSA_1026
CH_AMR_2017_MRSA_1027
CH_AMR_2017_MRSA_1028
CH_AMR_2017_MRSA_1029
CH_AMR_2017_MRSA_1030
CH_AMR_2017_MRSA_1031
CH_AMR_2017_MRSA_1032
CH_AMR_2017_MRSA_1033
CH_AMR_2017_MRSA_1034
CH_AMR_2017_MRSA_1035
CH_AMR_2017_MRSA_1036
CH_AMR_2017_MRSA_1037
CH_AMR_2017_MRSA_1038
CH_AMR_2017_MRSA_1039
CH_AMR_2017_MRSA_1040
CH_AMR_2017_MRSA_1041
CH_AMR_2017_MRSA_1042
CH_AMR_2017_MRSA_1043
CH_AMR_2017_MRSA_1044
CH_AMR_2017_MRSA_1045
CH_AMR_2017_MRSA_1046
CH_AMR_2017_MRSA_1047
CH_AMR_2017_MRSA_1048
CH_AMR_2017_MRSA_1049
CH_AMR_2017_MRSA_1050
CH_AMR_2017_MRSA_1051
CH_AMR_2017_MRSA_1052
CH_AMR_2017_MRSA_1053
CH_AMR_2017_MRSA_1054
CH_AMR_2017_MRSA_1055
CH_AMR_2017_MRSA_1056
CH_AMR_2017_MRSA_1057
CH_AMR_2017_MRSA_1058
CH_AMR_2017_MRSA_1059
CH_AMR_2017_MRSA_1060
CH_AMR_2017_MRSA_1061
CH_AMR_2017_MRSA_1062
CH_AMR_2017_MRSA_1063
CH_AMR_2017_MRSA_1064
CH_AMR_2017_MRSA_1065
CH_AMR_2017_MRSA_1066
CH_AMR_2017_MRSA_1067
CH_AMR_2017_MRSA_1068
CH_AMR_2017_MRSA_1069

[illegible]

CH_AMR_2017_MRSA_1070
CH_AMR_2017_MRSA_1071
CH_AMR_2017_MRSA_1072
CH_AMR_2017_MRSA_1073
CH_AMR_2017_MRSA_1074
CH_AMR_2017_MRSA_1075
CH_AMR_2017_MRSA_1076
CH_AMR_2017_MRSA_1077
CH_AMR_2017_MRSA_1078
CH_AMR_2017_MRSA_1079
CH_AMR_2017_MRSA_1080
CH_AMR_2017_MRSA_1081
CH_AMR_2017_MRSA_1082
CH_AMR_2017_MRSA_1083
CH_AMR_2017_MRSA_1084
CH_AMR_2017_MRSA_1085
CH_AMR_2017_MRSA_1086
CH_AMR_2017_MRSA_1087
CH_AMR_2017_MRSA_1088
CH_AMR_2017_MRSA_1089
CH_AMR_2017_MRSA_1090
CH_AMR_2017_MRSA_1091
CH_AMR_2017_MRSA_1092
CH_AMR_2017_MRSA_1093
CH_AMR_2017_MRSA_1094
CH_AMR_2017_MRSA_1095
CH_AMR_2017_MRSA_1096
CH_AMR_2017_MRSA_1097
CH_AMR_2017_MRSA_1098
CH_AMR_2017_MRSA_1099
CH_AMR_2017_MRSA_1100
CH_AMR_2017_MRSA_1101
CH_AMR_2017_MRSA_1102
CH_AMR_2017_MRSA_1122
CH_AMR_2017_MRSA_1123
CH_AMR_2017_MRSA_1124
CH_AMR_2017_MRSA_1125
CH_AMR_2017_MRSA_1126
CH_AMR_2017_MRSA_1127
CH_AMR_2017_MRSA_1128
CH_AMR_2017_MRSA_1129
CH_AMR_2017_MRSA_1130
CH_AMR_2017_MRSA_1131
CH_AMR_2017_MRSA_1132
CH_AMR_2017_MRSA_1133
CH_AMR_2017_MRSA_1134
CH_AMR_2017_MRSA_1135
CH_AMR_2017_MRSA_1136
CH_AMR_2017_MRSA_1137
CH_AMR_2017_MRSA_1138
CH_AMR_2017_MRSA_1139
CH_AMR_2017_MRSA_1140
CH_AMR_2017_MRSA_1141
CH_AMR_2017_MRSA_1144

[illegible]

CH_AMR_2017_MRSA_1143	CH_AMR_2017_MRSA_1144	CH_AMR_2017_MRSA_1145	CH_AMR_2017_MRSA_1146	CH_AMR_2017_MRSA_1147	CH_AMR_2017_MRSA_1148	CH_AMR_2017_MRSA_1149	CH_AMR_2017_MRSA_1150	CH_AMR_2017_MRSA_1151	CH_AMR_2017_MRSA_1152	CH_AMR_2017_MRSA_1153	CH_AMR_2017_MRSA_1154	CH_AMR_2017_MRSA_1155	CH_AMR_2017_MRSA_1156	CH_AMR_2017_MRSA_1157	CH_AMR_2017_MRSA_1158	CH_AMR_2017_MRSA_1159	CH_AMR_2017_MRSA_1160	CH_AMR_2017_MRSA_1161	CH_AMR_2017_MRSA_1162	CH_AMR_2017_MRSA_1163	CH_AMR_2017_MRSA_1164	CH_AMR_2017_MRSA_1165	CH_AMR_2017_MRSA_1166	CH_AMR_2017_MRSA_1167	CH_AMR_2017_MRSA_1168	CH_AMR_2017_MRSA_1169	CH_AMR_2017_MRSA_1170	CH_AMR_2017_MRSA_1171	CH_AMR_2017_MRSA_1172	CH_AMR_2017_MRSA_1173	CH_AMR_2017_MRSA_1174	CH_AMR_2017_MRSA_1175	CH_AMR_2017_MRSA_1176	CH_AMR_2017_MRSA_1177	CH_AMR_2017_MRSA_1178	CH_AMR_2017_MRSA_1179	CH_AMR_2017_MRSA_1180	CH_AMR_2017_MRSA_1181	CH_AMR_2017_MRSA_1182	CH_AMR_2017_MRSA_1183	CH_AMR_2017_MRSA_1184	CH_AMR_2017_MRSA_1185	CH_AMR_2017_MRSA_1186	CH_AMR_2017_MRSA_1187	CH_AMR_2017_MRSA_1188	CH_AMR_2017_MRSA_1189	CH_AMR_2017_MRSA_1190	CH_AMR_2017_MRSA_1191	CH_AMR_2017_MRSA_1192	CH_AMR_2017_MRSA_1193	CH_AMR_2017_MRSA_1194	CH_AMR_2017_MRSA_1195	CH_AMR_2017_MRSA_1196
-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------	-----------------------

[illegible]

CH_AMR_2017_MRSA_1197
CH_AMR_2017_MRSA_1198
CH_AMR_2017_MRSA_1199
CH_AMR_2017_MRSA_1200
CH_AMR_2017_MRSA_1201
CH_AMR_2017_MRSA_1202
CH_AMR_2017_MRSA_1203
CH_AMR_2017_MRSA_1204
CH_AMR_2017_MRSA_1205
CH_AMR_2017_MRSA_1206
CH_AMR_2017_MRSA_1207
CH_AMR_2017_MRSA_1208
CH_AMR_2017_MRSA_1209
CH_AMR_2017_MRSA_1210
CH_AMR_2017_MRSA_1211
CH_AMR_2017_MRSA_1212
CH_AMR_2017_MRSA_1213
CH_AMR_2017_MRSA_1214
CH_AMR_2017_MRSA_1215
CH_AMR_2017_MRSA_1216
CH_AMR_2017_MRSA_1217
CH_AMR_2017_MRSA_1218
CH_AMR_2017_MRSA_1219
CH_AMR_2017_MRSA_1220
CH_AMR_2017_MRSA_1221
CH_AMR_2017_MRSA_1222
CH_AMR_2017_MRSA_1223
CH_AMR_2017_MRSA_1224
CH_AMR_2017_MRSA_1225
CH_AMR_2017_MRSA_1226
CH_AMR_2017_MRSA_1227
CH_AMR_2017_MRSA_1228
CH_AMR_2017_MRSA_1229
CH_AMR_2017_MRSA_1230
CH_AMR_2017_MRSA_1231
CH_AMR_2017_MRSA_1232
CH_AMR_2017_MRSA_1233
CH_AMR_2017_MRSA_1234
CH_AMR_2017_MRSA_1235
CH_AMR_2017_MRSA_1236
CH_AMR_2017_MRSA_1237
CH_AMR_2017_MRSA_1238
CH_AMR_2017_MRSA_1239
CH_AMR_2017_MRSA_1240
CH_AMR_2017_MRSA_1241
CH_AMR_2017_MRSA_1242
CH_AMR_2017_MRSA_1243
CH_AMR_2017_MRSA_1244
CH_AMR_2017_MRSA_1245
CH_AMR_2017_MRSA_1246
CH_AMR_2017_MRSA_1247
CH_AMR_2017_MRSA_1248
CH_AMR_2017_MRSA_1249
CH_AMR_2017_MRSA_1250

[illegible]

CH_AMR_2017_MRSA_1305
CH_AMR_2017_MRSA_1306
CH_AMR_2017_MRSA_1307
CH_AMR_2017_MRSA_1308
CH_AMR_2017_MRSA_1309
CH_AMR_2017_MRSA_1310
CH_AMR_2017_MRSA_1311
CH_AMR_2017_MRSA_1312
CH_AMR_2017_MRSA_1313
CH_AMR_2017_MRSA_1314
CH_AMR_2017_MRSA_1315
CH_AMR_2017_MRSA_1316
CH_AMR_2017_MRSA_1317
CH_AMR_2017_MRSA_1318
CH_AMR_2017_MRSA_1319
CH_AMR_2017_MRSA_1320
CH_AMR_2017_MRSA_1321
CH_AMR_2017_MRSA_1322
CH_AMR_2017_MRSA_1323
CH_AMR_2017_MRSA_1324
CH_AMR_2017_MRSA_1325
CH_AMR_2017_MRSA_1326
CH_AMR_2017_MRSA_1327
CH_AMR_2017_MRSA_1328
CH_AMR_2017_MRSA_1329
CH_AMR_2017_MRSA_1330
CH_AMR_2017_MRSA_1388
CH_AMR_2017_MRSA_1389
CH_AMR_2017_MRSA_1390
CH_AMR_2017_MRSA_1391
CH_AMR_2017_MRSA_1392
CH_AMR_2017_MRSA_1393
CH_AMR_2017_MRSA_1394
CH_AMR_2017_MRSA_1395
CH_AMR_2017_MRSA_1396
CH_AMR_2017_MRSA_1397
CH_AMR_2017_MRSA_1398
CH_AMR_2017_MRSA_1399
CH_AMR_2017_MRSA_1400
CH_AMR_2017_MRSA_1401
CH_AMR_2017_MRSA_1402
CH_AMR_2017_MRSA_1403
CH_AMR_2017_MRSA_1404
CH_AMR_2017_MRSA_1405
CH_AMR_2017_MRSA_1406
CH_AMR_2017_MRSA_1445
CH_AMR_2017_MRSA_1446
CH_AMR_2017_MRSA_1447
CH_AMR_2017_MRSA_1448
CH_AMR_2017_MRSA_1449
CH_AMR_2017_MRSA_1450
CH_AMR_2017_MRSA_1451
CH_AMR_2017_MRSA_1452
CH_AMR_2017_MRSA_1453

[illegible]

CH_AMR_2017_MRSA_1454	1454
CH_AMR_2017_MRSA_1455	1455
CH_AMR_2017_MRSA_1456	1456
CH_AMR_2017_MRSA_1457	1457
CH_AMR_2017_MRSA_1458	1458
CH_AMR_2017_MRSA_1459	1459
CH_AMR_2017_MRSA_1460	1460
CH_AMR_2017_MRSA_1461	1461
CH_AMR_2017_MRSA_1462	1462
CH_AMR_2017_MRSA_1466	1466
CH_AMR_2017_MRSA_1502	1502
CH_AMR_2017_MRSA_1503	1503
CH_AMR_2017_MRSA_1504	1504
CH_AMR_2017_MRSA_1505	1505
CH_AMR_2017_MRSA_1506	1506
CH_AMR_2017_MRSA_1507	1507
CH_AMR_2017_MRSA_1508	1508
CH_AMR_2017_MRSA_1509	1509
CH_AMR_2017_MRSA_1510	1510
CH_AMR_2017_MRSA_1511	1511
CH_AMR_2017_MRSA_1512	1512
CH_AMR_2017_MRSA_1513	1513
CH_AMR_2017_MRSA_1514	1514
CH_AMR_2017_MRSA_1515	1515
CH_AMR_2017_MRSA_1516	1516
CH_AMR_2017_MRSA_1517	1517
CH_AMR_2017_MRSA_1518	1518
CH_AMR_2017_MRSA_1519	1519
CH_AMR_2017_MRSA_1520	1520
CH_AMR_2017_MRSA_1521	1521
CH_AMR_2017_MRSA_1522	1522
CH_AMR_2017_MRSA_1523	1523
CH_AMR_2017_MRSA_1524	1524
CH_AMR_2017_MRSA_1525	1525
CH_AMR_2017_MRSA_1526	1526
CH_AMR_2017_MRSA_1527	1527
CH_AMR_2017_MRSA_1528	1528
CH_AMR_2017_MRSA_1529	1529
CH_AMR_2017_MRSA_1530	1530
CH_AMR_2017_MRSA_1531	1531
CH_AMR_2017_MRSA_1532	1532
CH_AMR_2017_MRSA_1533	1533
CH_AMR_2017_MRSA_1534	1534
CH_AMR_2017_MRSA_1535	1535
CH_AMR_2017_MRSA_1536	1536
CH_AMR_2017_MRSA_1537	1537
CH_AMR_2017_MRSA_1538	1538
CH_AMR_2017_MRSA_1539	1539
CH_AMR_2017_MRSA_1540	1540
CH_AMR_2017_MRSA_1541	1541
CH_AMR_2017_MRSA_1542	1542
CH_AMR_2017_MRSA_1543	1543
CH_AMR_2017_MRSA_1544	1544
CH_AMR_2017_MRSA_1545	1545

[illegible]

CH_AMR_2017_MRSA_1546	1546
CH_AMR_2017_MRSA_1547	1547
CH_AMR_2017_MRSA_1548	1548
CH_AMR_2017_MRSA_1549	1549
CH_AMR_2017_MRSA_1550	1550
CH_AMR_2017_MRSA_1551	1551
CH_AMR_2017_MRSA_1552	1552
CH_AMR_2017_MRSA_1553	1553
CH_AMR_2017_MRSA_1554	1554
CH_AMR_2017_MRSA_1555	1555
CH_AMR_2017_MRSA_1556	1556
CH_AMR_2017_MRSA_1557	1557
CH_AMR_2017_MRSA_1558	1558
CH_AMR_2017_MRSA_1559	1559
CH_AMR_2017_MRSA_1560	1560
CH_AMR_2017_MRSA_1561	1561
CH_AMR_2017_MRSA_1562	1562
CH_AMR_2017_MRSA_1563	1563
CH_AMR_2017_MRSA_1564	1564
CH_AMR_2017_MRSA_1565	1565
CH_AMR_2017_MRSA_1566	1566
CH_AMR_2017_MRSA_1567	1567
CH_AMR_2017_MRSA_1568	1568
CH_AMR_2017_MRSA_1569	1569
CH_AMR_2017_MRSA_1570	1570
CH_AMR_2017_MRSA_1571	1571
CH_AMR_2017_MRSA_1572	1572
CH_AMR_2017_MRSA_1573	1573
CH_AMR_2017_MRSA_1574	1574
CH_AMR_2017_MRSA_1575	1575
CH_AMR_2017_MRSA_1576	1576
CH_AMR_2017_MRSA_1577	1577
CH_AMR_2017_MRSA_1578	1578
CH_AMR_2017_MRSA_1579	1579
CH_AMR_2017_MRSA_1580	1580
CH_AMR_2017_MRSA_1581	1581
CH_AMR_2017_MRSA_1582	1582
CH_AMR_2017_MRSA_1583	1583
CH_AMR_2017_MRSA_1584	1584
CH_AMR_2017_MRSA_1585	1585
CH_AMR_2017_MRSA_1586	1586
CH_AMR_2017_MRSA_1587	1587
CH_AMR_2017_MRSA_1588	1588
CH_AMR_2017_MRSA_1589	1589
CH_AMR_2017_MRSA_1590	1590
CH_AMR_2017_MRSA_1591	1591
CH_AMR_2017_MRSA_1592	1592
CH_AMR_2017_MRSA_1593	1593
CH_AMR_2017_MRSA_1594	1594
CH_AMR_2017_MRSA_1595	1595
CH_AMR_2017_MRSA_1596	1596
CH_AMR_2017_MRSA_1597	1597
CH_AMR_2017_MRSA_1598	1598
CH_AMR_2017_MRSA_1599	1599

[illegible]

CH_AMR_2017_MRSA_1600
CH_AMR_2017_MRSA_1601
CH_AMR_2017_MRSA_1602
CH_AMR_2017_MRSA_1603
CH_AMR_2017_MRSA_1604
CH_AMR_2017_MRSA_1605
CH_AMR_2017_MRSA_1606
CH_AMR_2017_MRSA_1607
CH_AMR_2017_MRSA_1608
CH_AMR_2017_MRSA_1609
CH_AMR_2017_MRSA_1610
CH_AMR_2017_MRSA_1611
CH_AMR_2017_MRSA_1612
CH_AMR_2017_MRSA_1613
CH_AMR_2017_MRSA_1614
CH_AMR_2017_MRSA_1615
CH_AMR_2017_MRSA_1635
CH_AMR_2017_MRSA_1636
CH_AMR_2017_MRSA_1637
CH_AMR_2017_MRSA_1638
CH_AMR_2017_MRSA_1639
CH_AMR_2017_MRSA_1640
CH_AMR_2017_MRSA_1641
CH_AMR_2017_MRSA_1642
CH_AMR_2017_MRSA_1643
CH_AMR_2017_MRSA_1644
CH_AMR_2017_MRSA_1645
CH_AMR_2017_MRSA_1646
CH_AMR_2017_MRSA_1647
CH_AMR_2017_MRSA_1648
CH_AMR_2017_MRSA_1649
CH_AMR_2017_MRSA_1650
CH_AMR_2017_MRSA_1651
CH_AMR_2017_MRSA_1652
CH_AMR_2017_MRSA_1653
CH_AMR_2017_MRSA_1673
CH_AMR_2017_MRSA_1674
CH_AMR_2017_MRSA_1675
CH_AMR_2017_MRSA_1676
CH_AMR_2017_MRSA_1677
CH_AMR_2017_MRSA_1678
CH_AMR_2017_MRSA_1679
CH_AMR_2017_MRSA_1680
CH_AMR_2017_MRSA_1681
CH_AMR_2017_MRSA_1682
CH_AMR_2017_MRSA_1683
CH_AMR_2017_MRSA_1684
CH_AMR_2017_MRSA_1685
CH_AMR_2017_MRSA_1686
CH_AMR_2017_MRSA_1687
CH_AMR_2017_MRSA_1688
CH_AMR_2017_MRSA_1689
CH_AMR_2017_MRSA_1690
CH_AMR_2017_MRSA_1691

[illegible]

CH_AMR_2017_MRSA_1803
CH_AMR_2017_MRSA_1804
CH_AMR_2017_MRSA_1805
CH_AMR_2017_MRSA_1844
CH_AMR_2017_MRSA_1845
CH_AMR_2017_MRSA_1846
CH_AMR_2017_MRSA_1847
CH_AMR_2017_MRSA_1848
CH_AMR_2017_MRSA_1849
CH_AMR_2017_MRSA_1850
CH_AMR_2017_MRSA_1851
CH_AMR_2017_MRSA_1852
CH_AMR_2017_MRSA_1853
CH_AMR_2017_MRSA_1854
CH_AMR_2017_MRSA_1855
CH_AMR_2017_MRSA_1856
CH_AMR_2017_MRSA_1857
CH_AMR_2017_MRSA_1858
CH_AMR_2017_MRSA_1859
CH_AMR_2017_MRSA_1860
CH_AMR_2017_MRSA_1861
CH_AMR_2017_MRSA_1862
CH_AMR_2017_MRSA_1939
CH_AMR_2017_MRSA_1940
CH_AMR_2017_MRSA_1941
CH_AMR_2017_MRSA_1942
CH_AMR_2017_MRSA_1943
CH_AMR_2017_MRSA_1944
CH_AMR_2017_MRSA_1945
CH_AMR_2017_MRSA_1946
CH_AMR_2017_MRSA_1947
CH_AMR_2017_MRSA_1948
CH_AMR_2017_MRSA_1949
CH_AMR_2017_MRSA_1950
CH_AMR_2017_MRSA_1951
CH_AMR_2017_MRSA_1952
CH_AMR_2017_MRSA_1953
CH_AMR_2017_MRSA_1954
CH_AMR_2017_MRSA_1955
CH_AMR_2017_MRSA_1956
CH_AMR_2017_MRSA_1957
CH_AMR_2017_MRSA_1958
CH_AMR_2017_MRSA_1959
CH_AMR_2017_MRSA_1960
CH_AMR_2017_MRSA_1961
CH_AMR_2017_MRSA_1962
CH_AMR_2017_MRSA_1963
CH_AMR_2017_MRSA_1964
CH_AMR_2017_MRSA_1965
CH_AMR_2017_MRSA_1966
CH_AMR_2017_MRSA_1967
CH_AMR_2017_MRSA_1968
CH_AMR_2017_MRSA_1969
CH_AMR_2017_MRSA_1970

[illegible]

CH_AMR_2017_MRSA_1971
CH_AMR_2017_MRSA_1972
CH_AMR_2017_MRSA_1973
CH_AMR_2017_MRSA_1974
CH_AMR_2017_MRSA_1975
CH_AMR_2017_MRSA_1976
CH_AMR_2017_MRSA_2072
CH_AMR_2017_MRSA_2073
CH_AMR_2017_MRSA_2074
CH_AMR_2017_MRSA_2075
CH_AMR_2017_MRSA_2076
CH_AMR_2017_MRSA_2077
CH_AMR_2017_MRSA_2078
CH_AMR_2017_MRSA_2079
CH_AMR_2017_MRSA_2080
CH_AMR_2017_MRSA_2081
CH_AMR_2017_MRSA_2082
CH_AMR_2017_MRSA_2083
CH_AMR_2017_MRSA_2084
CH_AMR_2017_MRSA_2085
CH_AMR_2017_MRSA_2086
CH_AMR_2017_MRSA_2087
CH_AMR_2017_MRSA_2088
CH_AMR_2017_MRSA_2089
CH_AMR_2017_MRSA_2090
CH_AMR_2017_MRSA_2129
CH_AMR_2017_MRSA_2130
CH_AMR_2017_MRSA_2131
CH_AMR_2017_MRSA_2132
CH_AMR_2017_MRSA_2133
CH_AMR_2017_MRSA_2134
CH_AMR_2017_MRSA_2135
CH_AMR_2017_MRSA_2136
CH_AMR_2017_MRSA_2137
CH_AMR_2017_MRSA_2138
CH_AMR_2017_MRSA_2139
CH_AMR_2017_MRSA_2140
CH_AMR_2017_MRSA_2141
CH_AMR_2017_MRSA_2142
CH_AMR_2017_MRSA_2143
CH_AMR_2017_MRSA_2144
CH_AMR_2017_MRSA_2145
CH_AMR_2017_MRSA_2146
CH_AMR_2017_MRSA_2147
CH_AMR_2017_MRSA_2224
CH_AMR_2017_MRSA_2225
CH_AMR_2017_MRSA_2226
CH_AMR_2017_MRSA_2227
CH_AMR_2017_MRSA_2228
CH_AMR_2017_MRSA_2229
CH_AMR_2017_MRSA_2230
CH_AMR_2017_MRSA_2231
CH_AMR_2017_MRSA_2232
CH_AMR_2017_MRSA_2233

[illegible]

CH_AMR_2017_MRSA_2234
CH_AMR_2017_MRSA_2235
CH_AMR_2017_MRSA_2236
CH_AMR_2017_MRSA_2237
CH_AMR_2017_MRSA_2238
CH_AMR_2017_MRSA_2239
CH_AMR_2017_MRSA_2240
CH_AMR_2017_MRSA_2241
CH_AMR_2017_MRSA_2242
CH_AMR_2017_MRSA_2243
CH_AMR_2017_MRSA_2244
CH_AMR_2017_MRSA_2245
CH_AMR_2017_MRSA_2246
CH_AMR_2017_MRSA_2247
CH_AMR_2017_MRSA_2248
CH_AMR_2017_MRSA_2249
CH_AMR_2017_MRSA_2250
CH_AMR_2017_MRSA_2251
CH_AMR_2017_MRSA_2252
CH_AMR_2017_MRSA_2253
CH_AMR_2017_MRSA_2254
CH_AMR_2017_MRSA_2255
CH_AMR_2017_MRSA_2256
CH_AMR_2017_MRSA_2257
CH_AMR_2017_MRSA_2258
CH_AMR_2017_MRSA_2259
CH_AMR_2017_MRSA_2260
CH_AMR_2017_MRSA_2261
CH_AMR_2017_MRSA_2262
CH_AMR_2017_MRSA_2263
CH_AMR_2017_MRSA_2264
CH_AMR_2017_MRSA_2265
CH_AMR_2017_MRSA_2266
CH_AMR_2017_MRSA_2267
CH_AMR_2017_MRSA_2268
CH_AMR_2017_MRSA_2269
CH_AMR_2017_MRSA_2270
CH_AMR_2017_MRSA_2271
CH_AMR_2017_MRSA_2272
CH_AMR_2017_MRSA_2273
CH_AMR_2017_MRSA_2274
CH_AMR_2017_MRSA_2275
CH_AMR_2017_MRSA_2276
CH_AMR_2017_MRSA_2277
CH_AMR_2017_MRSA_2278
CH_AMR_2017_MRSA_2279
CH_AMR_2017_MRSA_2280
CH_AMR_2017_MRSA_2281
CH_AMR_2017_MRSA_2282
CH_AMR_2017_MRSA_2283
CH_AMR_2017_MRSA_2284
CH_AMR_2017_MRSA_2285
CH_AMR_2017_MRSA_2286
CH_AMR_2017_MRSA_2287

[illegible]

CH_AMR_2017_MRSA_2288	2288
CH_AMR_2017_MRSA_2289	2289
CH_AMR_2017_MRSA_2290	2290
CH_AMR_2017_MRSA_2291	2291
CH_AMR_2017_MRSA_2292	2292
CH_AMR_2017_MRSA_2293	2293
CH_AMR_2017_MRSA_2294	2294
CH_AMR_2017_MRSA_2295	2295
CH_AMR_2017_MRSA_2296	2296
CH_AMR_2017_MRSA_2297	2297
CH_AMR_2017_MRSA_2298	2298
CH_AMR_2017_MRSA_2299	2299
CH_AMR_2017_MRSA_2528	2528
CH_AMR_2017_MRSA_2529	2529
CH_AMR_2017_MRSA_2530	2530
CH_AMR_2017_MRSA_2531	2531
CH_AMR_2017_MRSA_2532	2532
CH_AMR_2017_MRSA_2533	2533
CH_AMR_2017_MRSA_2534	2534
CH_AMR_2017_MRSA_2535	2535
CH_AMR_2017_MRSA_2536	2536
CH_AMR_2017_MRSA_2537	2537
CH_AMR_2017_MRSA_2538	2538
CH_AMR_2017_MRSA_2539	2539
CH_AMR_2017_MRSA_2540	2540
CH_AMR_2017_MRSA_2541	2541
CH_AMR_2017_MRSA_2542	2542
CH_AMR_2017_MRSA_2543	2543
CH_AMR_2017_MRSA_2544	2544
CH_AMR_2017_MRSA_2545	2545
CH_AMR_2017_MRSA_2546	2546
CH_AMR_2017_MRSA_2547	2547
CH_AMR_2017_MRSA_2548	2548
CH_AMR_2017_MRSA_2549	2549
CH_AMR_2017_MRSA_2550	2550
CH_AMR_2017_MRSA_2551	2551
CH_AMR_2017_MRSA_2552	2552
CH_AMR_2017_MRSA_2553	2553
CH_AMR_2017_MRSA_2554	2554
CH_AMR_2017_MRSA_2555	2555
CH_AMR_2017_MRSA_2556	2556
CH_AMR_2017_MRSA_2557	2557
CH_AMR_2017_MRSA_2558	2558
CH_AMR_2017_MRSA_2559	2559
CH_AMR_2017_MRSA_2560	2560
CH_AMR_2017_MRSA_2561	2561
CH_AMR_2017_MRSA_2562	2562
CH_AMR_2017_MRSA_2563	2563
CH_AMR_2017_MRSA_2564	2564
CH_AMR_2017_MRSA_2565	2565
CH_AMR_2017_MRSA_2623	2623
CH_AMR_2017_MRSA_2624	2624
CH_AMR_2017_MRSA_2625	2625
CH_AMR_2017_MRSA_2626	2626

CH_AMR_2017_MRSA_2776
CH_AMR_2017_MRSA_2777
CH_AMR_2017_MRSA_2778
CH_AMR_2017_MRSA_2779
CH_AMR_2017_MRSA_2780
CH_AMR_2017_MRSA_2781
CH_AMR_2017_MRSA_2782
CH_AMR_2017_MRSA_2783
CH_AMR_2017_MRSA_2784
CH_AMR_2017_MRSA_2785
CH_AMR_2017_MRSA_2786
CH_AMR_2017_MRSA_2787
CH_AMR_2017_MRSA_2788
CH_AMR_2017_MRSA_2789
CH_AMR_2017_MRSA_2790
CH_AMR_2017_MRSA_2791
CH_AMR_2017_MRSA_2792
CH_AMR_2017_MRSA_2793
CH_AMR_2017_MRSA_2794
CH_AMR_2017_MRSA_2795
CH_AMR_2017_MRSA_2796
CH_AMR_2017_MRSA_2797
CH_AMR_2017_MRSA_2798
CH_AMR_2017_MRSA_2799
CH_AMR_2017_MRSA_2800
CH_AMR_2017_MRSA_2801
CH_AMR_2017_MRSA_2802
CH_AMR_2017_MRSA_2803
CH_AMR_2017_MRSA_2804
CH_AMR_2017_MRSA_2805
CH_AMR_2017_MRSA_2806
CH_AMR_2017_MRSA_2807
CH_AMR_2017_MRSA_2808
CH_AMR_2017_MRSA_2809
CH_AMR_2017_MRSA_2810
CH_AMR_2017_MRSA_2811
CH_AMR_2017_MRSA_2812
CH_AMR_2017_MRSA_2908
CH_AMR_2017_MRSA_2909
CH_AMR_2017_MRSA_2910
CH_AMR_2017_MRSA_2911
CH_AMR_2017_MRSA_2912
CH_AMR_2017_MRSA_2913
CH_AMR_2017_MRSA_2914
CH_AMR_2017_MRSA_2915
CH_AMR_2017_MRSA_2916
CH_AMR_2017_MRSA_2917
CH_AMR_2017_MRSA_2918
CH_AMR_2017_MRSA_2919
CH_AMR_2017_MRSA_2920
CH_AMR_2017_MRSA_2921
CH_AMR_2017_MRSA_2922
CH_AMR_2017_MRSA_2923
CH_AMR_2017_MRSA_2924

[illegible]

CH_AMR_2017_MRSA_2925
CH_AMR_2017_MRSA_2926
CH_AMR_2017_MRSA_1616
CH_AMR_2017_MRSA_1617
CH_AMR_2017_MRSA_1618
CH_AMR_2017_MRSA_1619
CH_AMR_2017_MRSA_1620
CH_AMR_2017_MRSA_1621
CH_AMR_2017_MRSA_1622
CH_AMR_2017_MRSA_1623
CH_AMR_2017_MRSA_1624
CH_AMR_2017_MRSA_1625
CH_AMR_2017_MRSA_1626
CH_AMR_2017_MRSA_1627
CH_AMR_2017_MRSA_1628
CH_AMR_2017_MRSA_1629
CH_AMR_2017_MRSA_1630
CH_AMR_2017_MRSA_1631
CH_AMR_2017_MRSA_1632
CH_AMR_2017_MRSA_1633
CH_AMR_2017_MRSA_1634
CH_AMR_2017_MRSA_381
CH_AMR_2017_MRSA_382
CH_AMR_2017_MRSA_383
CH_AMR_2017_MRSA_384
CH_AMR_2017_MRSA_385
CH_AMR_2017_MRSA_386
CH_AMR_2017_MRSA_387
CH_AMR_2017_MRSA_388
CH_AMR_2017_MRSA_389
CH_AMR_2017_MRSA_390
CH_AMR_2017_MRSA_391
CH_AMR_2017_MRSA_392
CH_AMR_2017_MRSA_393
CH_AMR_2017_MRSA_394
CH_AMR_2017_MRSA_395
CH_AMR_2017_MRSA_396
CH_AMR_2017_MRSA_397
CH_AMR_2017_MRSA_398
CH_AMR_2017_MRSA_399
CH_AMR_2017_MRSA_400
CH_AMR_2017_MRSA_401
CH_AMR_2017_MRSA_402
CH_AMR_2017_MRSA_403
CH_AMR_2017_MRSA_404
CH_AMR_2017_MRSA_405
CH_AMR_2017_MRSA_406
CH_AMR_2017_MRSA_407
CH_AMR_2017_MRSA_408
CH_AMR_2017_MRSA_409
CH_AMR_2017_MRSA_410
CH_AMR_2017_MRSA_411
CH_AMR_2017_MRSA_412
CH_AMR_2017_MRSA_413

CH_AMR_2017_MRSA_414
CH_AMR_2017_MRSA_415
CH_AMR_2017_MRSA_416
CH_AMR_2017_MRSA_417
CH_AMR_2017_MRSA_418
CH_AMR_2017_MRSA_2756
CH_AMR_2017_MRSA_2757
CH_AMR_2017_MRSA_2758
CH_AMR_2017_MRSA_2759
CH_AMR_2017_MRSA_2760
CH_AMR_2017_MRSA_2761
CH_AMR_2017_MRSA_2762
CH_AMR_2017_MRSA_2763
CH_AMR_2017_MRSA_2764
CH_AMR_2017_MRSA_2765
CH_AMR_2017_MRSA_2766
CH_AMR_2017_MRSA_2767
CH_AMR_2017_MRSA_2768
CH_AMR_2017_MRSA_2769
CH_AMR_2017_MRSA_2770
CH_AMR_2017_MRSA_2771
CH_AMR_2017_MRSA_2772
CH_AMR_2017_MRSA_2773
CH_AMR_2017_MRSA_2774
CH_AMR_2017_MRSA_647
CH_AMR_2017_MRSA_648
CH_AMR_2017_MRSA_649
CH_AMR_2017_MRSA_650
CH_AMR_2017_MRSA_651
CH_AMR_2017_MRSA_652
CH_AMR_2017_MRSA_653
CH_AMR_2017_MRSA_654
CH_AMR_2017_MRSA_655
CH_AMR_2017_MRSA_656
CH_AMR_2017_MRSA_657
CH_AMR_2017_MRSA_658
CH_AMR_2017_MRSA_659
CH_AMR_2017_MRSA_660
CH_AMR_2017_MRSA_661
CH_AMR_2017_MRSA_662
CH_AMR_2017_MRSA_663
CH_AMR_2017_MRSA_664
CH_AMR_2017_MRSA_665
CH_AMR_2017_MRSA_1331
CH_AMR_2017_MRSA_1332
CH_AMR_2017_MRSA_1333
CH_AMR_2017_MRSA_1334
CH_AMR_2017_MRSA_1335
CH_AMR_2017_MRSA_1336
CH_AMR_2017_MRSA_1337
CH_AMR_2017_MRSA_1338
CH_AMR_2017_MRSA_1339
CH_AMR_2017_MRSA_1340
CH_AMR_2017_MRSA_1341

[illegible]

CH_AMR_2017_MRSA_1342
CH_AMR_2017_MRSA_1343
CH_AMR_2017_MRSA_1344
CH_AMR_2017_MRSA_1345
CH_AMR_2017_MRSA_1346
CH_AMR_2017_MRSA_1347
CH_AMR_2017_MRSA_1348
CH_AMR_2017_MRSA_1349
CH_AMR_2017_MRSA_2414
CH_AMR_2017_MRSA_2411
CH_AMR_2017_MRSA_2416
CH_AMR_2017_MRSA_2417
CH_AMR_2017_MRSA_2418
CH_AMR_2017_MRSA_2419
CH_AMR_2017_MRSA_2420
CH_AMR_2017_MRSA_2421
CH_AMR_2017_MRSA_2422
CH_AMR_2017_MRSA_2423
CH_AMR_2017_MRSA_2424
CH_AMR_2017_MRSA_2425
CH_AMR_2017_MRSA_2426
CH_AMR_2017_MRSA_2427
CH_AMR_2017_MRSA_2428
CH_AMR_2017_MRSA_2429
CH_AMR_2017_MRSA_2430
CH_AMR_2017_MRSA_2431
CH_AMR_2017_MRSA_2432
CH_AMR_2017_MRSA_1369
CH_AMR_2017_MRSA_1370
CH_AMR_2017_MRSA_1371
CH_AMR_2017_MRSA_1372
CH_AMR_2017_MRSA_1373
CH_AMR_2017_MRSA_1374
CH_AMR_2017_MRSA_1375
CH_AMR_2017_MRSA_1376
CH_AMR_2017_MRSA_1377
CH_AMR_2017_MRSA_1378
CH_AMR_2017_MRSA_1379
CH_AMR_2017_MRSA_1380
CH_AMR_2017_MRSA_1381
CH_AMR_2017_MRSA_1382
CH_AMR_2017_MRSA_1383
CH_AMR_2017_MRSA_1384
CH_AMR_2017_MRSA_1385
CH_AMR_2017_MRSA_1386
CH_AMR_2017_MRSA_1387
CH_AMR_2017_MRSA_1464
CH_AMR_2017_MRSA_1465
CH_AMR_2017_MRSA_1466
CH_AMR_2017_MRSA_1467
CH_AMR_2017_MRSA_1468
CH_AMR_2017_MRSA_1469
CH_AMR_2017_MRSA_1470
CH_AMR_2017_MRSA_1471

[illegible]

CH_AMR_2017_MRSA_1472
CH_AMR_2017_MRSA_1473
CH_AMR_2017_MRSA_1474
CH_AMR_2017_MRSA_1475
CH_AMR_2017_MRSA_1476
CH_AMR_2017_MRSA_1477
CH_AMR_2017_MRSA_1478
CH_AMR_2017_MRSA_1479
CH_AMR_2017_MRSA_1480
CH_AMR_2017_MRSA_1481
CH_AMR_2017_MRSA_1482
CH_AMR_2017_MRSA_1882
CH_AMR_2017_MRSA_1883
CH_AMR_2017_MRSA_1884
CH_AMR_2017_MRSA_1885
CH_AMR_2017_MRSA_1886
CH_AMR_2017_MRSA_1887
CH_AMR_2017_MRSA_1888
CH_AMR_2017_MRSA_1889
CH_AMR_2017_MRSA_1890
CH_AMR_2017_MRSA_1891
CH_AMR_2017_MRSA_1892
CH_AMR_2017_MRSA_1893
CH_AMR_2017_MRSA_1894
CH_AMR_2017_MRSA_1895
CH_AMR_2017_MRSA_1896
CH_AMR_2017_MRSA_1897
CH_AMR_2017_MRSA_1898
CH_AMR_2017_MRSA_1899
CH_AMR_2017_MRSA_1900

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

analysisM	analysisD	anMethCode	substance	cutoffValue	lowest	highest	MIC
1	18	Dilution - sens	Cefoxitin	4	0.5	16	>16
1	18	Dilution - sens	Chlorampheni	16	4	64	8
1	18	Dilution - sens	Ciprofloxacin	1	0.25	8	8
1	18	Dilution - sens	Clindamycin	0.25	0.12	4	<=0.12
1	18	Dilution - sens	Erythromycin	1	0.25	8	<=0.25
1	18	Dilution - sens	Fusidic acid	0.5	0.5	4	<=0.5
1	18	Dilution - sens	Gentamicin	2	1	16	2
1	18	Dilution - sens	Kanamycin	8	4	64	16
1	18	Dilution - sens	Linezolid	4	1	8	<=1
1	18	Dilution - sens	Mupirocin	1	0.5	256	<=0.5
1	18	Dilution - sens	Penicillin	0.12	0.12	2	>2
1	18	Dilution - sens	Quinupristin/C	1	0.5	4	<=0.5
1	18	Dilution - sens	Rifampicin	0.03	0.016	0.5	<=0.016
1	18	Dilution - sens	Streptomycin	16	4	32	>32
1	18	Dilution - sens	Sulfamethoxa	128	64	512	>512
1	18	Dilution - sens	Tetracycline	1	0.5	16	>16
1	18	Dilution - sens	Tiamulin	2	0.5	4	<=0.5
1	18	Dilution - sens	Trimethoprim	2	2	32	<=2
1	18	Dilution - sens	Vancomycin	2	1	16	<=1
1	24	Dilution - sens	Cefoxitin	4	0.5	16	16
1	24	Dilution - sens	Chlorampheni	16	4	64	8
1	24	Dilution - sens	Ciprofloxacin	1	0.25	8	<=0.25
1	24	Dilution - sens	Clindamycin	0.25	0.12	4	<=0.12
1	24	Dilution - sens	Erythromycin	1	0.25	8	0.5
1	24	Dilution - sens	Fusidic acid	0.5	0.5	4	<=0.5
1	24	Dilution - sens	Gentamicin	2	1	16	<=1
1	24	Dilution - sens	Kanamycin	8	4	64	<=4
1	24	Dilution - sens	Linezolid	4	1	8	2
1	24	Dilution - sens	Mupirocin	1	0.5	256	<=0.5
1	24	Dilution - sens	Penicillin	0.12	0.12	2	>2
1	24	Dilution - sens	Quinupristin/C	1	0.5	4	<=0.5
1	24	Dilution - sens	Rifampicin	0.03	0.016	0.5	<=0.016
1	24	Dilution - sens	Streptomycin	16	4	32	<=4
1	24	Dilution - sens	Sulfamethoxa	128	64	512	<=64
1	24	Dilution - sens	Tetracycline	1	0.5	16	>16
1	24	Dilution - sens	Tiamulin	2	0.5	4	<=0.5
1	24	Dilution - sens	Trimethoprim	2	2	32	<=2
1	24	Dilution - sens	Vancomycin	2	1	16	<=1
1	25	Dilution - sens	Cefoxitin	4	0.5	16	16
1	25	Dilution - sens	Chlorampheni	16	4	64	8
1	25	Dilution - sens	Ciprofloxacin	1	0.25	8	<=0.25
1	25	Dilution - sens	Clindamycin	0.25	0.12	4	<=0.12
1	25	Dilution - sens	Erythromycin	1	0.25	8	0.5
1	25	Dilution - sens	Fusidic acid	0.5	0.5	4	<=0.5
1	25	Dilution - sens	Gentamicin	2	1	16	<=1
1	25	Dilution - sens	Kanamycin	8	4	64	<=4
1	25	Dilution - sens	Linezolid	4	1	8	2
1	25	Dilution - sens	Mupirocin	1	0.5	256	<=0.5
1	25	Dilution - sens	Penicillin	0.12	0.12	2	>2
1	25	Dilution - sens	Quinupristin/C	1	0.5	4	<=0.5
1	25	Dilution - sens	Rifampicin	0.03	0.016	0.5	<=0.016
1	25	Dilution - sens	Streptomycin	16	4	32	>32
1	25	Dilution - sens	Sulfamethoxa	128	64	512	<=64

1	25 Dilution - sens Tetracycline	1	0.5	16	>16
1	25 Dilution - sens Tiamulin	2	0.5	4	<=0.5
1	25 Dilution - sens Trimethoprim	2	2	32	<=2
1	25 Dilution - sens Vancomycin	2	1	16	<=1
1	25 Dilution - sens Cefoxitin	4	0.5	16	8
1	25 Dilution - sens Chlorampheni	16	4	64	8
1	25 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
1	25 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
1	25 Dilution - sens Erythromycin	1	0.25	8	0.5
1	25 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
1	25 Dilution - sens Gentamicin	2	1	16	<=1
1	25 Dilution - sens Kanamycin	8	4	64	<=4
1	25 Dilution - sens Linezolid	4	1	8	2
1	25 Dilution - sens Mupirocin	1	0.5	256	<=0.5
1	25 Dilution - sens Penicillin	0.12	0.12	2	>2
1	25 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
1	25 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
1	25 Dilution - sens Streptomycin	16	4	32	>32
1	25 Dilution - sens Sulfamethoxa	128	64	512	<=64
1	25 Dilution - sens Tetracycline	1	0.5	16	>16
1	25 Dilution - sens Tiamulin	2	0.5	4	<=0.5
1	25 Dilution - sens Trimethoprim	2	2	32	<=2
1	25 Dilution - sens Vancomycin	2	1	16	<=1
2	2 Dilution - sens Cefoxitin	4	0.5	16	16
2	2 Dilution - sens Chlorampheni	16	4	64	8
2	2 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
2	2 Dilution - sens Clindamycin	0.25	0.12	4	>4
2	2 Dilution - sens Erythromycin	1	0.25	8	>8
2	2 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
2	2 Dilution - sens Gentamicin	2	1	16	<=1
2	2 Dilution - sens Kanamycin	8	4	64	<=4
2	2 Dilution - sens Linezolid	4	1	8	2
2	2 Dilution - sens Mupirocin	1	0.5	256	<=0.5
2	2 Dilution - sens Penicillin	0.12	0.12	2	>2
2	2 Dilution - sens Quinupristin/C	1	0.5	4	2
2	2 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	2 Dilution - sens Streptomycin	16	4	32	>32
2	2 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	2 Dilution - sens Tetracycline	1	0.5	16	>16
2	2 Dilution - sens Tiamulin	2	0.5	4	>4
2	2 Dilution - sens Trimethoprim	2	2	32	>32
2	2 Dilution - sens Vancomycin	2	1	16	<=1
2	2 Dilution - sens Cefoxitin	4	0.5	16	16
2	2 Dilution - sens Chlorampheni	16	4	64	8
2	2 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
2	2 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
2	2 Dilution - sens Erythromycin	1	0.25	8	0.5
2	2 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
2	2 Dilution - sens Gentamicin	2	1	16	>16
2	2 Dilution - sens Kanamycin	8	4	64	>64
2	2 Dilution - sens Linezolid	4	1	8	2
2	2 Dilution - sens Mupirocin	1	0.5	256	<=0.5
2	2 Dilution - sens Penicillin	0.12	0.12	2	>2
2	2 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5

2	2 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	2 Dilution - sens Streptomycin	16	4	32	8
2	2 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	2 Dilution - sens Tetracycline	1	0.5	16	>16
2	2 Dilution - sens Tiamulin	2	0.5	4	<=0.5
2	2 Dilution - sens Trimethoprim	2	2	32	<=2
2	2 Dilution - sens Vancomycin	2	1	16	<=1
2	7 Dilution - sens Cefoxitin	4	0.5	16	16
2	7 Dilution - sens Chloramphenicol	16	4	64	8
2	7 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
2	7 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
2	7 Dilution - sens Erythromycin	1	0.25	8	0.5
2	7 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
2	7 Dilution - sens Gentamicin	2	1	16	<=1
2	7 Dilution - sens Kanamycin	8	4	64	<=4
2	7 Dilution - sens Linezolid	4	1	8	2
2	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
2	7 Dilution - sens Penicillin	0.12	0.12	2	>2
2	7 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
2	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	7 Dilution - sens Streptomycin	16	4	32	8
2	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	7 Dilution - sens Tetracycline	1	0.5	16	>16
2	7 Dilution - sens Tiamulin	2	0.5	4	<=0.5
2	7 Dilution - sens Trimethoprim	2	2	32	<=2
2	7 Dilution - sens Vancomycin	2	1	16	<=1
2	15 Dilution - sens Cefoxitin	4	0.5	16	16
2	15 Dilution - sens Chloramphenicol	16	4	64	8
2	15 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
2	15 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
2	15 Dilution - sens Erythromycin	1	0.25	8	0.5
2	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
2	15 Dilution - sens Gentamicin	2	1	16	<=1
2	15 Dilution - sens Kanamycin	8	4	64	<=4
2	15 Dilution - sens Linezolid	4	1	8	2
2	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
2	15 Dilution - sens Penicillin	0.12	0.12	2	>2
2	15 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
2	15 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	15 Dilution - sens Streptomycin	16	4	32	8
2	15 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	15 Dilution - sens Tetracycline	1	0.5	16	>16
2	15 Dilution - sens Tiamulin	2	0.5	4	<=0.5
2	15 Dilution - sens Trimethoprim	2	2	32	<=2
2	15 Dilution - sens Vancomycin	2	1	16	<=1
2	15 Dilution - sens Cefoxitin	4	0.5	16	16
2	15 Dilution - sens Chloramphenicol	16	4	64	8
2	15 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
2	15 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
2	15 Dilution - sens Erythromycin	1	0.25	8	0.5
2	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
2	15 Dilution - sens Gentamicin	2	1	16	<=1
2	15 Dilution - sens Kanamycin	8	4	64	<=4
2	15 Dilution - sens Linezolid	4	1	8	2

2	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
2	15 Dilution - sens Penicillin	0.12	0.12	2	>2
2	15 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
2	15 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	15 Dilution - sens Streptomycin	16	4	32	>32
2	15 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	15 Dilution - sens Tetracycline	1	0.5	16	>16
2	15 Dilution - sens Tiamulin	2	0.5	4	<=0.5
2	15 Dilution - sens Trimethoprim	2	2	32	<=2
2	15 Dilution - sens Vancomycin	2	1	16	<=1
3	8 Dilution - sens Cefoxitin	4	0.5	16	16
3	8 Dilution - sens Chlorampheni	16	4	64	<=4
3	8 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	8 Dilution - sens Clindamycin	0.25	0.12	4	4
3	8 Dilution - sens Erythromycin	1	0.25	8	>8
3	8 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	8 Dilution - sens Gentamicin	2	1	16	<=1
3	8 Dilution - sens Kanamycin	8	4	64	<=4
3	8 Dilution - sens Linezolid	4	1	8	<=1
3	8 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	8 Dilution - sens Penicillin	0.12	0.12	2	>2
3	8 Dilution - sens Quinupristin/C	1	0.5	4	2
3	8 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	8 Dilution - sens Streptomycin	16	4	32	<=4
3	8 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	8 Dilution - sens Tetracycline	1	0.5	16	>16
3	8 Dilution - sens Tiamulin	2	0.5	4	>4
3	8 Dilution - sens Trimethoprim	2	2	32	>32
3	8 Dilution - sens Vancomycin	2	1	16	<=1
3	8 Dilution - sens Cefoxitin	4	0.5	16	8
3	8 Dilution - sens Chlorampheni	16	4	64	<=4
3	8 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	8 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
3	8 Dilution - sens Erythromycin	1	0.25	8	<=0.25
3	8 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	8 Dilution - sens Gentamicin	2	1	16	<=1
3	8 Dilution - sens Kanamycin	8	4	64	<=4
3	8 Dilution - sens Linezolid	4	1	8	<=1
3	8 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	8 Dilution - sens Penicillin	0.12	0.12	2	>2
3	8 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
3	8 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	8 Dilution - sens Streptomycin	16	4	32	>32
3	8 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	8 Dilution - sens Tetracycline	1	0.5	16	>16
3	8 Dilution - sens Tiamulin	2	0.5	4	<=0.5
3	8 Dilution - sens Trimethoprim	2	2	32	<=2
3	8 Dilution - sens Vancomycin	2	1	16	<=1
3	9 Dilution - sens Cefoxitin	4	0.5	16	8
3	9 Dilution - sens Chlorampheni	16	4	64	<=4
3	9 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	9 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
3	9 Dilution - sens Erythromycin	1	0.25	8	<=0.25
3	9 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5

3	9 Dilution - sens Gentamicin	2	1	16	16
3	9 Dilution - sens Kanamycin	8	4	64	>64
3	9 Dilution - sens Linezolid	4	1	8	<=1
3	9 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	9 Dilution - sens Penicillin	0.12	0.12	2	>2
3	9 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
3	9 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	9 Dilution - sens Streptomycin	16	4	32	<=4
3	9 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	9 Dilution - sens Tetracycline	1	0.5	16	>16
3	9 Dilution - sens Tiamulin	2	0.5	4	<=0.5
3	9 Dilution - sens Trimethoprim	2	2	32	<=2
3	9 Dilution - sens Vancomycin	2	1	16	<=1
3	9 Dilution - sens Cefoxitin	4	0.5	16	8
3	9 Dilution - sens Chlorampheni	16	4	64	<=4
3	9 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	9 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
3	9 Dilution - sens Erythromycin	1	0.25	8	<=0.25
3	9 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	9 Dilution - sens Gentamicin	2	1	16	16
3	9 Dilution - sens Kanamycin	8	4	64	>64
3	9 Dilution - sens Linezolid	4	1	8	<=1
3	9 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	9 Dilution - sens Penicillin	0.12	0.12	2	>2
3	9 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
3	9 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	9 Dilution - sens Streptomycin	16	4	32	8
3	9 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	9 Dilution - sens Tetracycline	1	0.5	16	>16
3	9 Dilution - sens Tiamulin	2	0.5	4	<=0.5
3	9 Dilution - sens Trimethoprim	2	2	32	<=2
3	9 Dilution - sens Vancomycin	2	1	16	<=1
3	9 Dilution - sens Cefoxitin	4	0.5	16	16
3	9 Dilution - sens Chlorampheni	16	4	64	<=4
3	9 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	9 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
3	9 Dilution - sens Erythromycin	1	0.25	8	<=0.25
3	9 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	9 Dilution - sens Gentamicin	2	1	16	<=1
3	9 Dilution - sens Kanamycin	8	4	64	<=4
3	9 Dilution - sens Linezolid	4	1	8	<=1
3	9 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	9 Dilution - sens Penicillin	0.12	0.12	2	>2
3	9 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
3	9 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	9 Dilution - sens Streptomycin	16	4	32	>32
3	9 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	9 Dilution - sens Tetracycline	1	0.5	16	>16
3	9 Dilution - sens Tiamulin	2	0.5	4	<=0.5
3	9 Dilution - sens Trimethoprim	2	2	32	<=2
3	9 Dilution - sens Vancomycin	2	1	16	<=1
3	9 Dilution - sens Cefoxitin	4	0.5	16	16
3	9 Dilution - sens Chlorampheni	16	4	64	<=4
3	9 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25

3	9 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
3	9 Dilution - sens Erythromycin	1	0.25	8	<=0.25
3	9 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	9 Dilution - sens Gentamicin	2	1	16	>16
3	9 Dilution - sens Kanamycin	8	4	64	>64
3	9 Dilution - sens Linezolid	4	1	8	<=1
3	9 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	9 Dilution - sens Penicillin	0.12	0.12	2	2
3	9 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
3	9 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	9 Dilution - sens Streptomycin	16	4	32	8
3	9 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	9 Dilution - sens Tetracycline	1	0.5	16	>16
3	9 Dilution - sens Tiamulin	2	0.5	4	<=0.5
3	9 Dilution - sens Trimethoprim	2	2	32	<=2
3	9 Dilution - sens Vancomycin	2	1	16	<=1
3	9 Dilution - sens Cefoxitin	4	0.5	16	8
3	9 Dilution - sens Chlorampheni	16	4	64	<=4
3	9 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	9 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
3	9 Dilution - sens Erythromycin	1	0.25	8	<=0.25
3	9 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	9 Dilution - sens Gentamicin	2	1	16	16
3	9 Dilution - sens Kanamycin	8	4	64	>64
3	9 Dilution - sens Linezolid	4	1	8	<=1
3	9 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	9 Dilution - sens Penicillin	0.12	0.12	2	>2
3	9 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
3	9 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	9 Dilution - sens Streptomycin	16	4	32	>32
3	9 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	9 Dilution - sens Tetracycline	1	0.5	16	>16
3	9 Dilution - sens Tiamulin	2	0.5	4	<=0.5
3	9 Dilution - sens Trimethoprim	2	2	32	<=2
3	9 Dilution - sens Vancomycin	2	1	16	<=1
3	21 Dilution - sens Cefoxitin	4	0.5	16	16
3	21 Dilution - sens Chlorampheni	16	4	64	<=4
3	21 Dilution - sens Ciprofloxacin	1	0.25	8	4
3	21 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
3	21 Dilution - sens Erythromycin	1	0.25	8	<=0.25
3	21 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	21 Dilution - sens Gentamicin	2	1	16	<=1
3	21 Dilution - sens Kanamycin	8	4	64	<=4
3	21 Dilution - sens Linezolid	4	1	8	<=1
3	21 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	21 Dilution - sens Penicillin	0.12	0.12	2	>2
3	21 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
3	21 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	21 Dilution - sens Streptomycin	16	4	32	<=4
3	21 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	21 Dilution - sens Tetracycline	1	0.5	16	>16
3	21 Dilution - sens Tiamulin	2	0.5	4	<=0.5
3	21 Dilution - sens Trimethoprim	2	2	32	<=2
3	21 Dilution - sens Vancomycin	2	1	16	<=1

4	4 Dilution - sens Cefoxitin	4	0.5	16	8
4	4 Dilution - sens Chlorampheni	16	4	64	<=4
4	4 Dilution - sens Ciprofloxacin	1	0.25	8	1
4	4 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
4	4 Dilution - sens Erythromycin	1	0.25	8	<=0.25
4	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	4 Dilution - sens Gentamicin	2	1	16	<=1
4	4 Dilution - sens Kanamycin	8	4	64	<=4
4	4 Dilution - sens Linezolid	4	1	8	<=1
4	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	4 Dilution - sens Penicillin	0.12	0.12	2	>2
4	4 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
4	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	4 Dilution - sens Streptomycin	16	4	32	>32
4	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	4 Dilution - sens Tetracycline	1	0.5	16	>16
4	4 Dilution - sens Tiamulin	2	0.5	4	<=0.5
4	4 Dilution - sens Trimethoprim	2	2	32	<=2
4	4 Dilution - sens Vancomycin	2	1	16	<=1
4	4 Dilution - sens Cefoxitin	4	0.5	16	8
4	4 Dilution - sens Chlorampheni	16	4	64	8
4	4 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	4 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	4 Dilution - sens Erythromycin	1	0.25	8	>8
4	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	4 Dilution - sens Gentamicin	2	1	16	<=1
4	4 Dilution - sens Kanamycin	8	4	64	<=4
4	4 Dilution - sens Linezolid	4	1	8	<=1
4	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	4 Dilution - sens Penicillin	0.12	0.12	2	>2
4	4 Dilution - sens Quinupristin/C	1	0.5	4	1
4	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	4 Dilution - sens Streptomycin	16	4	32	>32
4	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	4 Dilution - sens Tetracycline	1	0.5	16	>16
4	4 Dilution - sens Tiamulin	2	0.5	4	<=0.5
4	4 Dilution - sens Trimethoprim	2	2	32	<=2
4	4 Dilution - sens Vancomycin	2	1	16	<=1
4	4 Dilution - sens Cefoxitin	4	0.5	16	16
4	4 Dilution - sens Chlorampheni	16	4	64	8
4	4 Dilution - sens Ciprofloxacin	1	0.25	8	>8
4	4 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	4 Dilution - sens Erythromycin	1	0.25	8	0.5
4	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	4 Dilution - sens Gentamicin	2	1	16	>16
4	4 Dilution - sens Kanamycin	8	4	64	64
4	4 Dilution - sens Linezolid	4	1	8	2
4	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	4 Dilution - sens Penicillin	0.12	0.12	2	>2
4	4 Dilution - sens Quinupristin/C	1	0.5	4	1
4	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	4 Dilution - sens Streptomycin	16	4	32	<=4
4	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	4 Dilution - sens Tetracycline	1	0.5	16	>16

4	4 Dilution - sens Tiamulin	2	0.5	4	1
4	4 Dilution - sens Trimethoprim	2	2	32	>32
4	4 Dilution - sens Vancomycin	2	1	16	<=1
4	4 Dilution - sens Cefoxitin	4	0.5	16	8
4	4 Dilution - sens Chlorampheni	16	4	64	8
4	4 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	4 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	4 Dilution - sens Erythromycin	1	0.25	8	>8
4	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	4 Dilution - sens Gentamicin	2	1	16	<=1
4	4 Dilution - sens Kanamycin	8	4	64	<=4
4	4 Dilution - sens Linezolid	4	1	8	2
4	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	4 Dilution - sens Penicillin	0.12	0.12	2	>2
4	4 Dilution - sens Quinupristin/C	1	0.5	4	1
4	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	4 Dilution - sens Streptomycin	16	4	32	>32
4	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	4 Dilution - sens Tetracycline	1	0.5	16	>16
4	4 Dilution - sens Tiamulin	2	0.5	4	<=0.5
4	4 Dilution - sens Trimethoprim	2	2	32	<=2
4	4 Dilution - sens Vancomycin	2	1	16	<=1
4	4 Dilution - sens Cefoxitin	4	0.5	16	16
4	4 Dilution - sens Chlorampheni	16	4	64	8
4	4 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	4 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	4 Dilution - sens Erythromycin	1	0.25	8	>8
4	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	4 Dilution - sens Gentamicin	2	1	16	<=1
4	4 Dilution - sens Kanamycin	8	4	64	<=4
4	4 Dilution - sens Linezolid	4	1	8	2
4	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	4 Dilution - sens Penicillin	0.12	0.12	2	>2
4	4 Dilution - sens Quinupristin/C	1	0.5	4	1
4	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	4 Dilution - sens Streptomycin	16	4	32	>32
4	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	4 Dilution - sens Tetracycline	1	0.5	16	>16
4	4 Dilution - sens Tiamulin	2	0.5	4	<=0.5
4	4 Dilution - sens Trimethoprim	2	2	32	<=2
4	4 Dilution - sens Vancomycin	2	1	16	<=1
4	4 Dilution - sens Cefoxitin	4	0.5	16	8
4	4 Dilution - sens Chlorampheni	16	4	64	8
4	4 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	4 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	4 Dilution - sens Erythromycin	1	0.25	8	>8
4	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	4 Dilution - sens Gentamicin	2	1	16	<=1
4	4 Dilution - sens Kanamycin	8	4	64	<=4
4	4 Dilution - sens Linezolid	4	1	8	<=1
4	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	4 Dilution - sens Penicillin	0.12	0.12	2	>2
4	4 Dilution - sens Quinupristin/C	1	0.5	4	1
4	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016

4	4 Dilution - sens Streptomycin	16	4	32	>32
4	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	4 Dilution - sens Tetracycline	1	0.5	16	>16
4	4 Dilution - sens Tiamulin	2	0.5	4	<=0.5
4	4 Dilution - sens Trimethoprim	2	2	32	<=2
4	4 Dilution - sens Vancomycin	2	1	16	<=1
4	5 Dilution - sens Cefoxitin	4	0.5	16	16
4	5 Dilution - sens Chlorampheni	16	4	64	<=4
4	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	5 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
4	5 Dilution - sens Erythromycin	1	0.25	8	<=0.25
4	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	5 Dilution - sens Gentamicin	2	1	16	<=1
4	5 Dilution - sens Kanamycin	8	4	64	<=4
4	5 Dilution - sens Linezolid	4	1	8	<=1
4	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	5 Dilution - sens Penicillin	0.12	0.12	2	>2
4	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
4	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	5 Dilution - sens Streptomycin	16	4	32	8
4	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	5 Dilution - sens Tetracycline	1	0.5	16	>16
4	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
4	5 Dilution - sens Trimethoprim	2	2	32	<=2
4	5 Dilution - sens Vancomycin	2	1	16	<=1
4	5 Dilution - sens Cefoxitin	4	0.5	16	8
4	5 Dilution - sens Chlorampheni	16	4	64	<=4
4	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	5 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
4	5 Dilution - sens Erythromycin	1	0.25	8	<=0.25
4	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	5 Dilution - sens Gentamicin	2	1	16	<=1
4	5 Dilution - sens Kanamycin	8	4	64	<=4
4	5 Dilution - sens Linezolid	4	1	8	<=1
4	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	5 Dilution - sens Penicillin	0.12	0.12	2	>2
4	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
4	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	5 Dilution - sens Streptomycin	16	4	32	>32
4	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	5 Dilution - sens Tetracycline	1	0.5	16	>16
4	5 Dilution - sens Tiamulin	2	0.5	4	1
4	5 Dilution - sens Trimethoprim	2	2	32	<=2
4	5 Dilution - sens Vancomycin	2	1	16	<=1
4	12 Dilution - sens Cefoxitin	4	0.5	16	16
4	12 Dilution - sens Chlorampheni	16	4	64	8
4	12 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	12 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
4	12 Dilution - sens Erythromycin	1	0.25	8	<=0.25
4	12 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	12 Dilution - sens Gentamicin	2	1	16	<=1
4	12 Dilution - sens Kanamycin	8	4	64	<=4
4	12 Dilution - sens Linezolid	4	1	8	2
4	12 Dilution - sens Mupirocin	1	0.5	256	<=0.5

4	12 Dilution - sens Penicillin	0.12	0.12	2	>2
4	12 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
4	12 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	12 Dilution - sens Streptomycin	16	4	32	32
4	12 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	12 Dilution - sens Tetracycline	1	0.5	16	>16
4	12 Dilution - sens Tiamulin	2	0.5	4	<=0.5
4	12 Dilution - sens Trimethoprim	2	2	32	<=2
4	12 Dilution - sens Vancomycin	2	1	16	<=1
6	7 Dilution - sens Cefoxitin	4	0.5	16	8
6	7 Dilution - sens Chlorampheni	16	4	64	8
6	7 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
6	7 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
6	7 Dilution - sens Erythromycin	1	0.25	8	<=0.25
6	7 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	7 Dilution - sens Gentamicin	2	1	16	<=1
6	7 Dilution - sens Kanamycin	8	4	64	<=4
6	7 Dilution - sens Linezolid	4	1	8	2
6	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	7 Dilution - sens Penicillin	0.12	0.12	2	>2
6	7 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
6	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	7 Dilution - sens Streptomycin	16	4	32	<=4
6	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	7 Dilution - sens Tetracycline	1	0.5	16	>16
6	7 Dilution - sens Tiamulin	2	0.5	4	<=0.5
6	7 Dilution - sens Trimethoprim	2	2	32	<=2
6	7 Dilution - sens Vancomycin	2	1	16	<=1
6	7 Dilution - sens Cefoxitin	4	0.5	16	8
6	7 Dilution - sens Chlorampheni	16	4	64	8
6	7 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
6	7 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
6	7 Dilution - sens Erythromycin	1	0.25	8	<=0.25
6	7 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	7 Dilution - sens Gentamicin	2	1	16	<=1
6	7 Dilution - sens Kanamycin	8	4	64	<=4
6	7 Dilution - sens Linezolid	4	1	8	<=1
6	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	7 Dilution - sens Penicillin	0.12	0.12	2	>2
6	7 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
6	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	7 Dilution - sens Streptomycin	16	4	32	<=4
6	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	7 Dilution - sens Tetracycline	1	0.5	16	>16
6	7 Dilution - sens Tiamulin	2	0.5	4	<=0.5
6	7 Dilution - sens Trimethoprim	2	2	32	<=2
6	7 Dilution - sens Vancomycin	2	1	16	<=1
6	7 Dilution - sens Cefoxitin	4	0.5	16	8
6	7 Dilution - sens Chlorampheni	16	4	64	8
6	7 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
6	7 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
6	7 Dilution - sens Erythromycin	1	0.25	8	<=0.25
6	7 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	7 Dilution - sens Gentamicin	2	1	16	<=1

6	7 Dilution - sens Kanamycin	8	4	64	<=4
6	7 Dilution - sens Linezolid	4	1	8	<=1
6	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	7 Dilution - sens Penicillin	0.12	0.12	2	>2
6	7 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
6	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	7 Dilution - sens Streptomycin	16	4	32	<=4
6	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	7 Dilution - sens Tetracycline	1	0.5	16	>16
6	7 Dilution - sens Tiamulin	2	0.5	4	<=0.5
6	7 Dilution - sens Trimethoprim	2	2	32	<=2
6	7 Dilution - sens Vancomycin	2	1	16	<=1
6	13 Dilution - sens Cefoxitin	4	0.5	16	16
6	13 Dilution - sens Chlorampheni	16	4	64	8
6	13 Dilution - sens Ciprofloxacin	1	0.25	8	>8
6	13 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
6	13 Dilution - sens Erythromycin	1	0.25	8	0.5
6	13 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	13 Dilution - sens Gentamicin	2	1	16	16
6	13 Dilution - sens Kanamycin	8	4	64	>64
6	13 Dilution - sens Linezolid	4	1	8	2
6	13 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	13 Dilution - sens Penicillin	0.12	0.12	2	>2
6	13 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
6	13 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	13 Dilution - sens Streptomycin	16	4	32	<=4
6	13 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	13 Dilution - sens Tetracycline	1	0.5	16	>16
6	13 Dilution - sens Tiamulin	2	0.5	4	<=0.5
6	13 Dilution - sens Trimethoprim	2	2	32	>32
6	13 Dilution - sens Vancomycin	2	1	16	<=1
7	5 Dilution - sens Cefoxitin	4	0.5	16	8
7	5 Dilution - sens Chlorampheni	16	4	64	8
7	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
7	5 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
7	5 Dilution - sens Erythromycin	1	0.25	8	<=0.25
7	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	5 Dilution - sens Gentamicin	2	1	16	<=1
7	5 Dilution - sens Kanamycin	8	4	64	<=4
7	5 Dilution - sens Linezolid	4	1	8	2
7	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	5 Dilution - sens Penicillin	0.12	0.12	2	>2
7	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
7	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	5 Dilution - sens Streptomycin	16	4	32	>32
7	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	5 Dilution - sens Tetracycline	1	0.5	16	>16
7	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
7	5 Dilution - sens Trimethoprim	2	2	32	<=2
7	5 Dilution - sens Vancomycin	2	1	16	<=1
7	6 Dilution - sens Cefoxitin	4	0.5	16	8
7	6 Dilution - sens Chlorampheni	16	4	64	8
7	6 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
7	6 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12

7	6 Dilution - sens Erythromycin	1	0.25	8	0.5
7	6 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	6 Dilution - sens Gentamicin	2	1	16	8
7	6 Dilution - sens Kanamycin	8	4	64	32
7	6 Dilution - sens Linezolid	4	1	8	2
7	6 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	6 Dilution - sens Penicillin	0.12	0.12	2	>2
7	6 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
7	6 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	6 Dilution - sens Streptomycin	16	4	32	<=4
7	6 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	6 Dilution - sens Tetracycline	1	0.5	16	>16
7	6 Dilution - sens Tiamulin	2	0.5	4	<=0.5
7	6 Dilution - sens Trimethoprim	2	2	32	<=2
7	6 Dilution - sens Vancomycin	2	1	16	<=1
7	11 Dilution - sens Cefoxitin	4	0.5	16	16
7	11 Dilution - sens Chlorampheni	16	4	64	<=4
7	11 Dilution - sens Ciprofloxacin	1	0.25	8	>8
7	11 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
7	11 Dilution - sens Erythromycin	1	0.25	8	0.5
7	11 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	11 Dilution - sens Gentamicin	2	1	16	>16
7	11 Dilution - sens Kanamycin	8	4	64	>64
7	11 Dilution - sens Linezolid	4	1	8	2
7	11 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	11 Dilution - sens Penicillin	0.12	0.12	2	>2
7	11 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
7	11 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	11 Dilution - sens Streptomycin	16	4	32	8
7	11 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	11 Dilution - sens Tetracycline	1	0.5	16	>16
7	11 Dilution - sens Tiamulin	2	0.5	4	<=0.5
7	11 Dilution - sens Trimethoprim	2	2	32	>32
7	11 Dilution - sens Vancomycin	2	1	16	<=1
7	11 Dilution - sens Cefoxitin	4	0.5	16	16
7	11 Dilution - sens Chlorampheni	16	4	64	8
7	11 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
7	11 Dilution - sens Clindamycin	0.25	0.12	4	>4
7	11 Dilution - sens Erythromycin	1	0.25	8	>8
7	11 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	11 Dilution - sens Gentamicin	2	1	16	<=1
7	11 Dilution - sens Kanamycin	8	4	64	<=4
7	11 Dilution - sens Linezolid	4	1	8	2
7	11 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	11 Dilution - sens Penicillin	0.12	0.12	2	>2
7	11 Dilution - sens Quinupristin/C	1	0.5	4	1
7	11 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	11 Dilution - sens Streptomycin	16	4	32	8
7	11 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	11 Dilution - sens Tetracycline	1	0.5	16	>16
7	11 Dilution - sens Tiamulin	2	0.5	4	<=0.5
7	11 Dilution - sens Trimethoprim	2	2	32	<=2
7	11 Dilution - sens Vancomycin	2	1	16	<=1
7	11 Dilution - sens Cefoxitin	4	0.5	16	16

7	11 Dilution - sens Chlorampheni	16	4	64	8
7	11 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
7	11 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
7	11 Dilution - sens Erythromycin	1	0.25	8	<=0.25
7	11 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	11 Dilution - sens Gentamicin	2	1	16	<=1
7	11 Dilution - sens Kanamycin	8	4	64	<=4
7	11 Dilution - sens Linezolid	4	1	8	2
7	11 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	11 Dilution - sens Penicillin	0.12	0.12	2	>2
7	11 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
7	11 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	11 Dilution - sens Streptomycin	16	4	32	<=4
7	11 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	11 Dilution - sens Tetracycline	1	0.5	16	>16
7	11 Dilution - sens Tiamulin	2	0.5	4	<=0.5
7	11 Dilution - sens Trimethoprim	2	2	32	<=2
7	11 Dilution - sens Vancomycin	2	1	16	<=1
7	11 Dilution - sens Cefoxitin	4	0.5	16	16
7	11 Dilution - sens Chlorampheni	16	4	64	8
7	11 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
7	11 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
7	11 Dilution - sens Erythromycin	1	0.25	8	<=0.25
7	11 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	11 Dilution - sens Gentamicin	2	1	16	<=1
7	11 Dilution - sens Kanamycin	8	4	64	<=4
7	11 Dilution - sens Linezolid	4	1	8	2
7	11 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	11 Dilution - sens Penicillin	0.12	0.12	2	>2
7	11 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
7	11 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	11 Dilution - sens Streptomycin	16	4	32	8
7	11 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	11 Dilution - sens Tetracycline	1	0.5	16	>16
7	11 Dilution - sens Tiamulin	2	0.5	4	<=0.5
7	11 Dilution - sens Trimethoprim	2	2	32	<=2
7	11 Dilution - sens Vancomycin	2	1	16	<=1
7	20 Dilution - sens Cefoxitin	4	0.5	16	16
7	20 Dilution - sens Chlorampheni	16	4	64	8
7	20 Dilution - sens Ciprofloxacin	1	0.25	8	2
7	20 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
7	20 Dilution - sens Erythromycin	1	0.25	8	<=0.25
7	20 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	20 Dilution - sens Gentamicin	2	1	16	<=1
7	20 Dilution - sens Kanamycin	8	4	64	<=4
7	20 Dilution - sens Linezolid	4	1	8	2
7	20 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	20 Dilution - sens Penicillin	0.12	0.12	2	>2
7	20 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
7	20 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	20 Dilution - sens Streptomycin	16	4	32	>32
7	20 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	20 Dilution - sens Tetracycline	1	0.5	16	>16
7	20 Dilution - sens Tiamulin	2	0.5	4	<=0.5

7	20	Dilution - sens Trimethoprim	2	2	32	<=2
7	20	Dilution - sens Vancomycin	2	1	16	<=1
8	3	Dilution - sens Cefoxitin	4	0.5	16	16
8	3	Dilution - sens Chlorampheni	16	4	64	8
8	3	Dilution - sens Ciprofloxacin	1	0.25	8	8
8	3	Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
8	3	Dilution - sens Erythromycin	1	0.25	8	0.5
8	3	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
8	3	Dilution - sens Gentamicin	2	1	16	<=1
8	3	Dilution - sens Kanamycin	8	4	64	<=4
8	3	Dilution - sens Linezolid	4	1	8	4
8	3	Dilution - sens Mupirocin	1	0.5	256	<=0.5
8	3	Dilution - sens Penicillin	0.12	0.12	2	>2
8	3	Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
8	3	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
8	3	Dilution - sens Streptomycin	16	4	32	8
8	3	Dilution - sens Sulfamethoxa	128	64	512	<=64
8	3	Dilution - sens Tetracycline	1	0.5	16	>16
8	3	Dilution - sens Tiamulin	2	0.5	4	<=0.5
8	3	Dilution - sens Trimethoprim	2	2	32	<=2
8	3	Dilution - sens Vancomycin	2	1	16	<=1
8	3	Dilution - sens Cefoxitin	4	0.5	16	16
8	3	Dilution - sens Chlorampheni	16	4	64	8
8	3	Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
8	3	Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
8	3	Dilution - sens Erythromycin	1	0.25	8	0.5
8	3	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
8	3	Dilution - sens Gentamicin	2	1	16	<=1
8	3	Dilution - sens Kanamycin	8	4	64	<=4
8	3	Dilution - sens Linezolid	4	1	8	4
8	3	Dilution - sens Mupirocin	1	0.5	256	<=0.5
8	3	Dilution - sens Penicillin	0.12	0.12	2	>2
8	3	Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
8	3	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
8	3	Dilution - sens Streptomycin	16	4	32	>32
8	3	Dilution - sens Sulfamethoxa	128	64	512	<=64
8	3	Dilution - sens Tetracycline	1	0.5	16	>16
8	3	Dilution - sens Tiamulin	2	0.5	4	<=0.5
8	3	Dilution - sens Trimethoprim	2	2	32	<=2
8	3	Dilution - sens Vancomycin	2	1	16	<=1
8	9	Dilution - sens Cefoxitin	4	0.5	16	16
8	9	Dilution - sens Chlorampheni	16	4	64	8
8	9	Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
8	9	Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
8	9	Dilution - sens Erythromycin	1	0.25	8	0.5
8	9	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
8	9	Dilution - sens Gentamicin	2	1	16	<=1
8	9	Dilution - sens Kanamycin	8	4	64	<=4
8	9	Dilution - sens Linezolid	4	1	8	2
8	9	Dilution - sens Mupirocin	1	0.5	256	<=0.5
8	9	Dilution - sens Penicillin	0.12	0.12	2	>2
8	9	Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
8	9	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
8	9	Dilution - sens Streptomycin	16	4	32	8

8	9 Dilution - sens Sulfamethoxa	128	64	512	128
8	9 Dilution - sens Tetracycline	1	0.5	16	>16
8	9 Dilution - sens Tiamulin	2	0.5	4	<=0.5
8	9 Dilution - sens Trimethoprim	2	2	32	<=2
8	9 Dilution - sens Vancomycin	2	1	16	<=1
8	15 Dilution - sens Cefoxitin	4	0.5	16	8
8	15 Dilution - sens Chlorampheni	16	4	64	8
8	15 Dilution - sens Ciprofloxacin	1	0.25	8	8
8	15 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
8	15 Dilution - sens Erythromycin	1	0.25	8	0.5
8	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
8	15 Dilution - sens Gentamicin	2	1	16	<=1
8	15 Dilution - sens Kanamycin	8	4	64	<=4
8	15 Dilution - sens Linezolid	4	1	8	2
8	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
8	15 Dilution - sens Penicillin	0.12	0.12	2	>2
8	15 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
8	15 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
8	15 Dilution - sens Streptomycin	16	4	32	<=4
8	15 Dilution - sens Sulfamethoxa	128	64	512	<=64
8	15 Dilution - sens Tetracycline	1	0.5	16	>16
8	15 Dilution - sens Tiamulin	2	0.5	4	<=0.5
8	15 Dilution - sens Trimethoprim	2	2	32	<=2
8	15 Dilution - sens Vancomycin	2	1	16	<=1
8	15 Dilution - sens Cefoxitin	4	0.5	16	8
8	15 Dilution - sens Chlorampheni	16	4	64	8
8	15 Dilution - sens Ciprofloxacin	1	0.25	8	8
8	15 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
8	15 Dilution - sens Erythromycin	1	0.25	8	0.5
8	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
8	15 Dilution - sens Gentamicin	2	1	16	<=1
8	15 Dilution - sens Kanamycin	8	4	64	<=4
8	15 Dilution - sens Linezolid	4	1	8	2
8	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
8	15 Dilution - sens Penicillin	0.12	0.12	2	>2
8	15 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
8	15 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
8	15 Dilution - sens Streptomycin	16	4	32	8
8	15 Dilution - sens Sulfamethoxa	128	64	512	<=64
8	15 Dilution - sens Tetracycline	1	0.5	16	>16
8	15 Dilution - sens Tiamulin	2	0.5	4	<=0.5
8	15 Dilution - sens Trimethoprim	2	2	32	<=2
8	15 Dilution - sens Vancomycin	2	1	16	<=1
8	15 Dilution - sens Cefoxitin	4	0.5	16	8
8	15 Dilution - sens Chlorampheni	16	4	64	8
8	15 Dilution - sens Ciprofloxacin	1	0.25	8	8
8	15 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
8	15 Dilution - sens Erythromycin	1	0.25	8	0.5
8	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
8	15 Dilution - sens Gentamicin	2	1	16	<=1
8	15 Dilution - sens Kanamycin	8	4	64	<=4
8	15 Dilution - sens Linezolid	4	1	8	2
8	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
8	15 Dilution - sens Penicillin	0.12	0.12	2	>2

8	15 Dilution - sens Quinupristin/C 1	0.5	4	<=0.5
8	15 Dilution - sens Rifampicin 0.03	0.016	0.5	<=0.016
8	15 Dilution - sens Streptomycin 16	4	32	<=4
8	15 Dilution - sens Sulfamethoxa 128	64	512	<=64
8	15 Dilution - sens Tetracycline 1	0.5	16	>16
8	15 Dilution - sens Tiamulin 2	0.5	4	<=0.5
8	15 Dilution - sens Trimethoprim 2	2	32	<=2
8	15 Dilution - sens Vancomycin 2	1	16	<=1
8	22 Dilution - sens Cefoxitin 4	0.5	16	16
8	22 Dilution - sens Chlorampheni 16	4	64	8
8	22 Dilution - sens Ciprofloxacin 1	0.25	8	<=0.25
8	22 Dilution - sens Clindamycin 0.25	0.12	4	<=0.12
8	22 Dilution - sens Erythromycin 1	0.25	8	0.5
8	22 Dilution - sens Fusidic acid 0.5	0.5	4	<=0.5
8	22 Dilution - sens Gentamicin 2	1	16	<=1
8	22 Dilution - sens Kanamycin 8	4	64	<=4
8	22 Dilution - sens Linezolid 4	1	8	2
8	22 Dilution - sens Mupirocin 1	0.5	256	<=0.5
8	22 Dilution - sens Penicillin 0.12	0.12	2	>2
8	22 Dilution - sens Quinupristin/C 1	0.5	4	<=0.5
8	22 Dilution - sens Rifampicin 0.03	0.016	0.5	<=0.016
8	22 Dilution - sens Streptomycin 16	4	32	8
8	22 Dilution - sens Sulfamethoxa 128	64	512	<=64
8	22 Dilution - sens Tetracycline 1	0.5	16	>16
8	22 Dilution - sens Tiamulin 2	0.5	4	<=0.5
8	22 Dilution - sens Trimethoprim 2	2	32	<=2
8	22 Dilution - sens Vancomycin 2	1	16	<=1
9	5 Dilution - sens Cefoxitin 4	0.5	16	8
9	5 Dilution - sens Chlorampheni 16	4	64	8
9	5 Dilution - sens Ciprofloxacin 1	0.25	8	<=0.25
9	5 Dilution - sens Clindamycin 0.25	0.12	4	<=0.12
9	5 Dilution - sens Erythromycin 1	0.25	8	0.5
9	5 Dilution - sens Fusidic acid 0.5	0.5	4	<=0.5
9	5 Dilution - sens Gentamicin 2	1	16	<=1
9	5 Dilution - sens Kanamycin 8	4	64	<=4
9	5 Dilution - sens Linezolid 4	1	8	2
9	5 Dilution - sens Mupirocin 1	0.5	256	<=0.5
9	5 Dilution - sens Penicillin 0.12	0.12	2	>2
9	5 Dilution - sens Quinupristin/C 1	0.5	4	<=0.5
9	5 Dilution - sens Rifampicin 0.03	0.016	0.5	<=0.016
9	5 Dilution - sens Streptomycin 16	4	32	8
9	5 Dilution - sens Sulfamethoxa 128	64	512	<=64
9	5 Dilution - sens Tetracycline 1	0.5	16	>16
9	5 Dilution - sens Tiamulin 2	0.5	4	<=0.5
9	5 Dilution - sens Trimethoprim 2	2	32	<=2
9	5 Dilution - sens Vancomycin 2	1	16	<=1
9	5 Dilution - sens Cefoxitin 4	0.5	16	8
9	5 Dilution - sens Chlorampheni 16	4	64	8
9	5 Dilution - sens Ciprofloxacin 1	0.25	8	<=0.25
9	5 Dilution - sens Clindamycin 0.25	0.12	4	<=0.12
9	5 Dilution - sens Erythromycin 1	0.25	8	0.5
9	5 Dilution - sens Fusidic acid 0.5	0.5	4	<=0.5
9	5 Dilution - sens Gentamicin 2	1	16	<=1
9	5 Dilution - sens Kanamycin 8	4	64	<=4

9	5 Dilution - sens Linezolid	4	1	8	2
9	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	5 Dilution - sens Penicillin	0.12	0.12	2	>2
9	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
9	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	5 Dilution - sens Streptomycin	16	4	32	8
9	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	5 Dilution - sens Tetracycline	1	0.5	16	>16
9	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
9	5 Dilution - sens Trimethoprim	2	2	32	<=2
9	5 Dilution - sens Vancomycin	2	1	16	<=1
9	5 Dilution - sens Cefoxitin	4	0.5	16	16
9	5 Dilution - sens Chlorampheni	16	4	64	8
9	5 Dilution - sens Ciprofloxacin	1	0.25	8	8
9	5 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
9	5 Dilution - sens Erythromycin	1	0.25	8	0.5
9	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	5 Dilution - sens Gentamicin	2	1	16	<=1
9	5 Dilution - sens Kanamycin	8	4	64	<=4
9	5 Dilution - sens Linezolid	4	1	8	2
9	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	5 Dilution - sens Penicillin	0.12	0.12	2	>2
9	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
9	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	5 Dilution - sens Streptomycin	16	4	32	8
9	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	5 Dilution - sens Tetracycline	1	0.5	16	>16
9	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
9	5 Dilution - sens Trimethoprim	2	2	32	<=2
9	5 Dilution - sens Vancomycin	2	1	16	<=1
9	5 Dilution - sens Cefoxitin	4	0.5	16	8
9	5 Dilution - sens Chlorampheni	16	4	64	8
9	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
9	5 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
9	5 Dilution - sens Erythromycin	1	0.25	8	0.5
9	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	5 Dilution - sens Gentamicin	2	1	16	<=1
9	5 Dilution - sens Kanamycin	8	4	64	<=4
9	5 Dilution - sens Linezolid	4	1	8	2
9	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	5 Dilution - sens Penicillin	0.12	0.12	2	>2
9	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
9	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	5 Dilution - sens Streptomycin	16	4	32	8
9	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	5 Dilution - sens Tetracycline	1	0.5	16	>16
9	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
9	5 Dilution - sens Trimethoprim	2	2	32	<=2
9	5 Dilution - sens Vancomycin	2	1	16	<=1
9	5 Dilution - sens Cefoxitin	4	0.5	16	>16
9	5 Dilution - sens Chlorampheni	16	4	64	8
9	5 Dilution - sens Ciprofloxacin	1	0.25	8	>8
9	5 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
9	5 Dilution - sens Erythromycin	1	0.25	8	0.5

9	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	5 Dilution - sens Gentamicin	2	1	16	>16
9	5 Dilution - sens Kanamycin	8	4	64	>64
9	5 Dilution - sens Linezolid	4	1	8	2
9	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	5 Dilution - sens Penicillin	0.12	0.12	2	>2
9	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
9	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	5 Dilution - sens Streptomycin	16	4	32	>32
9	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	5 Dilution - sens Tetracycline	1	0.5	16	>16
9	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
9	5 Dilution - sens Trimethoprim	2	2	32	>32
9	5 Dilution - sens Vancomycin	2	1	16	<=1
9	5 Dilution - sens Cefoxitin	4	0.5	16	16
9	5 Dilution - sens Chlorampheni	16	4	64	8
9	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
9	5 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
9	5 Dilution - sens Erythromycin	1	0.25	8	0.5
9	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	5 Dilution - sens Gentamicin	2	1	16	<=1
9	5 Dilution - sens Kanamycin	8	4	64	<=4
9	5 Dilution - sens Linezolid	4	1	8	2
9	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	5 Dilution - sens Penicillin	0.12	0.12	2	>2
9	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
9	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	5 Dilution - sens Streptomycin	16	4	32	>32
9	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	5 Dilution - sens Tetracycline	1	0.5	16	>16
9	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
9	5 Dilution - sens Trimethoprim	2	2	32	<=2
9	5 Dilution - sens Vancomycin	2	1	16	<=1
9	13 Dilution - sens Cefoxitin	4	0.5	16	8
9	13 Dilution - sens Chlorampheni	16	4	64	8
9	13 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
9	13 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
9	13 Dilution - sens Erythromycin	1	0.25	8	0.5
9	13 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	13 Dilution - sens Gentamicin	2	1	16	<=1
9	13 Dilution - sens Kanamycin	8	4	64	<=4
9	13 Dilution - sens Linezolid	4	1	8	2
9	13 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	13 Dilution - sens Penicillin	0.12	0.12	2	>2
9	13 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
9	13 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	13 Dilution - sens Streptomycin	16	4	32	8
9	13 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	13 Dilution - sens Tetracycline	1	0.5	16	>16
9	13 Dilution - sens Tiamulin	2	0.5	4	<=0.5
9	13 Dilution - sens Trimethoprim	2	2	32	<=2
9	13 Dilution - sens Vancomycin	2	1	16	<=1
9	13 Dilution - sens Cefoxitin	4	0.5	16	16
9	13 Dilution - sens Chlorampheni	16	4	64	8

9	13 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
9	13 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
9	13 Dilution - sens Erythromycin	1	0.25	8	0.5
9	13 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	13 Dilution - sens Gentamicin	2	1	16	<=1
9	13 Dilution - sens Kanamycin	8	4	64	<=4
9	13 Dilution - sens Linezolid	4	1	8	2
9	13 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	13 Dilution - sens Penicillin	0.12	0.12	2	>2
9	13 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
9	13 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	13 Dilution - sens Streptomycin	16	4	32	8
9	13 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	13 Dilution - sens Tetracycline	1	0.5	16	>16
9	13 Dilution - sens Tiamulin	2	0.5	4	1
9	13 Dilution - sens Trimethoprim	2	2	32	<=2
9	13 Dilution - sens Vancomycin	2	1	16	<=1
9	19 Dilution - sens Cefoxitin	4	0.5	16	8
9	19 Dilution - sens Chlorampheni	16	4	64	8
9	19 Dilution - sens Ciprofloxacin	1	0.25	8	2
9	19 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
9	19 Dilution - sens Erythromycin	1	0.25	8	0.5
9	19 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	19 Dilution - sens Gentamicin	2	1	16	<=1
9	19 Dilution - sens Kanamycin	8	4	64	<=4
9	19 Dilution - sens Linezolid	4	1	8	2
9	19 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	19 Dilution - sens Penicillin	0.12	0.12	2	>2
9	19 Dilution - sens Quinupristin/C	1	0.5	4	1
9	19 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	19 Dilution - sens Streptomycin	16	4	32	<=4
9	19 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	19 Dilution - sens Tetracycline	1	0.5	16	>16
9	19 Dilution - sens Tiamulin	2	0.5	4	1
9	19 Dilution - sens Trimethoprim	2	2	32	<=2
9	19 Dilution - sens Vancomycin	2	1	16	<=1
9	27 Dilution - sens Cefoxitin	4	0.5	16	16
9	27 Dilution - sens Chlorampheni	16	4	64	8
9	27 Dilution - sens Ciprofloxacin	1	0.25	8	2
9	27 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
9	27 Dilution - sens Erythromycin	1	0.25	8	0.5
9	27 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	27 Dilution - sens Gentamicin	2	1	16	<=1
9	27 Dilution - sens Kanamycin	8	4	64	<=4
9	27 Dilution - sens Linezolid	4	1	8	2
9	27 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	27 Dilution - sens Penicillin	0.12	0.12	2	>2
9	27 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
9	27 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	27 Dilution - sens Streptomycin	16	4	32	>32
9	27 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	27 Dilution - sens Tetracycline	1	0.5	16	>16
9	27 Dilution - sens Tiamulin	2	0.5	4	<=0.5
9	27 Dilution - sens Trimethoprim	2	2	32	<=2

9	27	Dilution - sens Vancomycin	2	1	16	<=1
9	27	Dilution - sens Cefoxitin	4	0.5	16	16
9	27	Dilution - sens Chlorampheni	16	4	64	8
9	27	Dilution - sens Ciprofloxacin	1	0.25	8	2
9	27	Dilution - sens Clindamycin	0.25	0.12	4	>4
9	27	Dilution - sens Erythromycin	1	0.25	8	>8
9	27	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	27	Dilution - sens Gentamicin	2	1	16	<=1
9	27	Dilution - sens Kanamycin	8	4	64	<=4
9	27	Dilution - sens Linezolid	4	1	8	2
9	27	Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	27	Dilution - sens Penicillin	0.12	0.12	2	>2
9	27	Dilution - sens Quinupristin/C	1	0.5	4	1
9	27	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	27	Dilution - sens Streptomycin	16	4	32	>32
9	27	Dilution - sens Sulfamethoxa	128	64	512	<=64
9	27	Dilution - sens Tetracycline	1	0.5	16	>16
9	27	Dilution - sens Tiamulin	2	0.5	4	<=0.5
9	27	Dilution - sens Trimethoprim	2	2	32	<=2
9	27	Dilution - sens Vancomycin	2	1	16	<=1
10	4	Dilution - sens Cefoxitin	4	0.5	16	16
10	4	Dilution - sens Chlorampheni	16	4	64	8
10	4	Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
10	4	Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
10	4	Dilution - sens Erythromycin	1	0.25	8	0.5
10	4	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
10	4	Dilution - sens Gentamicin	2	1	16	<=1
10	4	Dilution - sens Kanamycin	8	4	64	<=4
10	4	Dilution - sens Linezolid	4	1	8	2
10	4	Dilution - sens Mupirocin	1	0.5	256	<=0.5
10	4	Dilution - sens Penicillin	0.12	0.12	2	>2
10	4	Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
10	4	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
10	4	Dilution - sens Streptomycin	16	4	32	>32
10	4	Dilution - sens Sulfamethoxa	128	64	512	<=64
10	4	Dilution - sens Tetracycline	1	0.5	16	>16
10	4	Dilution - sens Tiamulin	2	0.5	4	<=0.5
10	4	Dilution - sens Trimethoprim	2	2	32	<=2
10	4	Dilution - sens Vancomycin	2	1	16	<=1
10	4	Dilution - sens Cefoxitin	4	0.5	16	16
10	4	Dilution - sens Chlorampheni	16	4	64	8
10	4	Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
10	4	Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
10	4	Dilution - sens Erythromycin	1	0.25	8	<=0.25
10	4	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
10	4	Dilution - sens Gentamicin	2	1	16	<=1
10	4	Dilution - sens Kanamycin	8	4	64	<=4
10	4	Dilution - sens Linezolid	4	1	8	2
10	4	Dilution - sens Mupirocin	1	0.5	256	<=0.5
10	4	Dilution - sens Penicillin	0.12	0.12	2	>2
10	4	Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
10	4	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
10	4	Dilution - sens Streptomycin	16	4	32	8
10	4	Dilution - sens Sulfamethoxa	128	64	512	<=64

10	4 Dilution - sens Tetracycline	1	0.5	16	>16
10	4 Dilution - sens Tiamulin	2	0.5	4	<=0.5
10	4 Dilution - sens Trimethoprim	2	2	32	<=2
10	4 Dilution - sens Vancomycin	2	1	16	<=1
10	4 Dilution - sens Cefoxitin	4	0.5	16	16
10	4 Dilution - sens Chlorampheni	16	4	64	8
10	4 Dilution - sens Ciprofloxacin	1	0.25	8	2
10	4 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
10	4 Dilution - sens Erythromycin	1	0.25	8	0.5
10	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
10	4 Dilution - sens Gentamicin	2	1	16	<=1
10	4 Dilution - sens Kanamycin	8	4	64	<=4
10	4 Dilution - sens Linezolid	4	1	8	2
10	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
10	4 Dilution - sens Penicillin	0.12	0.12	2	>2
10	4 Dilution - sens Quinupristin/C	1	0.5	4	1
10	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
10	4 Dilution - sens Streptomycin	16	4	32	8
10	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
10	4 Dilution - sens Tetracycline	1	0.5	16	>16
10	4 Dilution - sens Tiamulin	2	0.5	4	<=0.5
10	4 Dilution - sens Trimethoprim	2	2	32	<=2
10	4 Dilution - sens Vancomycin	2	1	16	<=1
10	4 Dilution - sens Cefoxitin	4	0.5	16	16
10	4 Dilution - sens Chlorampheni	16	4	64	8
10	4 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
10	4 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
10	4 Dilution - sens Erythromycin	1	0.25	8	0.5
10	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
10	4 Dilution - sens Gentamicin	2	1	16	>16
10	4 Dilution - sens Kanamycin	8	4	64	>64
10	4 Dilution - sens Linezolid	4	1	8	2
10	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
10	4 Dilution - sens Penicillin	0.12	0.12	2	>2
10	4 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
10	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
10	4 Dilution - sens Streptomycin	16	4	32	8
10	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
10	4 Dilution - sens Tetracycline	1	0.5	16	>16
10	4 Dilution - sens Tiamulin	2	0.5	4	<=0.5
10	4 Dilution - sens Trimethoprim	2	2	32	<=2
10	4 Dilution - sens Vancomycin	2	1	16	<=1
10	13 Dilution - sens Cefoxitin	4	0.5	16	16
10	13 Dilution - sens Chlorampheni	16	4	64	8
10	13 Dilution - sens Ciprofloxacin	1	0.25	8	>8
10	13 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
10	13 Dilution - sens Erythromycin	1	0.25	8	<=0.25
10	13 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
10	13 Dilution - sens Gentamicin	2	1	16	<=1
10	13 Dilution - sens Kanamycin	8	4	64	<=4
10	13 Dilution - sens Linezolid	4	1	8	2
10	13 Dilution - sens Mupirocin	1	0.5	256	<=0.5
10	13 Dilution - sens Penicillin	0.12	0.12	2	>2
10	13 Dilution - sens Quinupristin/C	1	0.5	4	1

10	13 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
10	13 Dilution - sens Streptomycin	16	4	32	8
10	13 Dilution - sens Sulfamethoxa	128	64	512	<=64
10	13 Dilution - sens Tetracycline	1	0.5	16	>16
10	13 Dilution - sens Tiamulin	2	0.5	4	1
10	13 Dilution - sens Trimethoprim	2	2	32	<=2
10	13 Dilution - sens Vancomycin	2	1	16	<=1
10	18 Dilution - sens Cefoxitin	4	0.5	16	16
10	18 Dilution - sens Chlorampheni	16	4	64	8
10	18 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
10	18 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
10	18 Dilution - sens Erythromycin	1	0.25	8	0.5
10	18 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
10	18 Dilution - sens Gentamicin	2	1	16	<=1
10	18 Dilution - sens Kanamycin	8	4	64	<=4
10	18 Dilution - sens Linezolid	4	1	8	4
10	18 Dilution - sens Mupirocin	1	0.5	256	<=0.5
10	18 Dilution - sens Penicillin	0.12	0.12	2	>2
10	18 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
10	18 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
10	18 Dilution - sens Streptomycin	16	4	32	16
10	18 Dilution - sens Sulfamethoxa	128	64	512	<=64
10	18 Dilution - sens Tetracycline	1	0.5	16	>16
10	18 Dilution - sens Tiamulin	2	0.5	4	1
10	18 Dilution - sens Trimethoprim	2	2	32	<=2
10	18 Dilution - sens Vancomycin	2	1	16	<=1
10	24 Dilution - sens Cefoxitin	4	0.5	16	8
10	24 Dilution - sens Chlorampheni	16	4	64	8
10	24 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
10	24 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
10	24 Dilution - sens Erythromycin	1	0.25	8	0.5
10	24 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
10	24 Dilution - sens Gentamicin	2	1	16	<=1
10	24 Dilution - sens Kanamycin	8	4	64	<=4
10	24 Dilution - sens Linezolid	4	1	8	2
10	24 Dilution - sens Mupirocin	1	0.5	256	<=0.5
10	24 Dilution - sens Penicillin	0.12	0.12	2	>2
10	24 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
10	24 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
10	24 Dilution - sens Streptomycin	16	4	32	<=4
10	24 Dilution - sens Sulfamethoxa	128	64	512	<=64
10	24 Dilution - sens Tetracycline	1	0.5	16	>16
10	24 Dilution - sens Tiamulin	2	0.5	4	<=0.5
10	24 Dilution - sens Trimethoprim	2	2	32	<=2
10	24 Dilution - sens Vancomycin	2	1	16	<=1
10	24 Dilution - sens Cefoxitin	4	0.5	16	16
10	24 Dilution - sens Chlorampheni	16	4	64	8
10	24 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
10	24 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
10	24 Dilution - sens Erythromycin	1	0.25	8	0.5
10	24 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
10	24 Dilution - sens Gentamicin	2	1	16	<=1
10	24 Dilution - sens Kanamycin	8	4	64	<=4
10	24 Dilution - sens Linezolid	4	1	8	2

10	24	Dilution - sens Mupirocin	1	0.5	256	<=0.5
10	24	Dilution - sens Penicillin	0.12	0.12	2	>2
10	24	Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
10	24	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
10	24	Dilution - sens Streptomycin	16	4	32	16
10	24	Dilution - sens Sulfamethoxa	128	64	512	<=64
10	24	Dilution - sens Tetracycline	1	0.5	16	>16
10	24	Dilution - sens Tiamulin	2	0.5	4	<=0.5
10	24	Dilution - sens Trimethoprim	2	2	32	<=2
10	24	Dilution - sens Vancomycin	2	1	16	<=1
11	1	Dilution - sens Cefoxitin	4	0.5	16	8
11	1	Dilution - sens Chlorampheni	16	4	64	8
11	1	Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
11	1	Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
11	1	Dilution - sens Erythromycin	1	0.25	8	0.5
11	1	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
11	1	Dilution - sens Gentamicin	2	1	16	<=1
11	1	Dilution - sens Kanamycin	8	4	64	<=4
11	1	Dilution - sens Linezolid	4	1	8	2
11	1	Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	1	Dilution - sens Penicillin	0.12	0.12	2	>2
11	1	Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
11	1	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	1	Dilution - sens Streptomycin	16	4	32	16
11	1	Dilution - sens Sulfamethoxa	128	64	512	<=64
11	1	Dilution - sens Tetracycline	1	0.5	16	>16
11	1	Dilution - sens Tiamulin	2	0.5	4	<=0.5
11	1	Dilution - sens Trimethoprim	2	2	32	<=2
11	1	Dilution - sens Vancomycin	2	1	16	<=1
11	7	Dilution - sens Cefoxitin	4	0.5	16	16
11	7	Dilution - sens Chlorampheni	16	4	64	8
11	7	Dilution - sens Ciprofloxacin	1	0.25	8	0.5
11	7	Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
11	7	Dilution - sens Erythromycin	1	0.25	8	0.5
11	7	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
11	7	Dilution - sens Gentamicin	2	1	16	>16
11	7	Dilution - sens Kanamycin	8	4	64	>64
11	7	Dilution - sens Linezolid	4	1	8	2
11	7	Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	7	Dilution - sens Penicillin	0.12	0.12	2	>2
11	7	Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
11	7	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	7	Dilution - sens Streptomycin	16	4	32	8
11	7	Dilution - sens Sulfamethoxa	128	64	512	<=64
11	7	Dilution - sens Tetracycline	1	0.5	16	>16
11	7	Dilution - sens Tiamulin	2	0.5	4	<=0.5
11	7	Dilution - sens Trimethoprim	2	2	32	<=2
11	7	Dilution - sens Vancomycin	2	1	16	<=1
11	7	Dilution - sens Cefoxitin	4	0.5	16	8
11	7	Dilution - sens Chlorampheni	16	4	64	8
11	7	Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
11	7	Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
11	7	Dilution - sens Erythromycin	1	0.25	8	0.5
11	7	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5

11	7 Dilution - sens Gentamicin	2	1	16	<=1
11	7 Dilution - sens Kanamycin	8	4	64	<=4
11	7 Dilution - sens Linezolid	4	1	8	2
11	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	7 Dilution - sens Penicillin	0.12	0.12	2	>2
11	7 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
11	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	7 Dilution - sens Streptomycin	16	4	32	>32
11	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
11	7 Dilution - sens Tetracycline	1	0.5	16	>16
11	7 Dilution - sens Tiamulin	2	0.5	4	<=0.5
11	7 Dilution - sens Trimethoprim	2	2	32	<=2
11	7 Dilution - sens Vancomycin	2	1	16	<=1
11	7 Dilution - sens Cefoxitin	4	0.5	16	8
11	7 Dilution - sens Chlorampheni	16	4	64	8
11	7 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
11	7 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
11	7 Dilution - sens Erythromycin	1	0.25	8	0.5
11	7 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
11	7 Dilution - sens Gentamicin	2	1	16	<=1
11	7 Dilution - sens Kanamycin	8	4	64	<=4
11	7 Dilution - sens Linezolid	4	1	8	2
11	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	7 Dilution - sens Penicillin	0.12	0.12	2	>2
11	7 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
11	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	7 Dilution - sens Streptomycin	16	4	32	8
11	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
11	7 Dilution - sens Tetracycline	1	0.5	16	>16
11	7 Dilution - sens Tiamulin	2	0.5	4	<=0.5
11	7 Dilution - sens Trimethoprim	2	2	32	<=2
11	7 Dilution - sens Vancomycin	2	1	16	<=1
11	7 Dilution - sens Cefoxitin	4	0.5	16	8
11	7 Dilution - sens Chlorampheni	16	4	64	8
11	7 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
11	7 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
11	7 Dilution - sens Erythromycin	1	0.25	8	0.5
11	7 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
11	7 Dilution - sens Gentamicin	2	1	16	<=1
11	7 Dilution - sens Kanamycin	8	4	64	<=4
11	7 Dilution - sens Linezolid	4	1	8	2
11	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	7 Dilution - sens Penicillin	0.12	0.12	2	>2
11	7 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
11	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	7 Dilution - sens Streptomycin	16	4	32	8
11	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
11	7 Dilution - sens Tetracycline	1	0.5	16	>16
11	7 Dilution - sens Tiamulin	2	0.5	4	<=0.5
11	7 Dilution - sens Trimethoprim	2	2	32	<=2
11	7 Dilution - sens Vancomycin	2	1	16	<=1
12	5 Dilution - sens Cefoxitin	4	0.5	16	8
12	5 Dilution - sens Chlorampheni	16	4	64	8
12	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25

12	5 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
12	5 Dilution - sens Erythromycin	1	0.25	8	0.5
12	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
12	5 Dilution - sens Gentamicin	2	1	16	<=1
12	5 Dilution - sens Kanamycin	8	4	64	<=4
12	5 Dilution - sens Linezolid	4	1	8	2
12	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
12	5 Dilution - sens Penicillin	0.12	0.12	2	>2
12	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
12	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
12	5 Dilution - sens Streptomycin	16	4	32	>32
12	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
12	5 Dilution - sens Tetracycline	1	0.5	16	>16
12	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
12	5 Dilution - sens Trimethoprim	2	2	32	<=2
12	5 Dilution - sens Vancomycin	2	1	16	<=1
12	5 Dilution - sens Cefoxitin	4	0.5	16	8
12	5 Dilution - sens Chlorampheni	16	4	64	8
12	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
12	5 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
12	5 Dilution - sens Erythromycin	1	0.25	8	0.5
12	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
12	5 Dilution - sens Gentamicin	2	1	16	<=1
12	5 Dilution - sens Kanamycin	8	4	64	<=4
12	5 Dilution - sens Linezolid	4	1	8	2
12	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
12	5 Dilution - sens Penicillin	0.12	0.12	2	>2
12	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
12	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
12	5 Dilution - sens Streptomycin	16	4	32	>32
12	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
12	5 Dilution - sens Tetracycline	1	0.5	16	>16
12	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
12	5 Dilution - sens Trimethoprim	2	2	32	<=2
12	5 Dilution - sens Vancomycin	2	1	16	<=1
12	5 Dilution - sens Cefoxitin	4	0.5	16	8
12	5 Dilution - sens Chlorampheni	16	4	64	8
12	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
12	5 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
12	5 Dilution - sens Erythromycin	1	0.25	8	0.5
12	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
12	5 Dilution - sens Gentamicin	2	1	16	<=1
12	5 Dilution - sens Kanamycin	8	4	64	<=4
12	5 Dilution - sens Linezolid	4	1	8	2
12	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
12	5 Dilution - sens Penicillin	0.12	0.12	2	>2
12	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
12	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
12	5 Dilution - sens Streptomycin	16	4	32	>32
12	5 Dilution - sens Sulfamethoxa	128	64	512	128
12	5 Dilution - sens Tetracycline	1	0.5	16	>16
12	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
12	5 Dilution - sens Trimethoprim	2	2	32	<=2
12	5 Dilution - sens Vancomycin	2	1	16	<=1

12	5 Dilution - sens Cefoxitin	4	0.5	16	>16
12	5 Dilution - sens Chlorampheni	16	4	64	8
12	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
12	5 Dilution - sens Clindamycin	0.25	0.12	4	>4
12	5 Dilution - sens Erythromycin	1	0.25	8	8
12	5 Dilution - sens Fusidic acid	0.5	0.5	4	4
12	5 Dilution - sens Gentamicin	2	1	16	>16
12	5 Dilution - sens Kanamycin	8	4	64	>64
12	5 Dilution - sens Linezolid	4	1	8	2
12	5 Dilution - sens Mupirocin	1	0.5	256	256
12	5 Dilution - sens Penicillin	0.12	0.12	2	>2
12	5 Dilution - sens Quinupristin/C	1	0.5	4	2
12	5 Dilution - sens Rifampicin	0.03	0.016	0.5	>0.5
12	5 Dilution - sens Streptomycin	16	4	32	>32
12	5 Dilution - sens Sulfamethoxa	128	64	512	>512
12	5 Dilution - sens Tetracycline	1	0.5	16	>16
12	5 Dilution - sens Tiamulin	2	0.5	4	>4
12	5 Dilution - sens Trimethoprim	2	2	32	<=2
12	5 Dilution - sens Vancomycin	2	1	16	2
12	5 Dilution - sens Cefoxitin	4	0.5	16	16
12	5 Dilution - sens Chlorampheni	16	4	64	8
12	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
12	5 Dilution - sens Clindamycin	0.25	0.12	4	>4
12	5 Dilution - sens Erythromycin	1	0.25	8	>8
12	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
12	5 Dilution - sens Gentamicin	2	1	16	<=1
12	5 Dilution - sens Kanamycin	8	4	64	<=4
12	5 Dilution - sens Linezolid	4	1	8	2
12	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
12	5 Dilution - sens Penicillin	0.12	0.12	2	>2
12	5 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
12	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
12	5 Dilution - sens Streptomycin	16	4	32	8
12	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
12	5 Dilution - sens Tetracycline	1	0.5	16	>16
12	5 Dilution - sens Tiamulin	2	0.5	4	<=0.5
12	5 Dilution - sens Trimethoprim	2	2	32	<=2
12	5 Dilution - sens Vancomycin	2	1	16	<=1
12	5 Dilution - sens Cefoxitin	4	0.5	16	>16
12	5 Dilution - sens Chlorampheni	16	4	64	8
12	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
12	5 Dilution - sens Clindamycin	0.25	0.12	4	>4
12	5 Dilution - sens Erythromycin	1	0.25	8	>8
12	5 Dilution - sens Fusidic acid	0.5	0.5	4	4
12	5 Dilution - sens Gentamicin	2	1	16	>16
12	5 Dilution - sens Kanamycin	8	4	64	>64
12	5 Dilution - sens Linezolid	4	1	8	2
12	5 Dilution - sens Mupirocin	1	0.5	256	256
12	5 Dilution - sens Penicillin	0.12	0.12	2	>2
12	5 Dilution - sens Quinupristin/C	1	0.5	4	4
12	5 Dilution - sens Rifampicin	0.03	0.016	0.5	0.5
12	5 Dilution - sens Streptomycin	16	4	32	>32
12	5 Dilution - sens Sulfamethoxa	128	64	512	>512
12	5 Dilution - sens Tetracycline	1	0.5	16	>16

12	5 Dilution - sens Tiamulin	2	0.5	4	>4
12	5 Dilution - sens Trimethoprim	2	2	32	<=2
12	5 Dilution - sens Vancomycin	2	1	16	<=1
12	6 Dilution - sens Cefoxitin	4	0.5	16	8
12	6 Dilution - sens Chlorampheni	16	4	64	8
12	6 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
12	6 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
12	6 Dilution - sens Erythromycin	1	0.25	8	0.5
12	6 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
12	6 Dilution - sens Gentamicin	2	1	16	16
12	6 Dilution - sens Kanamycin	8	4	64	>64
12	6 Dilution - sens Linezolid	4	1	8	2
12	6 Dilution - sens Mupirocin	1	0.5	256	<=0.5
12	6 Dilution - sens Penicillin	0.12	0.12	2	>2
12	6 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
12	6 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
12	6 Dilution - sens Streptomycin	16	4	32	16
12	6 Dilution - sens Sulfamethoxa	128	64	512	<=64
12	6 Dilution - sens Tetracycline	1	0.5	16	>16
12	6 Dilution - sens Tiamulin	2	0.5	4	<=0.5
12	6 Dilution - sens Trimethoprim	2	2	32	<=2
12	6 Dilution - sens Vancomycin	2	1	16	<=1
1	24 Dilution - sens Cefoxitin	4	0.5	16	16
1	24 Dilution - sens Chlorampheni	16	4	64	8
1	24 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
1	24 Dilution - sens Clindamycin	0.25	0.12	4	>4
1	24 Dilution - sens Erythromycin	1	0.25	8	>8
1	24 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
1	24 Dilution - sens Gentamicin	2	1	16	<=1
1	24 Dilution - sens Kanamycin	8	4	64	<=4
1	24 Dilution - sens Linezolid	4	1	8	2
1	24 Dilution - sens Mupirocin	1	0.5	256	<=0.5
1	24 Dilution - sens Penicillin	0.12	0.12	2	>2
1	24 Dilution - sens Quinupristin/C	1	0.5	4	2
1	24 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
1	24 Dilution - sens Streptomycin	16	4	32	>32
1	24 Dilution - sens Sulfamethoxa	128	64	512	<=64
1	24 Dilution - sens Tetracycline	1	0.5	16	>16
1	24 Dilution - sens Tiamulin	2	0.5	4	>4
1	24 Dilution - sens Trimethoprim	2	2	32	>32
1	24 Dilution - sens Vancomycin	2	1	16	<=1
1	24 Dilution - sens Cefoxitin	4	0.5	16	16
1	24 Dilution - sens Chlorampheni	16	4	64	8
1	24 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
1	24 Dilution - sens Clindamycin	0.25	0.12	4	>4
1	24 Dilution - sens Erythromycin	1	0.25	8	>8
1	24 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
1	24 Dilution - sens Gentamicin	2	1	16	<=1
1	24 Dilution - sens Kanamycin	8	4	64	<=4
1	24 Dilution - sens Linezolid	4	1	8	2
1	24 Dilution - sens Mupirocin	1	0.5	256	<=0.5
1	24 Dilution - sens Penicillin	0.12	0.12	2	>2
1	24 Dilution - sens Quinupristin/C	1	0.5	4	2
1	24 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016

1	24 Dilution - sens Streptomycin	16	4	32	>32
1	24 Dilution - sens Sulfamethoxazole	128	64	512	<=64
1	24 Dilution - sens Tetracycline	1	0.5	16	>16
1	24 Dilution - sens Tiamulin	2	0.5	4	>4
1	24 Dilution - sens Trimethoprim	2	2	32	>32
1	24 Dilution - sens Vancomycin	2	1	16	<=1
1	25 Dilution - sens Cefoxitin	4	0.5	16	16
1	25 Dilution - sens Chloramphenicol	16	4	64	8
1	25 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
1	25 Dilution - sens Clindamycin	0.25	0.12	4	>4
1	25 Dilution - sens Erythromycin	1	0.25	8	>8
1	25 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
1	25 Dilution - sens Gentamicin	2	1	16	<=1
1	25 Dilution - sens Kanamycin	8	4	64	<=4
1	25 Dilution - sens Linezolid	4	1	8	2
1	25 Dilution - sens Mupirocin	1	0.5	256	<=0.5
1	25 Dilution - sens Penicillin	0.12	0.12	2	>2
1	25 Dilution - sens Quinupristin/C	1	0.5	4	2
1	25 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
1	25 Dilution - sens Streptomycin	16	4	32	8
1	25 Dilution - sens Sulfamethoxazole	128	64	512	<=64
1	25 Dilution - sens Tetracycline	1	0.5	16	>16
1	25 Dilution - sens Tiamulin	2	0.5	4	>4
1	25 Dilution - sens Trimethoprim	2	2	32	>32
1	25 Dilution - sens Vancomycin	2	1	16	<=1
1	25 Dilution - sens Cefoxitin	4	0.5	16	16
1	25 Dilution - sens Chloramphenicol	16	4	64	8
1	25 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
1	25 Dilution - sens Clindamycin	0.25	0.12	4	>4
1	25 Dilution - sens Erythromycin	1	0.25	8	>8
1	25 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
1	25 Dilution - sens Gentamicin	2	1	16	>16
1	25 Dilution - sens Kanamycin	8	4	64	>64
1	25 Dilution - sens Linezolid	4	1	8	<=1
1	25 Dilution - sens Mupirocin	1	0.5	256	<=0.5
1	25 Dilution - sens Penicillin	0.12	0.12	2	>2
1	25 Dilution - sens Quinupristin/C	1	0.5	4	4
1	25 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
1	25 Dilution - sens Streptomycin	16	4	32	<=4
1	25 Dilution - sens Sulfamethoxazole	128	64	512	<=64
1	25 Dilution - sens Tetracycline	1	0.5	16	>16
1	25 Dilution - sens Tiamulin	2	0.5	4	>4
1	25 Dilution - sens Trimethoprim	2	2	32	>32
1	25 Dilution - sens Vancomycin	2	1	16	<=1
2	2 Dilution - sens Cefoxitin	4	0.5	16	>16
2	2 Dilution - sens Chloramphenicol	16	4	64	8
2	2 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
2	2 Dilution - sens Clindamycin	0.25	0.12	4	>4
2	2 Dilution - sens Erythromycin	1	0.25	8	>8
2	2 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
2	2 Dilution - sens Gentamicin	2	1	16	<=1
2	2 Dilution - sens Kanamycin	8	4	64	<=4
2	2 Dilution - sens Linezolid	4	1	8	2
2	2 Dilution - sens Mupirocin	1	0.5	256	<=0.5

2	2 Dilution - sens Penicillin	0.12	0.12	2	>2
2	2 Dilution - sens Quinupristin/C	1	0.5	4	2
2	2 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	2 Dilution - sens Streptomycin	16	4	32	8
2	2 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	2 Dilution - sens Tetracycline	1	0.5	16	>16
2	2 Dilution - sens Tiamulin	2	0.5	4	>4
2	2 Dilution - sens Trimethoprim	2	2	32	>32
2	2 Dilution - sens Vancomycin	2	1	16	<=1
2	7 Dilution - sens Cefoxitin	4	0.5	16	16
2	7 Dilution - sens Chlorampheni	16	4	64	8
2	7 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
2	7 Dilution - sens Clindamycin	0.25	0.12	4	>4
2	7 Dilution - sens Erythromycin	1	0.25	8	>8
2	7 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
2	7 Dilution - sens Gentamicin	2	1	16	<=1
2	7 Dilution - sens Kanamycin	8	4	64	<=4
2	7 Dilution - sens Linezolid	4	1	8	2
2	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
2	7 Dilution - sens Penicillin	0.12	0.12	2	>2
2	7 Dilution - sens Quinupristin/C	1	0.5	4	2
2	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	7 Dilution - sens Streptomycin	16	4	32	>32
2	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	7 Dilution - sens Tetracycline	1	0.5	16	>16
2	7 Dilution - sens Tiamulin	2	0.5	4	>4
2	7 Dilution - sens Trimethoprim	2	2	32	>32
2	7 Dilution - sens Vancomycin	2	1	16	<=1
2	14 Dilution - sens Cefoxitin	4	0.5	16	16
2	14 Dilution - sens Chlorampheni	16	4	64	8
2	14 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
2	14 Dilution - sens Clindamycin	0.25	0.12	4	>4
2	14 Dilution - sens Erythromycin	1	0.25	8	>8
2	14 Dilution - sens Fusidic acid	0.5	0.5	4	1
2	14 Dilution - sens Gentamicin	2	1	16	<=1
2	14 Dilution - sens Kanamycin	8	4	64	<=4
2	14 Dilution - sens Linezolid	4	1	8	2
2	14 Dilution - sens Mupirocin	1	0.5	256	<=0.5
2	14 Dilution - sens Penicillin	0.12	0.12	2	>2
2	14 Dilution - sens Quinupristin/C	1	0.5	4	2
2	14 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	14 Dilution - sens Streptomycin	16	4	32	>32
2	14 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	14 Dilution - sens Tetracycline	1	0.5	16	>16
2	14 Dilution - sens Tiamulin	2	0.5	4	>4
2	14 Dilution - sens Trimethoprim	2	2	32	>32
2	14 Dilution - sens Vancomycin	2	1	16	<=1
2	14 Dilution - sens Cefoxitin	4	0.5	16	16
2	14 Dilution - sens Chlorampheni	16	4	64	8
2	14 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
2	14 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
2	14 Dilution - sens Erythromycin	1	0.25	8	>8
2	14 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
2	14 Dilution - sens Gentamicin	2	1	16	<=1

2	14 Dilution - sens Kanamycin	8	4	64	<=4
2	14 Dilution - sens Linezolid	4	1	8	2
2	14 Dilution - sens Mupirocin	1	0.5	256	<=0.5
2	14 Dilution - sens Penicillin	0.12	0.12	2	>2
2	14 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
2	14 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	14 Dilution - sens Streptomycin	16	4	32	>32
2	14 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	14 Dilution - sens Tetracycline	1	0.5	16	>16
2	14 Dilution - sens Tiamulin	2	0.5	4	2
2	14 Dilution - sens Trimethoprim	2	2	32	>32
2	14 Dilution - sens Vancomycin	2	1	16	<=1
2	15 Dilution - sens Cefoxitin	4	0.5	16	16
2	15 Dilution - sens Chlorampheni	16	4	64	8
2	15 Dilution - sens Ciprofloxacin	1	0.25	8	>8
2	15 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
2	15 Dilution - sens Erythromycin	1	0.25	8	0.5
2	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
2	15 Dilution - sens Gentamicin	2	1	16	<=1
2	15 Dilution - sens Kanamycin	8	4	64	<=4
2	15 Dilution - sens Linezolid	4	1	8	2
2	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
2	15 Dilution - sens Penicillin	0.12	0.12	2	>2
2	15 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
2	15 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	15 Dilution - sens Streptomycin	16	4	32	8
2	15 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	15 Dilution - sens Tetracycline	1	0.5	16	>16
2	15 Dilution - sens Tiamulin	2	0.5	4	<=0.5
2	15 Dilution - sens Trimethoprim	2	2	32	>32
2	15 Dilution - sens Vancomycin	2	1	16	<=1
2	15 Dilution - sens Cefoxitin	4	0.5	16	16
2	15 Dilution - sens Chlorampheni	16	4	64	64
2	15 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
2	15 Dilution - sens Clindamycin	0.25	0.12	4	>4
2	15 Dilution - sens Erythromycin	1	0.25	8	>8
2	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
2	15 Dilution - sens Gentamicin	2	1	16	<=1
2	15 Dilution - sens Kanamycin	8	4	64	8
2	15 Dilution - sens Linezolid	4	1	8	2
2	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
2	15 Dilution - sens Penicillin	0.12	0.12	2	>2
2	15 Dilution - sens Quinupristin/C	1	0.5	4	>4
2	15 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
2	15 Dilution - sens Streptomycin	16	4	32	>32
2	15 Dilution - sens Sulfamethoxa	128	64	512	<=64
2	15 Dilution - sens Tetracycline	1	0.5	16	>16
2	15 Dilution - sens Tiamulin	2	0.5	4	>4
2	15 Dilution - sens Trimethoprim	2	2	32	>32
2	15 Dilution - sens Vancomycin	2	1	16	<=1
3	8 Dilution - sens Cefoxitin	4	0.5	16	16
3	8 Dilution - sens Chlorampheni	16	4	64	<=4
3	8 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	8 Dilution - sens Clindamycin	0.25	0.12	4	4

3	8 Dilution - sens Erythromycin	1	0.25	8	>8
3	8 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	8 Dilution - sens Gentamicin	2	1	16	<=1
3	8 Dilution - sens Kanamycin	8	4	64	<=4
3	8 Dilution - sens Linezolid	4	1	8	<=1
3	8 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	8 Dilution - sens Penicillin	0.12	0.12	2	>2
3	8 Dilution - sens Quinupristin/C	1	0.5	4	2
3	8 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	8 Dilution - sens Streptomycin	16	4	32	>32
3	8 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	8 Dilution - sens Tetracycline	1	0.5	16	>16
3	8 Dilution - sens Tiamulin	2	0.5	4	>4
3	8 Dilution - sens Trimethoprim	2	2	32	>32
3	8 Dilution - sens Vancomycin	2	1	16	<=1
3	8 Dilution - sens Cefoxitin	4	0.5	16	16
3	8 Dilution - sens Chlorampheni	16	4	64	32
3	8 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	8 Dilution - sens Clindamycin	0.25	0.12	4	>4
3	8 Dilution - sens Erythromycin	1	0.25	8	>8
3	8 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	8 Dilution - sens Gentamicin	2	1	16	<=1
3	8 Dilution - sens Kanamycin	8	4	64	<=4
3	8 Dilution - sens Linezolid	4	1	8	<=1
3	8 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	8 Dilution - sens Penicillin	0.12	0.12	2	>2
3	8 Dilution - sens Quinupristin/C	1	0.5	4	4
3	8 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	8 Dilution - sens Streptomycin	16	4	32	>32
3	8 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	8 Dilution - sens Tetracycline	1	0.5	16	>16
3	8 Dilution - sens Tiamulin	2	0.5	4	>4
3	8 Dilution - sens Trimethoprim	2	2	32	>32
3	8 Dilution - sens Vancomycin	2	1	16	<=1
3	8 Dilution - sens Cefoxitin	4	0.5	16	8
3	8 Dilution - sens Chlorampheni	16	4	64	<=4
3	8 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	8 Dilution - sens Clindamycin	0.25	0.12	4	>4
3	8 Dilution - sens Erythromycin	1	0.25	8	>8
3	8 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	8 Dilution - sens Gentamicin	2	1	16	<=1
3	8 Dilution - sens Kanamycin	8	4	64	<=4
3	8 Dilution - sens Linezolid	4	1	8	<=1
3	8 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	8 Dilution - sens Penicillin	0.12	0.12	2	>2
3	8 Dilution - sens Quinupristin/C	1	0.5	4	4
3	8 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	8 Dilution - sens Streptomycin	16	4	32	>32
3	8 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	8 Dilution - sens Tetracycline	1	0.5	16	>16
3	8 Dilution - sens Tiamulin	2	0.5	4	>4
3	8 Dilution - sens Trimethoprim	2	2	32	>32
3	8 Dilution - sens Vancomycin	2	1	16	<=1
3	9 Dilution - sens Cefoxitin	4	0.5	16	16

3	9 Dilution - sens Chlorampheni	16	4	64	<=4
3	9 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	9 Dilution - sens Clindamycin	0.25	0.12	4	4
3	9 Dilution - sens Erythromycin	1	0.25	8	>8
3	9 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	9 Dilution - sens Gentamicin	2	1	16	<=1
3	9 Dilution - sens Kanamycin	8	4	64	<=4
3	9 Dilution - sens Linezolid	4	1	8	<=1
3	9 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	9 Dilution - sens Penicillin	0.12	0.12	2	>2
3	9 Dilution - sens Quinupristin/C	1	0.5	4	2
3	9 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	9 Dilution - sens Streptomycin	16	4	32	<=4
3	9 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	9 Dilution - sens Tetracycline	1	0.5	16	>16
3	9 Dilution - sens Tiamulin	2	0.5	4	>4
3	9 Dilution - sens Trimethoprim	2	2	32	>32
3	9 Dilution - sens Vancomycin	2	1	16	<=1
4	4 Dilution - sens Cefoxitin	4	0.5	16	16
4	4 Dilution - sens Chlorampheni	16	4	64	<=4
4	4 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
4	4 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	4 Dilution - sens Erythromycin	1	0.25	8	>8
4	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	4 Dilution - sens Gentamicin	2	1	16	<=1
4	4 Dilution - sens Kanamycin	8	4	64	<=4
4	4 Dilution - sens Linezolid	4	1	8	<=1
4	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	4 Dilution - sens Penicillin	0.12	0.12	2	>2
4	4 Dilution - sens Quinupristin/C	1	0.5	4	2
4	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	4 Dilution - sens Streptomycin	16	4	32	8
4	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	4 Dilution - sens Tetracycline	1	0.5	16	>16
4	4 Dilution - sens Tiamulin	2	0.5	4	>4
4	4 Dilution - sens Trimethoprim	2	2	32	>32
4	4 Dilution - sens Vancomycin	2	1	16	<=1
4	5 Dilution - sens Cefoxitin	4	0.5	16	16
4	5 Dilution - sens Chlorampheni	16	4	64	<=4
4	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	5 Dilution - sens Clindamycin	0.25	0.12	4	4
4	5 Dilution - sens Erythromycin	1	0.25	8	>8
4	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	5 Dilution - sens Gentamicin	2	1	16	<=1
4	5 Dilution - sens Kanamycin	8	4	64	<=4
4	5 Dilution - sens Linezolid	4	1	8	<=1
4	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	5 Dilution - sens Penicillin	0.12	0.12	2	>2
4	5 Dilution - sens Quinupristin/C	1	0.5	4	2
4	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	5 Dilution - sens Streptomycin	16	4	32	>32
4	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	5 Dilution - sens Tetracycline	1	0.5	16	>16
4	5 Dilution - sens Tiamulin	2	0.5	4	>4

4	5 Dilution - sens Trimethoprim	2	2	32	>32
4	5 Dilution - sens Vancomycin	2	1	16	<=1
4	5 Dilution - sens Cefoxitin	4	0.5	16	16
4	5 Dilution - sens Chlorampheni	16	4	64	<=4
4	5 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
4	5 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	5 Dilution - sens Erythromycin	1	0.25	8	>8
4	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	5 Dilution - sens Gentamicin	2	1	16	<=1
4	5 Dilution - sens Kanamycin	8	4	64	<=4
4	5 Dilution - sens Linezolid	4	1	8	<=1
4	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	5 Dilution - sens Penicillin	0.12	0.12	2	>2
4	5 Dilution - sens Quinupristin/C	1	0.5	4	2
4	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	5 Dilution - sens Streptomycin	16	4	32	8
4	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	5 Dilution - sens Tetracycline	1	0.5	16	>16
4	5 Dilution - sens Tiamulin	2	0.5	4	>4
4	5 Dilution - sens Trimethoprim	2	2	32	>32
4	5 Dilution - sens Vancomycin	2	1	16	<=1
4	5 Dilution - sens Cefoxitin	4	0.5	16	>16
4	5 Dilution - sens Chlorampheni	16	4	64	<=4
4	5 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
4	5 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	5 Dilution - sens Erythromycin	1	0.25	8	>8
4	5 Dilution - sens Fusidic acid	0.5	0.5	4	4
4	5 Dilution - sens Gentamicin	2	1	16	8
4	5 Dilution - sens Kanamycin	8	4	64	32
4	5 Dilution - sens Linezolid	4	1	8	<=1
4	5 Dilution - sens Mupirocin	1	0.5	256	>256
4	5 Dilution - sens Penicillin	0.12	0.12	2	>2
4	5 Dilution - sens Quinupristin/C	1	0.5	4	>4
4	5 Dilution - sens Rifampicin	0.03	0.016	0.5	0.5
4	5 Dilution - sens Streptomycin	16	4	32	>32
4	5 Dilution - sens Sulfamethoxa	128	64	512	>512
4	5 Dilution - sens Tetracycline	1	0.5	16	>16
4	5 Dilution - sens Tiamulin	2	0.5	4	>4
4	5 Dilution - sens Trimethoprim	2	2	32	>32
4	5 Dilution - sens Vancomycin	2	1	16	2
4	5 Dilution - sens Cefoxitin	4	0.5	16	16
4	5 Dilution - sens Chlorampheni	16	4	64	<=4
4	5 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
4	5 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	5 Dilution - sens Erythromycin	1	0.25	8	>8
4	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	5 Dilution - sens Gentamicin	2	1	16	<=1
4	5 Dilution - sens Kanamycin	8	4	64	<=4
4	5 Dilution - sens Linezolid	4	1	8	<=1
4	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	5 Dilution - sens Penicillin	0.12	0.12	2	>2
4	5 Dilution - sens Quinupristin/C	1	0.5	4	2
4	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	5 Dilution - sens Streptomycin	16	4	32	8

4	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	5 Dilution - sens Tetracycline	1	0.5	16	>16
4	5 Dilution - sens Tiamulin	2	0.5	4	>4
4	5 Dilution - sens Trimethoprim	2	2	32	>32
4	5 Dilution - sens Vancomycin	2	1	16	<=1
4	11 Dilution - sens Cefoxitin	4	0.5	16	16
4	11 Dilution - sens Chlorampheni	16	4	64	8
4	11 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
4	11 Dilution - sens Clindamycin	0.25	0.12	4	4
4	11 Dilution - sens Erythromycin	1	0.25	8	0.5
4	11 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	11 Dilution - sens Gentamicin	2	1	16	<=1
4	11 Dilution - sens Kanamycin	8	4	64	<=4
4	11 Dilution - sens Linezolid	4	1	8	2
4	11 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	11 Dilution - sens Penicillin	0.12	0.12	2	>2
4	11 Dilution - sens Quinupristin/C	1	0.5	4	2
4	11 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	11 Dilution - sens Streptomycin	16	4	32	<=4
4	11 Dilution - sens Sulfamethoxa	128	64	512	>512
4	11 Dilution - sens Tetracycline	1	0.5	16	>16
4	11 Dilution - sens Tiamulin	2	0.5	4	>4
4	11 Dilution - sens Trimethoprim	2	2	32	>32
4	11 Dilution - sens Vancomycin	2	1	16	<=1
4	11 Dilution - sens Cefoxitin	4	0.5	16	8
4	11 Dilution - sens Chlorampheni	16	4	64	8
4	11 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	11 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	11 Dilution - sens Erythromycin	1	0.25	8	>8
4	11 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	11 Dilution - sens Gentamicin	2	1	16	<=1
4	11 Dilution - sens Kanamycin	8	4	64	<=4
4	11 Dilution - sens Linezolid	4	1	8	2
4	11 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	11 Dilution - sens Penicillin	0.12	0.12	2	>2
4	11 Dilution - sens Quinupristin/C	1	0.5	4	4
4	11 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	11 Dilution - sens Streptomycin	16	4	32	>32
4	11 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	11 Dilution - sens Tetracycline	1	0.5	16	>16
4	11 Dilution - sens Tiamulin	2	0.5	4	>4
4	11 Dilution - sens Trimethoprim	2	2	32	>32
4	11 Dilution - sens Vancomycin	2	1	16	<=1
4	11 Dilution - sens Cefoxitin	4	0.5	16	8
4	11 Dilution - sens Chlorampheni	16	4	64	8
4	11 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	11 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	11 Dilution - sens Erythromycin	1	0.25	8	>8
4	11 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	11 Dilution - sens Gentamicin	2	1	16	<=1
4	11 Dilution - sens Kanamycin	8	4	64	<=4
4	11 Dilution - sens Linezolid	4	1	8	2
4	11 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	11 Dilution - sens Penicillin	0.12	0.12	2	>2

4	11 Dilution - sens Quinupristin/C 1	0.5	4	2
4	11 Dilution - sens Rifampicin 0.03	0.016	0.5	<=0.016
4	11 Dilution - sens Streptomycin 16	4	32	<=4
4	11 Dilution - sens Sulfamethoxa 128	64	512	<=64
4	11 Dilution - sens Tetracycline 1	0.5	16	>16
4	11 Dilution - sens Tiamulin 2	0.5	4	>4
4	11 Dilution - sens Trimethoprim 2	2	32	>32
4	11 Dilution - sens Vancomycin 2	1	16	<=1
4	11 Dilution - sens Cefoxitin 4	0.5	16	8
4	11 Dilution - sens Chlorampheni 16	4	64	8
4	11 Dilution - sens Ciprofloxacin 1	0.25	8	0.5
4	11 Dilution - sens Clindamycin 0.25	0.12	4	4
4	11 Dilution - sens Erythromycin 1	0.25	8	0.5
4	11 Dilution - sens Fusidic acid 0.5	0.5	4	<=0.5
4	11 Dilution - sens Gentamicin 2	1	16	<=1
4	11 Dilution - sens Kanamycin 8	4	64	<=4
4	11 Dilution - sens Linezolid 4	1	8	2
4	11 Dilution - sens Mupirocin 1	0.5	256	<=0.5
4	11 Dilution - sens Penicillin 0.12	0.12	2	>2
4	11 Dilution - sens Quinupristin/C 1	0.5	4	2
4	11 Dilution - sens Rifampicin 0.03	0.016	0.5	<=0.016
4	11 Dilution - sens Streptomycin 16	4	32	>32
4	11 Dilution - sens Sulfamethoxa 128	64	512	512
4	11 Dilution - sens Tetracycline 1	0.5	16	>16
4	11 Dilution - sens Tiamulin 2	0.5	4	>4
4	11 Dilution - sens Trimethoprim 2	2	32	>32
4	11 Dilution - sens Vancomycin 2	1	16	<=1
4	11 Dilution - sens Cefoxitin 4	0.5	16	8
4	11 Dilution - sens Chlorampheni 16	4	64	<=4
4	11 Dilution - sens Ciprofloxacin 1	0.25	8	0.5
4	11 Dilution - sens Clindamycin 0.25	0.12	4	4
4	11 Dilution - sens Erythromycin 1	0.25	8	<=0.25
4	11 Dilution - sens Fusidic acid 0.5	0.5	4	<=0.5
4	11 Dilution - sens Gentamicin 2	1	16	<=1
4	11 Dilution - sens Kanamycin 8	4	64	<=4
4	11 Dilution - sens Linezolid 4	1	8	<=1
4	11 Dilution - sens Mupirocin 1	0.5	256	<=0.5
4	11 Dilution - sens Penicillin 0.12	0.12	2	>2
4	11 Dilution - sens Quinupristin/C 1	0.5	4	2
4	11 Dilution - sens Rifampicin 0.03	0.016	0.5	<=0.016
4	11 Dilution - sens Streptomycin 16	4	32	>32
4	11 Dilution - sens Sulfamethoxa 128	64	512	>512
4	11 Dilution - sens Tetracycline 1	0.5	16	>16
4	11 Dilution - sens Tiamulin 2	0.5	4	>4
4	11 Dilution - sens Trimethoprim 2	2	32	>32
4	11 Dilution - sens Vancomycin 2	1	16	<=1
4	11 Dilution - sens Cefoxitin 4	0.5	16	8
4	11 Dilution - sens Chlorampheni 16	4	64	8
4	11 Dilution - sens Ciprofloxacin 1	0.25	8	<=0.25
4	11 Dilution - sens Clindamycin 0.25	0.12	4	>4
4	11 Dilution - sens Erythromycin 1	0.25	8	>8
4	11 Dilution - sens Fusidic acid 0.5	0.5	4	<=0.5
4	11 Dilution - sens Gentamicin 2	1	16	<=1
4	11 Dilution - sens Kanamycin 8	4	64	<=4

4	11	Dilution - sens Linezolid	4	1	8	2
4	11	Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	11	Dilution - sens Penicillin	0.12	0.12	2	>2
4	11	Dilution - sens Quinupristin/C	1	0.5	4	4
4	11	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	11	Dilution - sens Streptomycin	16	4	32	>32
4	11	Dilution - sens Sulfamethoxa	128	64	512	<=64
4	11	Dilution - sens Tetracycline	1	0.5	16	>16
4	11	Dilution - sens Tiamulin	2	0.5	4	>4
4	11	Dilution - sens Trimethoprim	2	2	32	>32
4	11	Dilution - sens Vancomycin	2	1	16	<=1
4	11	Dilution - sens Cefoxitin	4	0.5	16	8
4	11	Dilution - sens Chlorampheni	16	4	64	8
4	11	Dilution - sens Ciprofloxacin	1	0.25	8	8
4	11	Dilution - sens Clindamycin	0.25	0.12	4	>4
4	11	Dilution - sens Erythromycin	1	0.25	8	0.5
4	11	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	11	Dilution - sens Gentamicin	2	1	16	<=1
4	11	Dilution - sens Kanamycin	8	4	64	<=4
4	11	Dilution - sens Linezolid	4	1	8	2
4	11	Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	11	Dilution - sens Penicillin	0.12	0.12	2	>2
4	11	Dilution - sens Quinupristin/C	1	0.5	4	2
4	11	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	11	Dilution - sens Streptomycin	16	4	32	>32
4	11	Dilution - sens Sulfamethoxa	128	64	512	<=64
4	11	Dilution - sens Tetracycline	1	0.5	16	>16
4	11	Dilution - sens Tiamulin	2	0.5	4	>4
4	11	Dilution - sens Trimethoprim	2	2	32	>32
4	11	Dilution - sens Vancomycin	2	1	16	<=1
4	11	Dilution - sens Cefoxitin	4	0.5	16	8
4	11	Dilution - sens Chlorampheni	16	4	64	8
4	11	Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	11	Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
4	11	Dilution - sens Erythromycin	1	0.25	8	0.5
4	11	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	11	Dilution - sens Gentamicin	2	1	16	<=1
4	11	Dilution - sens Kanamycin	8	4	64	<=4
4	11	Dilution - sens Linezolid	4	1	8	2
4	11	Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	11	Dilution - sens Penicillin	0.12	0.12	2	2
4	11	Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
4	11	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	11	Dilution - sens Streptomycin	16	4	32	<=4
4	11	Dilution - sens Sulfamethoxa	128	64	512	<=64
4	11	Dilution - sens Tetracycline	1	0.5	16	>16
4	11	Dilution - sens Tiamulin	2	0.5	4	<=0.5
4	11	Dilution - sens Trimethoprim	2	2	32	<=2
4	11	Dilution - sens Vancomycin	2	1	16	<=1
4	12	Dilution - sens Cefoxitin	4	0.5	16	16
4	12	Dilution - sens Chlorampheni	16	4	64	16
4	12	Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	12	Dilution - sens Clindamycin	0.25	0.12	4	>4
4	12	Dilution - sens Erythromycin	1	0.25	8	>8

4	12 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	12 Dilution - sens Gentamicin	2	1	16	<=1
4	12 Dilution - sens Kanamycin	8	4	64	<=4
4	12 Dilution - sens Linezolid	4	1	8	2
4	12 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	12 Dilution - sens Penicillin	0.12	0.12	2	>2
4	12 Dilution - sens Quinupristin/C	1	0.5	4	>4
4	12 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	12 Dilution - sens Streptomycin	16	4	32	32
4	12 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	12 Dilution - sens Tetracycline	1	0.5	16	>16
4	12 Dilution - sens Tiamulin	2	0.5	4	>4
4	12 Dilution - sens Trimethoprim	2	2	32	>32
4	12 Dilution - sens Vancomycin	2	1	16	<=1
4	12 Dilution - sens Cefoxitin	4	0.5	16	8
4	12 Dilution - sens Chlorampheni	16	4	64	16
4	12 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
4	12 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	12 Dilution - sens Erythromycin	1	0.25	8	>8
4	12 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	12 Dilution - sens Gentamicin	2	1	16	<=1
4	12 Dilution - sens Kanamycin	8	4	64	<=4
4	12 Dilution - sens Linezolid	4	1	8	2
4	12 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	12 Dilution - sens Penicillin	0.12	0.12	2	>2
4	12 Dilution - sens Quinupristin/C	1	0.5	4	>4
4	12 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	12 Dilution - sens Streptomycin	16	4	32	>32
4	12 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	12 Dilution - sens Tetracycline	1	0.5	16	>16
4	12 Dilution - sens Tiamulin	2	0.5	4	>4
4	12 Dilution - sens Trimethoprim	2	2	32	>32
4	12 Dilution - sens Vancomycin	2	1	16	<=1
4	19 Dilution - sens Cefoxitin	4	0.5	16	8
4	19 Dilution - sens Chlorampheni	16	4	64	8
4	19 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
4	19 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	19 Dilution - sens Erythromycin	1	0.25	8	>8
4	19 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	19 Dilution - sens Gentamicin	2	1	16	<=1
4	19 Dilution - sens Kanamycin	8	4	64	<=4
4	19 Dilution - sens Linezolid	4	1	8	2
4	19 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	19 Dilution - sens Penicillin	0.12	0.12	2	>2
4	19 Dilution - sens Quinupristin/C	1	0.5	4	2
4	19 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	19 Dilution - sens Streptomycin	16	4	32	>32
4	19 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	19 Dilution - sens Tetracycline	1	0.5	16	>16
4	19 Dilution - sens Tiamulin	2	0.5	4	>4
4	19 Dilution - sens Trimethoprim	2	2	32	>32
4	19 Dilution - sens Vancomycin	2	1	16	<=1
4	19 Dilution - sens Cefoxitin	4	0.5	16	16
4	19 Dilution - sens Chlorampheni	16	4	64	8

4	19 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
4	19 Dilution - sens Clindamycin	0.25	0.12	4	>4
4	19 Dilution - sens Erythromycin	1	0.25	8	>8
4	19 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
4	19 Dilution - sens Gentamicin	2	1	16	<=1
4	19 Dilution - sens Kanamycin	8	4	64	<=4
4	19 Dilution - sens Linezolid	4	1	8	2
4	19 Dilution - sens Mupirocin	1	0.5	256	<=0.5
4	19 Dilution - sens Penicillin	0.12	0.12	2	>2
4	19 Dilution - sens Quinupristin/C	1	0.5	4	2
4	19 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
4	19 Dilution - sens Streptomycin	16	4	32	<=4
4	19 Dilution - sens Sulfamethoxa	128	64	512	<=64
4	19 Dilution - sens Tetracycline	1	0.5	16	>16
4	19 Dilution - sens Tiamulin	2	0.5	4	>4
4	19 Dilution - sens Trimethoprim	2	2	32	>32
4	19 Dilution - sens Vancomycin	2	1	16	<=1
5	3 Dilution - sens Cefoxitin	4	0.5	16	8
5	3 Dilution - sens Chlorampheni	16	4	64	8
5	3 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
5	3 Dilution - sens Clindamycin	0.25	0.12	4	>4
5	3 Dilution - sens Erythromycin	1	0.25	8	>8
5	3 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
5	3 Dilution - sens Gentamicin	2	1	16	<=1
5	3 Dilution - sens Kanamycin	8	4	64	<=4
5	3 Dilution - sens Linezolid	4	1	8	2
5	3 Dilution - sens Mupirocin	1	0.5	256	<=0.5
5	3 Dilution - sens Penicillin	0.12	0.12	2	>2
5	3 Dilution - sens Quinupristin/C	1	0.5	4	4
5	3 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
5	3 Dilution - sens Streptomycin	16	4	32	>32
5	3 Dilution - sens Sulfamethoxa	128	64	512	<=64
5	3 Dilution - sens Tetracycline	1	0.5	16	>16
5	3 Dilution - sens Tiamulin	2	0.5	4	>4
5	3 Dilution - sens Trimethoprim	2	2	32	>32
5	3 Dilution - sens Vancomycin	2	1	16	<=1
5	4 Dilution - sens Cefoxitin	4	0.5	16	8
5	4 Dilution - sens Chlorampheni	16	4	64	8
5	4 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
5	4 Dilution - sens Clindamycin	0.25	0.12	4	>4
5	4 Dilution - sens Erythromycin	1	0.25	8	>8
5	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
5	4 Dilution - sens Gentamicin	2	1	16	<=1
5	4 Dilution - sens Kanamycin	8	4	64	<=4
5	4 Dilution - sens Linezolid	4	1	8	2
5	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
5	4 Dilution - sens Penicillin	0.12	0.12	2	>2
5	4 Dilution - sens Quinupristin/C	1	0.5	4	2
5	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
5	4 Dilution - sens Streptomycin	16	4	32	<=4
5	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
5	4 Dilution - sens Tetracycline	1	0.5	16	>16
5	4 Dilution - sens Tiamulin	2	0.5	4	>4
5	4 Dilution - sens Trimethoprim	2	2	32	>32

5	4 Dilution - sens Vancomycin	2	1	16	<=1
5	9 Dilution - sens Cefoxitin	4	0.5	16	16
5	9 Dilution - sens Chlorampheni	16	4	64	8
5	9 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
5	9 Dilution - sens Clindamycin	0.25	0.12	4	>4
5	9 Dilution - sens Erythromycin	1	0.25	8	>8
5	9 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
5	9 Dilution - sens Gentamicin	2	1	16	<=1
5	9 Dilution - sens Kanamycin	8	4	64	<=4
5	9 Dilution - sens Linezolid	4	1	8	2
5	9 Dilution - sens Mupirocin	1	0.5	256	<=0.5
5	9 Dilution - sens Penicillin	0.12	0.12	2	>2
5	9 Dilution - sens Quinupristin/C	1	0.5	4	4
5	9 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
5	9 Dilution - sens Streptomycin	16	4	32	>32
5	9 Dilution - sens Sulfamethoxa	128	64	512	<=64
5	9 Dilution - sens Tetracycline	1	0.5	16	>16
5	9 Dilution - sens Tiamulin	2	0.5	4	>4
5	9 Dilution - sens Trimethoprim	2	2	32	>32
5	9 Dilution - sens Vancomycin	2	1	16	<=1
5	10 Dilution - sens Cefoxitin	4	0.5	16	8
5	10 Dilution - sens Chlorampheni	16	4	64	8
5	10 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
5	10 Dilution - sens Clindamycin	0.25	0.12	4	>4
5	10 Dilution - sens Erythromycin	1	0.25	8	>8
5	10 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
5	10 Dilution - sens Gentamicin	2	1	16	<=1
5	10 Dilution - sens Kanamycin	8	4	64	<=4
5	10 Dilution - sens Linezolid	4	1	8	2
5	10 Dilution - sens Mupirocin	1	0.5	256	<=0.5
5	10 Dilution - sens Penicillin	0.12	0.12	2	>2
5	10 Dilution - sens Quinupristin/C	1	0.5	4	2
5	10 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
5	10 Dilution - sens Streptomycin	16	4	32	>32
5	10 Dilution - sens Sulfamethoxa	128	64	512	<=64
5	10 Dilution - sens Tetracycline	1	0.5	16	>16
5	10 Dilution - sens Tiamulin	2	0.5	4	>4
5	10 Dilution - sens Trimethoprim	2	2	32	>32
5	10 Dilution - sens Vancomycin	2	1	16	<=1
5	10 Dilution - sens Cefoxitin	4	0.5	16	8
5	10 Dilution - sens Chlorampheni	16	4	64	8
5	10 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
5	10 Dilution - sens Clindamycin	0.25	0.12	4	>4
5	10 Dilution - sens Erythromycin	1	0.25	8	>8
5	10 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
5	10 Dilution - sens Gentamicin	2	1	16	<=1
5	10 Dilution - sens Kanamycin	8	4	64	<=4
5	10 Dilution - sens Linezolid	4	1	8	2
5	10 Dilution - sens Mupirocin	1	0.5	256	<=0.5
5	10 Dilution - sens Penicillin	0.12	0.12	2	>2
5	10 Dilution - sens Quinupristin/C	1	0.5	4	4
5	10 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
5	10 Dilution - sens Streptomycin	16	4	32	>32
5	10 Dilution - sens Sulfamethoxa	128	64	512	<=64

5	10 Dilution - sens Tetracycline	1	0.5	16	>16
5	10 Dilution - sens Tiamulin	2	0.5	4	>4
5	10 Dilution - sens Trimethoprim	2	2	32	>32
5	10 Dilution - sens Vancomycin	2	1	16	<=1
5	10 Dilution - sens Cefoxitin	4	0.5	16	8
5	10 Dilution - sens Chlorampheni	16	4	64	8
5	10 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
5	10 Dilution - sens Clindamycin	0.25	0.12	4	>4
5	10 Dilution - sens Erythromycin	1	0.25	8	>8
5	10 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
5	10 Dilution - sens Gentamicin	2	1	16	<=1
5	10 Dilution - sens Kanamycin	8	4	64	<=4
5	10 Dilution - sens Linezolid	4	1	8	2
5	10 Dilution - sens Mupirocin	1	0.5	256	<=0.5
5	10 Dilution - sens Penicillin	0.12	0.12	2	>2
5	10 Dilution - sens Quinupristin/C	1	0.5	4	4
5	10 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
5	10 Dilution - sens Streptomycin	16	4	32	>32
5	10 Dilution - sens Sulfamethoxa	128	64	512	<=64
5	10 Dilution - sens Tetracycline	1	0.5	16	>16
5	10 Dilution - sens Tiamulin	2	0.5	4	>4
5	10 Dilution - sens Trimethoprim	2	2	32	>32
5	10 Dilution - sens Vancomycin	2	1	16	<=1
5	10 Dilution - sens Cefoxitin	4	0.5	16	8
5	10 Dilution - sens Chlorampheni	16	4	64	8
5	10 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
5	10 Dilution - sens Clindamycin	0.25	0.12	4	>4
5	10 Dilution - sens Erythromycin	1	0.25	8	>8
5	10 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
5	10 Dilution - sens Gentamicin	2	1	16	<=1
5	10 Dilution - sens Kanamycin	8	4	64	<=4
5	10 Dilution - sens Linezolid	4	1	8	2
5	10 Dilution - sens Mupirocin	1	0.5	256	<=0.5
5	10 Dilution - sens Penicillin	0.12	0.12	2	>2
5	10 Dilution - sens Quinupristin/C	1	0.5	4	2
5	10 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
5	10 Dilution - sens Streptomycin	16	4	32	>32
5	10 Dilution - sens Sulfamethoxa	128	64	512	<=64
5	10 Dilution - sens Tetracycline	1	0.5	16	>16
5	10 Dilution - sens Tiamulin	2	0.5	4	>4
5	10 Dilution - sens Trimethoprim	2	2	32	>32
5	10 Dilution - sens Vancomycin	2	1	16	<=1
5	10 Dilution - sens Cefoxitin	4	0.5	16	16
5	10 Dilution - sens Chlorampheni	16	4	64	8
5	10 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
5	10 Dilution - sens Clindamycin	0.25	0.12	4	>4
5	10 Dilution - sens Erythromycin	1	0.25	8	>8
5	10 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
5	10 Dilution - sens Gentamicin	2	1	16	<=1
5	10 Dilution - sens Kanamycin	8	4	64	<=4
5	10 Dilution - sens Linezolid	4	1	8	2
5	10 Dilution - sens Mupirocin	1	0.5	256	<=0.5
5	10 Dilution - sens Penicillin	0.12	0.12	2	>2
5	10 Dilution - sens Quinupristin/C	1	0.5	4	2

5	10 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
5	10 Dilution - sens Streptomycin	16	4	32	>32
5	10 Dilution - sens Sulfamethoxa	128	64	512	<=64
5	10 Dilution - sens Tetracycline	1	0.5	16	>16
5	10 Dilution - sens Tiamulin	2	0.5	4	>4
5	10 Dilution - sens Trimethoprim	2	2	32	>32
5	10 Dilution - sens Vancomycin	2	1	16	<=1
5	10 Dilution - sens Cefoxitin	4	0.5	16	8
5	10 Dilution - sens Chlorampheni	16	4	64	8
5	10 Dilution - sens Ciprofloxacin	1	0.25	8	>8
5	10 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
5	10 Dilution - sens Erythromycin	1	0.25	8	0.5
5	10 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
5	10 Dilution - sens Gentamicin	2	1	16	8
5	10 Dilution - sens Kanamycin	8	4	64	64
5	10 Dilution - sens Linezolid	4	1	8	2
5	10 Dilution - sens Mupirocin	1	0.5	256	<=0.5
5	10 Dilution - sens Penicillin	0.12	0.12	2	>2
5	10 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
5	10 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
5	10 Dilution - sens Streptomycin	16	4	32	<=4
5	10 Dilution - sens Sulfamethoxa	128	64	512	<=64
5	10 Dilution - sens Tetracycline	1	0.5	16	>16
5	10 Dilution - sens Tiamulin	2	0.5	4	<=0.5
5	10 Dilution - sens Trimethoprim	2	2	32	>32
5	10 Dilution - sens Vancomycin	2	1	16	<=1
6	7 Dilution - sens Cefoxitin	4	0.5	16	8
6	7 Dilution - sens Chlorampheni	16	4	64	8
6	7 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
6	7 Dilution - sens Clindamycin	0.25	0.12	4	>4
6	7 Dilution - sens Erythromycin	1	0.25	8	>8
6	7 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	7 Dilution - sens Gentamicin	2	1	16	<=1
6	7 Dilution - sens Kanamycin	8	4	64	<=4
6	7 Dilution - sens Linezolid	4	1	8	2
6	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	7 Dilution - sens Penicillin	0.12	0.12	2	>2
6	7 Dilution - sens Quinupristin/C	1	0.5	4	4
6	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	7 Dilution - sens Streptomycin	16	4	32	>32
6	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	7 Dilution - sens Tetracycline	1	0.5	16	>16
6	7 Dilution - sens Tiamulin	2	0.5	4	>4
6	7 Dilution - sens Trimethoprim	2	2	32	>32
6	7 Dilution - sens Vancomycin	2	1	16	<=1
6	7 Dilution - sens Cefoxitin	4	0.5	16	8
6	7 Dilution - sens Chlorampheni	16	4	64	16
6	7 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
6	7 Dilution - sens Clindamycin	0.25	0.12	4	>4
6	7 Dilution - sens Erythromycin	1	0.25	8	>8
6	7 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	7 Dilution - sens Gentamicin	2	1	16	<=1
6	7 Dilution - sens Kanamycin	8	4	64	<=4
6	7 Dilution - sens Linezolid	4	1	8	<=1

6	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	7 Dilution - sens Penicillin	0.12	0.12	2	>2
6	7 Dilution - sens Quinupristin/C	1	0.5	4	>4
6	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	7 Dilution - sens Streptomycin	16	4	32	>32
6	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	7 Dilution - sens Tetracycline	1	0.5	16	>16
6	7 Dilution - sens Tiamulin	2	0.5	4	>4
6	7 Dilution - sens Trimethoprim	2	2	32	>32
6	7 Dilution - sens Vancomycin	2	1	16	<=1
6	13 Dilution - sens Cefoxitin	4	0.5	16	16
6	13 Dilution - sens Chlorampheni	16	4	64	16
6	13 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
6	13 Dilution - sens Clindamycin	0.25	0.12	4	>4
6	13 Dilution - sens Erythromycin	1	0.25	8	>8
6	13 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	13 Dilution - sens Gentamicin	2	1	16	<=1
6	13 Dilution - sens Kanamycin	8	4	64	<=4
6	13 Dilution - sens Linezolid	4	1	8	2
6	13 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	13 Dilution - sens Penicillin	0.12	0.12	2	>2
6	13 Dilution - sens Quinupristin/C	1	0.5	4	>4
6	13 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	13 Dilution - sens Streptomycin	16	4	32	16
6	13 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	13 Dilution - sens Tetracycline	1	0.5	16	>16
6	13 Dilution - sens Tiamulin	2	0.5	4	>4
6	13 Dilution - sens Trimethoprim	2	2	32	>32
6	13 Dilution - sens Vancomycin	2	1	16	<=1
6	15 Dilution - sens Cefoxitin	4	0.5	16	16
6	15 Dilution - sens Chlorampheni	16	4	64	8
6	15 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
6	15 Dilution - sens Clindamycin	0.25	0.12	4	>4
6	15 Dilution - sens Erythromycin	1	0.25	8	>8
6	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	15 Dilution - sens Gentamicin	2	1	16	2
6	15 Dilution - sens Kanamycin	8	4	64	<=4
6	15 Dilution - sens Linezolid	4	1	8	4
6	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	15 Dilution - sens Penicillin	0.12	0.12	2	>2
6	15 Dilution - sens Quinupristin/C	1	0.5	4	4
6	15 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	15 Dilution - sens Streptomycin	16	4	32	>32
6	15 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	15 Dilution - sens Tetracycline	1	0.5	16	>16
6	15 Dilution - sens Tiamulin	2	0.5	4	>4
6	15 Dilution - sens Trimethoprim	2	2	32	>32
6	15 Dilution - sens Vancomycin	2	1	16	<=1
6	15 Dilution - sens Cefoxitin	4	0.5	16	>16
6	15 Dilution - sens Chlorampheni	16	4	64	16
6	15 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
6	15 Dilution - sens Clindamycin	0.25	0.12	4	>4
6	15 Dilution - sens Erythromycin	1	0.25	8	>8
6	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5

6	15 Dilution - sens Gentamicin	2	1	16	<=1
6	15 Dilution - sens Kanamycin	8	4	64	8
6	15 Dilution - sens Linezolid	4	1	8	4
6	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	15 Dilution - sens Penicillin	0.12	0.12	2	>2
6	15 Dilution - sens Quinupristin/C	1	0.5	4	4
6	15 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	15 Dilution - sens Streptomycin	16	4	32	>32
6	15 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	15 Dilution - sens Tetracycline	1	0.5	16	>16
6	15 Dilution - sens Tiamulin	2	0.5	4	>4
6	15 Dilution - sens Trimethoprim	2	2	32	>32
6	15 Dilution - sens Vancomycin	2	1	16	<=1
6	15 Dilution - sens Cefoxitin	4	0.5	16	16
6	15 Dilution - sens Chlorampheni	16	4	64	8
6	15 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
6	15 Dilution - sens Clindamycin	0.25	0.12	4	>4
6	15 Dilution - sens Erythromycin	1	0.25	8	>8
6	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	15 Dilution - sens Gentamicin	2	1	16	<=1
6	15 Dilution - sens Kanamycin	8	4	64	<=4
6	15 Dilution - sens Linezolid	4	1	8	2
6	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	15 Dilution - sens Penicillin	0.12	0.12	2	>2
6	15 Dilution - sens Quinupristin/C	1	0.5	4	4
6	15 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	15 Dilution - sens Streptomycin	16	4	32	>32
6	15 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	15 Dilution - sens Tetracycline	1	0.5	16	>16
6	15 Dilution - sens Tiamulin	2	0.5	4	>4
6	15 Dilution - sens Trimethoprim	2	2	32	>32
6	15 Dilution - sens Vancomycin	2	1	16	<=1
6	15 Dilution - sens Cefoxitin	4	0.5	16	16
6	15 Dilution - sens Chlorampheni	16	4	64	8
6	15 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
6	15 Dilution - sens Clindamycin	0.25	0.12	4	>4
6	15 Dilution - sens Erythromycin	1	0.25	8	>8
6	15 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	15 Dilution - sens Gentamicin	2	1	16	<=1
6	15 Dilution - sens Kanamycin	8	4	64	<=4
6	15 Dilution - sens Linezolid	4	1	8	2
6	15 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	15 Dilution - sens Penicillin	0.12	0.12	2	>2
6	15 Dilution - sens Quinupristin/C	1	0.5	4	2
6	15 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	15 Dilution - sens Streptomycin	16	4	32	>32
6	15 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	15 Dilution - sens Tetracycline	1	0.5	16	>16
6	15 Dilution - sens Tiamulin	2	0.5	4	>4
6	15 Dilution - sens Trimethoprim	2	2	32	>32
6	15 Dilution - sens Vancomycin	2	1	16	<=1
6	21 Dilution - sens Cefoxitin	4	0.5	16	>16
6	21 Dilution - sens Chlorampheni	16	4	64	8
6	21 Dilution - sens Ciprofloxacin	1	0.25	8	0.5

6	21 Dilution - sens Clindamycin	0.25	0.12	4	>4
6	21 Dilution - sens Erythromycin	1	0.25	8	>8
6	21 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	21 Dilution - sens Gentamicin	2	1	16	<=1
6	21 Dilution - sens Kanamycin	8	4	64	<=4
6	21 Dilution - sens Linezolid	4	1	8	2
6	21 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	21 Dilution - sens Penicillin	0.12	0.12	2	>2
6	21 Dilution - sens Quinupristin/C	1	0.5	4	4
6	21 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	21 Dilution - sens Streptomycin	16	4	32	>32
6	21 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	21 Dilution - sens Tetracycline	1	0.5	16	>16
6	21 Dilution - sens Tiamulin	2	0.5	4	>4
6	21 Dilution - sens Trimethoprim	2	2	32	>32
6	21 Dilution - sens Vancomycin	2	1	16	<=1
7	4 Dilution - sens Cefoxitin	4	0.5	16	16
7	4 Dilution - sens Chlorampheni	16	4	64	8
7	4 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
7	4 Dilution - sens Clindamycin	0.25	0.12	4	>4
7	4 Dilution - sens Erythromycin	1	0.25	8	>8
7	4 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	4 Dilution - sens Gentamicin	2	1	16	<=1
7	4 Dilution - sens Kanamycin	8	4	64	<=4
7	4 Dilution - sens Linezolid	4	1	8	2
7	4 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	4 Dilution - sens Penicillin	0.12	0.12	2	>2
7	4 Dilution - sens Quinupristin/C	1	0.5	4	>4
7	4 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	4 Dilution - sens Streptomycin	16	4	32	8
7	4 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	4 Dilution - sens Tetracycline	1	0.5	16	>16
7	4 Dilution - sens Tiamulin	2	0.5	4	>4
7	4 Dilution - sens Trimethoprim	2	2	32	>32
7	4 Dilution - sens Vancomycin	2	1	16	<=1
7	5 Dilution - sens Cefoxitin	4	0.5	16	8
7	5 Dilution - sens Chlorampheni	16	4	64	8
7	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
7	5 Dilution - sens Clindamycin	0.25	0.12	4	>4
7	5 Dilution - sens Erythromycin	1	0.25	8	>8
7	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	5 Dilution - sens Gentamicin	2	1	16	<=1
7	5 Dilution - sens Kanamycin	8	4	64	<=4
7	5 Dilution - sens Linezolid	4	1	8	2
7	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	5 Dilution - sens Penicillin	0.12	0.12	2	>2
7	5 Dilution - sens Quinupristin/C	1	0.5	4	4
7	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	5 Dilution - sens Streptomycin	16	4	32	8
7	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	5 Dilution - sens Tetracycline	1	0.5	16	>16
7	5 Dilution - sens Tiamulin	2	0.5	4	>4
7	5 Dilution - sens Trimethoprim	2	2	32	>32
7	5 Dilution - sens Vancomycin	2	1	16	<=1

7	5 Dilution - sens Cefoxitin	4	0.5	16	8
7	5 Dilution - sens Chlorampheni	16	4	64	8
7	5 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
7	5 Dilution - sens Clindamycin	0.25	0.12	4	>4
7	5 Dilution - sens Erythromycin	1	0.25	8	>8
7	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	5 Dilution - sens Gentamicin	2	1	16	<=1
7	5 Dilution - sens Kanamycin	8	4	64	<=4
7	5 Dilution - sens Linezolid	4	1	8	2
7	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	5 Dilution - sens Penicillin	0.12	0.12	2	>2
7	5 Dilution - sens Quinupristin/C	1	0.5	4	4
7	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	5 Dilution - sens Streptomycin	16	4	32	<=4
7	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	5 Dilution - sens Tetracycline	1	0.5	16	>16
7	5 Dilution - sens Tiamulin	2	0.5	4	>4
7	5 Dilution - sens Trimethoprim	2	2	32	>32
7	5 Dilution - sens Vancomycin	2	1	16	<=1
7	5 Dilution - sens Cefoxitin	4	0.5	16	8
7	5 Dilution - sens Chlorampheni	16	4	64	8
7	5 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
7	5 Dilution - sens Clindamycin	0.25	0.12	4	>4
7	5 Dilution - sens Erythromycin	1	0.25	8	>8
7	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	5 Dilution - sens Gentamicin	2	1	16	16
7	5 Dilution - sens Kanamycin	8	4	64	>64
7	5 Dilution - sens Linezolid	4	1	8	2
7	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	5 Dilution - sens Penicillin	0.12	0.12	2	>2
7	5 Dilution - sens Quinupristin/C	1	0.5	4	>4
7	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	5 Dilution - sens Streptomycin	16	4	32	8
7	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
7	5 Dilution - sens Tetracycline	1	0.5	16	>16
7	5 Dilution - sens Tiamulin	2	0.5	4	>4
7	5 Dilution - sens Trimethoprim	2	2	32	>32
7	5 Dilution - sens Vancomycin	2	1	16	<=1
7	11 Dilution - sens Cefoxitin	4	0.5	16	16
7	11 Dilution - sens Chlorampheni	16	4	64	8
7	11 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
7	11 Dilution - sens Clindamycin	0.25	0.12	4	>4
7	11 Dilution - sens Erythromycin	1	0.25	8	0.5
7	11 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	11 Dilution - sens Gentamicin	2	1	16	<=1
7	11 Dilution - sens Kanamycin	8	4	64	<=4
7	11 Dilution - sens Linezolid	4	1	8	2
7	11 Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	11 Dilution - sens Penicillin	0.12	0.12	2	>2
7	11 Dilution - sens Quinupristin/C	1	0.5	4	2
7	11 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	11 Dilution - sens Streptomycin	16	4	32	8
7	11 Dilution - sens Sulfamethoxa	128	64	512	256
7	11 Dilution - sens Tetracycline	1	0.5	16	>16

7	11	Dilution - sens Tiamulin	2	0.5	4	>4
7	11	Dilution - sens Trimethoprim	2	2	32	>32
7	11	Dilution - sens Vancomycin	2	1	16	<=1
7	12	Dilution - sens Cefoxitin	4	0.5	16	16
7	12	Dilution - sens Chlorampheni	16	4	64	8
7	12	Dilution - sens Ciprofloxacin	1	0.25	8	0.5
7	12	Dilution - sens Clindamycin	0.25	0.12	4	>4
7	12	Dilution - sens Erythromycin	1	0.25	8	>8
7	12	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
7	12	Dilution - sens Gentamicin	2	1	16	<=1
7	12	Dilution - sens Kanamycin	8	4	64	<=4
7	12	Dilution - sens Linezolid	4	1	8	2
7	12	Dilution - sens Mupirocin	1	0.5	256	<=0.5
7	12	Dilution - sens Penicillin	0.12	0.12	2	>2
7	12	Dilution - sens Quinupristin/C	1	0.5	4	4
7	12	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
7	12	Dilution - sens Streptomycin	16	4	32	>32
7	12	Dilution - sens Sulfamethoxa	128	64	512	<=64
7	12	Dilution - sens Tetracycline	1	0.5	16	>16
7	12	Dilution - sens Tiamulin	2	0.5	4	>4
7	12	Dilution - sens Trimethoprim	2	2	32	>32
7	12	Dilution - sens Vancomycin	2	1	16	<=1
8	9	Dilution - sens Cefoxitin	4	0.5	16	16
8	9	Dilution - sens Chlorampheni	16	4	64	8
8	9	Dilution - sens Ciprofloxacin	1	0.25	8	8
8	9	Dilution - sens Clindamycin	0.25	0.12	4	>4
8	9	Dilution - sens Erythromycin	1	0.25	8	0.5
8	9	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
8	9	Dilution - sens Gentamicin	2	1	16	<=1
8	9	Dilution - sens Kanamycin	8	4	64	<=4
8	9	Dilution - sens Linezolid	4	1	8	2
8	9	Dilution - sens Mupirocin	1	0.5	256	<=0.5
8	9	Dilution - sens Penicillin	0.12	0.12	2	>2
8	9	Dilution - sens Quinupristin/C	1	0.5	4	2
8	9	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
8	9	Dilution - sens Streptomycin	16	4	32	>32
8	9	Dilution - sens Sulfamethoxa	128	64	512	<=64
8	9	Dilution - sens Tetracycline	1	0.5	16	>16
8	9	Dilution - sens Tiamulin	2	0.5	4	>4
8	9	Dilution - sens Trimethoprim	2	2	32	>32
8	9	Dilution - sens Vancomycin	2	1	16	<=1
8	9	Dilution - sens Cefoxitin	4	0.5	16	>16
8	9	Dilution - sens Chlorampheni	16	4	64	8
8	9	Dilution - sens Ciprofloxacin	1	0.25	8	0.5
8	9	Dilution - sens Clindamycin	0.25	0.12	4	>4
8	9	Dilution - sens Erythromycin	1	0.25	8	>8
8	9	Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
8	9	Dilution - sens Gentamicin	2	1	16	<=1
8	9	Dilution - sens Kanamycin	8	4	64	<=4
8	9	Dilution - sens Linezolid	4	1	8	2
8	9	Dilution - sens Mupirocin	1	0.5	256	<=0.5
8	9	Dilution - sens Penicillin	0.12	0.12	2	>2
8	9	Dilution - sens Quinupristin/C	1	0.5	4	4
8	9	Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016

8	9 Dilution - sens Streptomycin	16	4	32	>32
8	9 Dilution - sens Sulfamethoxa	128	64	512	<=64
8	9 Dilution - sens Tetracycline	1	0.5	16	>16
8	9 Dilution - sens Tiamulin	2	0.5	4	>4
8	9 Dilution - sens Trimethoprim	2	2	32	>32
8	9 Dilution - sens Vancomycin	2	1	16	<=1
8	23 Dilution - sens Cefoxitin	4	0.5	16	16
8	23 Dilution - sens Chlorampheni	16	4	64	8
8	23 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
8	23 Dilution - sens Clindamycin	0.25	0.12	4	>4
8	23 Dilution - sens Erythromycin	1	0.25	8	>8
8	23 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
8	23 Dilution - sens Gentamicin	2	1	16	<=1
8	23 Dilution - sens Kanamycin	8	4	64	<=4
8	23 Dilution - sens Linezolid	4	1	8	2
8	23 Dilution - sens Mupirocin	1	0.5	256	<=0.5
8	23 Dilution - sens Penicillin	0.12	0.12	2	>2
8	23 Dilution - sens Quinupristin/C	1	0.5	4	2
8	23 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
8	23 Dilution - sens Streptomycin	16	4	32	>32
8	23 Dilution - sens Sulfamethoxa	128	64	512	<=64
8	23 Dilution - sens Tetracycline	1	0.5	16	>16
8	23 Dilution - sens Tiamulin	2	0.5	4	>4
8	23 Dilution - sens Trimethoprim	2	2	32	>32
8	23 Dilution - sens Vancomycin	2	1	16	<=1
9	5 Dilution - sens Cefoxitin	4	0.5	16	16
9	5 Dilution - sens Chlorampheni	16	4	64	8
9	5 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
9	5 Dilution - sens Clindamycin	0.25	0.12	4	4
9	5 Dilution - sens Erythromycin	1	0.25	8	>8
9	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	5 Dilution - sens Gentamicin	2	1	16	<=1
9	5 Dilution - sens Kanamycin	8	4	64	<=4
9	5 Dilution - sens Linezolid	4	1	8	2
9	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	5 Dilution - sens Penicillin	0.12	0.12	2	>2
9	5 Dilution - sens Quinupristin/C	1	0.5	4	2
9	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	5 Dilution - sens Streptomycin	16	4	32	>32
9	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	5 Dilution - sens Tetracycline	1	0.5	16	>16
9	5 Dilution - sens Tiamulin	2	0.5	4	>4
9	5 Dilution - sens Trimethoprim	2	2	32	>32
9	5 Dilution - sens Vancomycin	2	1	16	<=1
9	6 Dilution - sens Cefoxitin	4	0.5	16	16
9	6 Dilution - sens Chlorampheni	16	4	64	8
9	6 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
9	6 Dilution - sens Clindamycin	0.25	0.12	4	>4
9	6 Dilution - sens Erythromycin	1	0.25	8	>8
9	6 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	6 Dilution - sens Gentamicin	2	1	16	<=1
9	6 Dilution - sens Kanamycin	8	4	64	<=4
9	6 Dilution - sens Linezolid	4	1	8	2
9	6 Dilution - sens Mupirocin	1	0.5	256	<=0.5

9	6 Dilution - sens Penicillin	0.12	0.12	2	>2
9	6 Dilution - sens Quinupristin/C	1	0.5	4	2
9	6 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	6 Dilution - sens Streptomycin	16	4	32	>32
9	6 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	6 Dilution - sens Tetracycline	1	0.5	16	>16
9	6 Dilution - sens Tiamulin	2	0.5	4	>4
9	6 Dilution - sens Trimethoprim	2	2	32	>32
9	6 Dilution - sens Vancomycin	2	1	16	<=1
9	6 Dilution - sens Cefoxitin	4	0.5	16	16
9	6 Dilution - sens Chlorampheni	16	4	64	8
9	6 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
9	6 Dilution - sens Clindamycin	0.25	0.12	4	>4
9	6 Dilution - sens Erythromycin	1	0.25	8	>8
9	6 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	6 Dilution - sens Gentamicin	2	1	16	<=1
9	6 Dilution - sens Kanamycin	8	4	64	<=4
9	6 Dilution - sens Linezolid	4	1	8	2
9	6 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	6 Dilution - sens Penicillin	0.12	0.12	2	>2
9	6 Dilution - sens Quinupristin/C	1	0.5	4	2
9	6 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	6 Dilution - sens Streptomycin	16	4	32	>32
9	6 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	6 Dilution - sens Tetracycline	1	0.5	16	>16
9	6 Dilution - sens Tiamulin	2	0.5	4	>4
9	6 Dilution - sens Trimethoprim	2	2	32	>32
9	6 Dilution - sens Vancomycin	2	1	16	<=1
9	12 Dilution - sens Cefoxitin	4	0.5	16	16
9	12 Dilution - sens Chlorampheni	16	4	64	8
9	12 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
9	12 Dilution - sens Clindamycin	0.25	0.12	4	>4
9	12 Dilution - sens Erythromycin	1	0.25	8	>8
9	12 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	12 Dilution - sens Gentamicin	2	1	16	<=1
9	12 Dilution - sens Kanamycin	8	4	64	<=4
9	12 Dilution - sens Linezolid	4	1	8	2
9	12 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	12 Dilution - sens Penicillin	0.12	0.12	2	>2
9	12 Dilution - sens Quinupristin/C	1	0.5	4	2
9	12 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	12 Dilution - sens Streptomycin	16	4	32	>32
9	12 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	12 Dilution - sens Tetracycline	1	0.5	16	>16
9	12 Dilution - sens Tiamulin	2	0.5	4	>4
9	12 Dilution - sens Trimethoprim	2	2	32	>32
9	12 Dilution - sens Vancomycin	2	1	16	<=1
9	12 Dilution - sens Cefoxitin	4	0.5	16	16
9	12 Dilution - sens Chlorampheni	16	4	64	8
9	12 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
9	12 Dilution - sens Clindamycin	0.25	0.12	4	>4
9	12 Dilution - sens Erythromycin	1	0.25	8	>8
9	12 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
9	12 Dilution - sens Gentamicin	2	1	16	<=1

9	12 Dilution - sens Kanamycin	8	4	64	<=4
9	12 Dilution - sens Linezolid	4	1	8	2
9	12 Dilution - sens Mupirocin	1	0.5	256	<=0.5
9	12 Dilution - sens Penicillin	0.12	0.12	2	>2
9	12 Dilution - sens Quinupristin/C	1	0.5	4	2
9	12 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
9	12 Dilution - sens Streptomycin	16	4	32	>32
9	12 Dilution - sens Sulfamethoxa	128	64	512	<=64
9	12 Dilution - sens Tetracycline	1	0.5	16	>16
9	12 Dilution - sens Tiamulin	2	0.5	4	>4
9	12 Dilution - sens Trimethoprim	2	2	32	>32
9	12 Dilution - sens Vancomycin	2	1	16	<=1
10	18 Dilution - sens Cefoxitin	4	0.5	16	8
10	18 Dilution - sens Chlorampheni	16	4	64	8
10	18 Dilution - sens Ciprofloxacin	1	0.25	8	8
10	18 Dilution - sens Clindamycin	0.25	0.12	4	>4
10	18 Dilution - sens Erythromycin	1	0.25	8	<=0.25
10	18 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
10	18 Dilution - sens Gentamicin	2	1	16	<=1
10	18 Dilution - sens Kanamycin	8	4	64	<=4
10	18 Dilution - sens Linezolid	4	1	8	2
10	18 Dilution - sens Mupirocin	1	0.5	256	<=0.5
10	18 Dilution - sens Penicillin	0.12	0.12	2	>2
10	18 Dilution - sens Quinupristin/C	1	0.5	4	2
10	18 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
10	18 Dilution - sens Streptomycin	16	4	32	>32
10	18 Dilution - sens Sulfamethoxa	128	64	512	<=64
10	18 Dilution - sens Tetracycline	1	0.5	16	>16
10	18 Dilution - sens Tiamulin	2	0.5	4	>4
10	18 Dilution - sens Trimethoprim	2	2	32	>32
10	18 Dilution - sens Vancomycin	2	1	16	<=1
10	18 Dilution - sens Cefoxitin	4	0.5	16	16
10	18 Dilution - sens Chlorampheni	16	4	64	8
10	18 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
10	18 Dilution - sens Clindamycin	0.25	0.12	4	>4
10	18 Dilution - sens Erythromycin	1	0.25	8	>8
10	18 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
10	18 Dilution - sens Gentamicin	2	1	16	<=1
10	18 Dilution - sens Kanamycin	8	4	64	<=4
10	18 Dilution - sens Linezolid	4	1	8	2
10	18 Dilution - sens Mupirocin	1	0.5	256	<=0.5
10	18 Dilution - sens Penicillin	0.12	0.12	2	>2
10	18 Dilution - sens Quinupristin/C	1	0.5	4	2
10	18 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
10	18 Dilution - sens Streptomycin	16	4	32	<=4
10	18 Dilution - sens Sulfamethoxa	128	64	512	<=64
10	18 Dilution - sens Tetracycline	1	0.5	16	>16
10	18 Dilution - sens Tiamulin	2	0.5	4	>4
10	18 Dilution - sens Trimethoprim	2	2	32	>32
10	18 Dilution - sens Vancomycin	2	1	16	<=1
11	1 Dilution - sens Cefoxitin	4	0.5	16	16
11	1 Dilution - sens Chlorampheni	16	4	64	8
11	1 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
11	1 Dilution - sens Clindamycin	0.25	0.12	4	>4

11	1 Dilution - sens Erythromycin	1	0.25	8	>8
11	1 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
11	1 Dilution - sens Gentamicin	2	1	16	<=1
11	1 Dilution - sens Kanamycin	8	4	64	<=4
11	1 Dilution - sens Linezolid	4	1	8	2
11	1 Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	1 Dilution - sens Penicillin	0.12	0.12	2	>2
11	1 Dilution - sens Quinupristin/C	1	0.5	4	>4
11	1 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	1 Dilution - sens Streptomycin	16	4	32	>32
11	1 Dilution - sens Sulfamethoxa	128	64	512	<=64
11	1 Dilution - sens Tetracycline	1	0.5	16	>16
11	1 Dilution - sens Tiamulin	2	0.5	4	>4
11	1 Dilution - sens Trimethoprim	2	2	32	>32
11	1 Dilution - sens Vancomycin	2	1	16	<=1
11	2 Dilution - sens Cefoxitin	4	0.5	16	16
11	2 Dilution - sens Chlorampheni	16	4	64	8
11	2 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
11	2 Dilution - sens Clindamycin	0.25	0.12	4	>4
11	2 Dilution - sens Erythromycin	1	0.25	8	>8
11	2 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
11	2 Dilution - sens Gentamicin	2	1	16	<=1
11	2 Dilution - sens Kanamycin	8	4	64	<=4
11	2 Dilution - sens Linezolid	4	1	8	2
11	2 Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	2 Dilution - sens Penicillin	0.12	0.12	2	>2
11	2 Dilution - sens Quinupristin/C	1	0.5	4	2
11	2 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	2 Dilution - sens Streptomycin	16	4	32	>32
11	2 Dilution - sens Sulfamethoxa	128	64	512	<=64
11	2 Dilution - sens Tetracycline	1	0.5	16	>16
11	2 Dilution - sens Tiamulin	2	0.5	4	>4
11	2 Dilution - sens Trimethoprim	2	2	32	>32
11	2 Dilution - sens Vancomycin	2	1	16	<=1
11	8 Dilution - sens Cefoxitin	4	0.5	16	16
11	8 Dilution - sens Chlorampheni	16	4	64	8
11	8 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
11	8 Dilution - sens Clindamycin	0.25	0.12	4	>4
11	8 Dilution - sens Erythromycin	1	0.25	8	>8
11	8 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
11	8 Dilution - sens Gentamicin	2	1	16	<=1
11	8 Dilution - sens Kanamycin	8	4	64	<=4
11	8 Dilution - sens Linezolid	4	1	8	2
11	8 Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	8 Dilution - sens Penicillin	0.12	0.12	2	>2
11	8 Dilution - sens Quinupristin/C	1	0.5	4	2
11	8 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	8 Dilution - sens Streptomycin	16	4	32	>32
11	8 Dilution - sens Sulfamethoxa	128	64	512	<=64
11	8 Dilution - sens Tetracycline	1	0.5	16	>16
11	8 Dilution - sens Tiamulin	2	0.5	4	>4
11	8 Dilution - sens Trimethoprim	2	2	32	>32
11	8 Dilution - sens Vancomycin	2	1	16	<=1
11	14 Dilution - sens Cefoxitin	4	0.5	16	16

11	14 Dilution - sens Chlorampheni	16	4	64	8
11	14 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
11	14 Dilution - sens Clindamycin	0.25	0.12	4	>4
11	14 Dilution - sens Erythromycin	1	0.25	8	>8
11	14 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
11	14 Dilution - sens Gentamicin	2	1	16	<=1
11	14 Dilution - sens Kanamycin	8	4	64	<=4
11	14 Dilution - sens Linezolid	4	1	8	2
11	14 Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	14 Dilution - sens Penicillin	0.12	0.12	2	>2
11	14 Dilution - sens Quinupristin/C	1	0.5	4	2
11	14 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	14 Dilution - sens Streptomycin	16	4	32	>32
11	14 Dilution - sens Sulfamethoxa	128	64	512	<=64
11	14 Dilution - sens Tetracycline	1	0.5	16	>16
11	14 Dilution - sens Tiamulin	2	0.5	4	>4
11	14 Dilution - sens Trimethoprim	2	2	32	>32
11	14 Dilution - sens Vancomycin	2	1	16	<=1
11	21 Dilution - sens Cefoxitin	4	0.5	16	16
11	21 Dilution - sens Chlorampheni	16	4	64	8
11	21 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
11	21 Dilution - sens Clindamycin	0.25	0.12	4	>4
11	21 Dilution - sens Erythromycin	1	0.25	8	>8
11	21 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
11	21 Dilution - sens Gentamicin	2	1	16	<=1
11	21 Dilution - sens Kanamycin	8	4	64	<=4
11	21 Dilution - sens Linezolid	4	1	8	2
11	21 Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	21 Dilution - sens Penicillin	0.12	0.12	2	>2
11	21 Dilution - sens Quinupristin/C	1	0.5	4	2
11	21 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	21 Dilution - sens Streptomycin	16	4	32	8
11	21 Dilution - sens Sulfamethoxa	128	64	512	<=64
11	21 Dilution - sens Tetracycline	1	0.5	16	>16
11	21 Dilution - sens Tiamulin	2	0.5	4	>4
11	21 Dilution - sens Trimethoprim	2	2	32	>32
11	21 Dilution - sens Vancomycin	2	1	16	<=1
12	5 Dilution - sens Cefoxitin	4	0.5	16	16
12	5 Dilution - sens Chlorampheni	16	4	64	8
12	5 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
12	5 Dilution - sens Clindamycin	0.25	0.12	4	>4
12	5 Dilution - sens Erythromycin	1	0.25	8	>8
12	5 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
12	5 Dilution - sens Gentamicin	2	1	16	<=1
12	5 Dilution - sens Kanamycin	8	4	64	<=4
12	5 Dilution - sens Linezolid	4	1	8	2
12	5 Dilution - sens Mupirocin	1	0.5	256	<=0.5
12	5 Dilution - sens Penicillin	0.12	0.12	2	>2
12	5 Dilution - sens Quinupristin/C	1	0.5	4	2
12	5 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
12	5 Dilution - sens Streptomycin	16	4	32	8
12	5 Dilution - sens Sulfamethoxa	128	64	512	<=64
12	5 Dilution - sens Tetracycline	1	0.5	16	>16
12	5 Dilution - sens Tiamulin	2	0.5	4	>4

12	5 Dilution - sens Trimethoprim	2	2	32	>32
12	5 Dilution - sens Vancomycin	2	1	16	<=1
6	27 Dilution - sens Cefoxitin	4	0.5	16	16
6	27 Dilution - sens Chlorampheni	16	4	64	8
6	27 Dilution - sens Ciprofloxacin	1	0.25	8	0.5
6	27 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
6	27 Dilution - sens Erythromycin	1	0.25	8	>8
6	27 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
6	27 Dilution - sens Gentamicin	2	1	16	<=1
6	27 Dilution - sens Kanamycin	8	4	64	>64
6	27 Dilution - sens Linezolid	4	1	8	2
6	27 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	27 Dilution - sens Penicillin	0.12	0.12	2	>2
6	27 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
6	27 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	27 Dilution - sens Streptomycin	16	4	32	>32
6	27 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	27 Dilution - sens Tetracycline	1	0.5	16	>16
6	27 Dilution - sens Tiamulin	2	0.5	4	<=0.5
6	27 Dilution - sens Trimethoprim	2	2	32	<=2
6	27 Dilution - sens Vancomycin	2	1	16	<=1
3	8 Dilution - sens Cefoxitin	4	0.5	16	8
3	8 Dilution - sens Chlorampheni	16	4	64	<=4
3	8 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	8 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
3	8 Dilution - sens Erythromycin	1	0.25	8	<=0.25
3	8 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	8 Dilution - sens Gentamicin	2	1	16	<=1
3	8 Dilution - sens Kanamycin	8	4	64	<=4
3	8 Dilution - sens Linezolid	4	1	8	<=1
3	8 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	8 Dilution - sens Penicillin	0.12	0.12	2	>2
3	8 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
3	8 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	8 Dilution - sens Streptomycin	16	4	32	>32
3	8 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	8 Dilution - sens Tetracycline	1	0.5	16	>16
3	8 Dilution - sens Tiamulin	2	0.5	4	<=0.5
3	8 Dilution - sens Trimethoprim	2	2	32	<=2
3	8 Dilution - sens Vancomycin	2	1	16	<=1
3	8 Dilution - sens Cefoxitin	4	0.5	16	8
3	8 Dilution - sens Chlorampheni	16	4	64	<=4
3	8 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
3	8 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
3	8 Dilution - sens Erythromycin	1	0.25	8	<=0.25
3	8 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	8 Dilution - sens Gentamicin	2	1	16	<=1
3	8 Dilution - sens Kanamycin	8	4	64	<=4
3	8 Dilution - sens Linezolid	4	1	8	<=1
3	8 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	8 Dilution - sens Penicillin	0.12	0.12	2	>2
3	8 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
3	8 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	8 Dilution - sens Streptomycin	16	4	32	>32

3	8 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	8 Dilution - sens Tetracycline	1	0.5	16	>16
3	8 Dilution - sens Tiamulin	2	0.5	4	<=0.5
3	8 Dilution - sens Trimethoprim	2	2	32	<=2
3	8 Dilution - sens Vancomycin	2	1	16	<=1
11	8 Dilution - sens Cefoxitin	4	0.5	16	8
11	8 Dilution - sens Chlorampheni	16	4	64	8
11	8 Dilution - sens Ciprofloxacin	1	0.25	8	8
11	8 Dilution - sens Clindamycin	0.25	0.12	4	<=0.12
11	8 Dilution - sens Erythromycin	1	0.25	8	0.5
11	8 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
11	8 Dilution - sens Gentamicin	2	1	16	<=1
11	8 Dilution - sens Kanamycin	8	4	64	8
11	8 Dilution - sens Linezolid	4	1	8	2
11	8 Dilution - sens Mupirocin	1	0.5	256	<=0.5
11	8 Dilution - sens Penicillin	0.12	0.12	2	>2
11	8 Dilution - sens Quinupristin/C	1	0.5	4	<=0.5
11	8 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
11	8 Dilution - sens Streptomycin	16	4	32	>32
11	8 Dilution - sens Sulfamethoxa	128	64	512	<=64
11	8 Dilution - sens Tetracycline	1	0.5	16	>16
11	8 Dilution - sens Tiamulin	2	0.5	4	<=0.5
11	8 Dilution - sens Trimethoprim	2	2	32	<=2
11	8 Dilution - sens Vancomycin	2	1	16	<=1
3	28 Dilution - sens Cefoxitin	4	0.5	16	8
3	28 Dilution - sens Chlorampheni	16	4	64	16
3	28 Dilution - sens Ciprofloxacin	1	0.25	8	8
3	28 Dilution - sens Clindamycin	0.25	0.12	4	>4
3	28 Dilution - sens Erythromycin	1	0.25	8	>8
3	28 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
3	28 Dilution - sens Gentamicin	2	1	16	<=1
3	28 Dilution - sens Kanamycin	8	4	64	<=4
3	28 Dilution - sens Linezolid	4	1	8	2
3	28 Dilution - sens Mupirocin	1	0.5	256	<=0.5
3	28 Dilution - sens Penicillin	0.12	0.12	2	>2
3	28 Dilution - sens Quinupristin/C	1	0.5	4	>4
3	28 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
3	28 Dilution - sens Streptomycin	16	4	32	>32
3	28 Dilution - sens Sulfamethoxa	128	64	512	<=64
3	28 Dilution - sens Tetracycline	1	0.5	16	>16
3	28 Dilution - sens Tiamulin	2	0.5	4	>4
3	28 Dilution - sens Trimethoprim	2	2	32	>32
3	28 Dilution - sens Vancomycin	2	1	16	<=1
5	23 Dilution - sens Cefoxitin	4	0.5	16	8
5	23 Dilution - sens Chlorampheni	16	4	64	8
5	23 Dilution - sens Ciprofloxacin	1	0.25	8	>8
5	23 Dilution - sens Clindamycin	0.25	0.12	4	>4
5	23 Dilution - sens Erythromycin	1	0.25	8	>8
5	23 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
5	23 Dilution - sens Gentamicin	2	1	16	<=1
5	23 Dilution - sens Kanamycin	8	4	64	<=4
5	23 Dilution - sens Linezolid	4	1	8	<=1
5	23 Dilution - sens Mupirocin	1	0.5	256	<=0.5
5	23 Dilution - sens Penicillin	0.12	0.12	2	>2

5	23	Dilution - sens Quinupristin/C 1	0.5	4	>4
5	23	Dilution - sens Rifampicin 0.03	0.016	0.5	<=0.016
5	23	Dilution - sens Streptomycin 16	4	32	>32
5	23	Dilution - sens Sulfamethoxa 128	64	512	<=64
5	23	Dilution - sens Tetracycline 1	0.5	16	>16
5	23	Dilution - sens Tiamulin 2	0.5	4	>4
5	23	Dilution - sens Trimethoprim 2	2	32	>32
5	23	Dilution - sens Vancomycin 2	1	16	<=1
10	4	Dilution - sens Cefoxitin 4	0.5	16	16
10	4	Dilution - sens Chlorampheni 16	4	64	8
10	4	Dilution - sens Ciprofloxacin 1	0.25	8	<=0.25
10	4	Dilution - sens Clindamycin 0.25	0.12	4	>4
10	4	Dilution - sens Erythromycin 1	0.25	8	>8
10	4	Dilution - sens Fusidic acid 0.5	0.5	4	<=0.5
10	4	Dilution - sens Gentamicin 2	1	16	>16
10	4	Dilution - sens Kanamycin 8	4	64	>64
10	4	Dilution - sens Linezolid 4	1	8	<=1
10	4	Dilution - sens Mupirocin 1	0.5	256	<=0.5
10	4	Dilution - sens Penicillin 0.12	0.12	2	>2
10	4	Dilution - sens Quinupristin/C 1	0.5	4	1
10	4	Dilution - sens Rifampicin 0.03	0.016	0.5	<=0.016
10	4	Dilution - sens Streptomycin 16	4	32	8
10	4	Dilution - sens Sulfamethoxa 128	64	512	<=64
10	4	Dilution - sens Tetracycline 1	0.5	16	>16
10	4	Dilution - sens Tiamulin 2	0.5	4	<=0.5
10	4	Dilution - sens Trimethoprim 2	2	32	<=2
10	4	Dilution - sens Vancomycin 2	1	16	<=1
6	7	Dilution - sens Cefoxitin 4	0.5	16	8
6	7	Dilution - sens Chlorampheni 16	4	64	8
6	7	Dilution - sens Ciprofloxacin 1	0.25	8	<=0.25
6	7	Dilution - sens Clindamycin 0.25	0.12	4	>4
6	7	Dilution - sens Erythromycin 1	0.25	8	>8
6	7	Dilution - sens Fusidic acid 0.5	0.5	4	<=0.5
6	7	Dilution - sens Gentamicin 2	1	16	<=1
6	7	Dilution - sens Kanamycin 8	4	64	<=4
6	7	Dilution - sens Linezolid 4	1	8	<=1
6	7	Dilution - sens Mupirocin 1	0.5	256	<=0.5
6	7	Dilution - sens Penicillin 0.12	0.12	2	>2
6	7	Dilution - sens Quinupristin/C 1	0.5	4	4
6	7	Dilution - sens Rifampicin 0.03	0.016	0.5	<=0.016
6	7	Dilution - sens Streptomycin 16	4	32	<=4
6	7	Dilution - sens Sulfamethoxa 128	64	512	<=64
6	7	Dilution - sens Tetracycline 1	0.5	16	>16
6	7	Dilution - sens Tiamulin 2	0.5	4	>4
6	7	Dilution - sens Trimethoprim 2	2	32	>32
6	7	Dilution - sens Vancomycin 2	1	16	<=1
6	7	Dilution - sens Cefoxitin 4	0.5	16	8
6	7	Dilution - sens Chlorampheni 16	4	64	8
6	7	Dilution - sens Ciprofloxacin 1	0.25	8	<=0.25
6	7	Dilution - sens Clindamycin 0.25	0.12	4	0.5
6	7	Dilution - sens Erythromycin 1	0.25	8	0.5
6	7	Dilution - sens Fusidic acid 0.5	0.5	4	<=0.5
6	7	Dilution - sens Gentamicin 2	1	16	<=1
6	7	Dilution - sens Kanamycin 8	4	64	<=4

6	7 Dilution - sens Linezolid	4	1	8	<=1
6	7 Dilution - sens Mupirocin	1	0.5	256	<=0.5
6	7 Dilution - sens Penicillin	0.12	0.12	2	>2
6	7 Dilution - sens Quinupristin/C	1	0.5	4	2
6	7 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
6	7 Dilution - sens Streptomycin	16	4	32	<=4
6	7 Dilution - sens Sulfamethoxa	128	64	512	<=64
6	7 Dilution - sens Tetracycline	1	0.5	16	>16
6	7 Dilution - sens Tiamulin	2	0.5	4	>4
6	7 Dilution - sens Trimethoprim	2	2	32	>32
6	7 Dilution - sens Vancomycin	2	1	16	<=1
8	3 Dilution - sens Cefoxitin	4	0.5	16	16
8	3 Dilution - sens Chlorampheni	16	4	64	8
8	3 Dilution - sens Ciprofloxacin	1	0.25	8	<=0.25
8	3 Dilution - sens Clindamycin	0.25	0.12	4	1
8	3 Dilution - sens Erythromycin	1	0.25	8	0.5
8	3 Dilution - sens Fusidic acid	0.5	0.5	4	<=0.5
8	3 Dilution - sens Gentamicin	2	1	16	<=1
8	3 Dilution - sens Kanamycin	8	4	64	<=4
8	3 Dilution - sens Linezolid	4	1	8	2
8	3 Dilution - sens Mupirocin	1	0.5	256	<=0.5
8	3 Dilution - sens Penicillin	0.12	0.12	2	>2
8	3 Dilution - sens Quinupristin/C	1	0.5	4	2
8	3 Dilution - sens Rifampicin	0.03	0.016	0.5	<=0.016
8	3 Dilution - sens Streptomycin	16	4	32	8
8	3 Dilution - sens Sulfamethoxa	128	64	512	<=64
8	3 Dilution - sens Tetracycline	1	0.5	16	>16
8	3 Dilution - sens Tiamulin	2	0.5	4	>4
8	3 Dilution - sens Trimethoprim	2	2	32	>32
8	3 Dilution - sens Vancomycin	2	1	16	<=1

diskConc	diskDiam	IZD	esbl	ampC	carbapenem	synTestCAZ	synTestCTX
----------	----------	-----	------	------	------------	------------	------------

synTestFEP perCC perMLST resComm amType